## Office of the Executive Engineer, Jal Shakti (PHE) Division, Pulwama

Allotment Order No. 48 Dated. 01.11-2022

Mr. Azad Ahmad Ganie Contractor, S/o Gulam Mohammad Ganie, R/o Aloochi Bagh, Pampore, Regd. No. 04-CEE/SE/Hyd/Ang/2009-10

Sub:- Retrofitting of WSS Bagwanpora (JJM) by way of construction of chain link fencing, sluice chamber / sluice valves, face lifting of various structures and providing laying of different dias of pipes, installation of 163 FHTCs for WSS Bagwanpora (JJM)

Ref:- 1- This office ENIT S. No. 02/PHEP of 2022-23 published under endorsement No: PHEP/193-203 Dated: 18-04-2022.

2- This office letter No. PHEP/1374-76 dated. 14-06-2022

3- 3- Superintending Engineer, Hydraulic Circle Shopian's letter No. SE/Hydl/Spn/3379 Dated. 26-08-2022 (addressed to District Development Commr Pulwama)

4- DJJM Pulwama's Minutes of Meeting held in 26-08-2022 and endorsed by Superintending Engineer Hydraulic Circle, Shopian vide No. 3537-46 Dated. 05-09-2022.

5- This office Authorization Committee Endorsement No. PHEP/3212-14 Dated. 10-09-2022

6- Technical Sanction No. SE/Hudl/Spn/22 of 08/2022 Dated. 18-08-2022.

Advertised Amount of work:
Alloted Amount of the work:₹ 22,75,000.00
₹ 23,66,000.00

Rupees Twenty Three Lakh(s) Sixty Six Thousand Only

For and on behalf of the Lt. Governor Union Territory of J&K, the contract for the above noted work is hereby fixed with you at the following rates on the terms and conditions given as

under:-	P	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SI. No.	Description of work	RATE
1	All items of work as per BoQ (Specified Below as Annexure A)	(4.000%) Four Percent Above the Estimated Rates.

## Annexure (A)

SI. No.	Item Description	Quantity	Units	Rate in Rs. P
1	2	3	4	5
1.00	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc (not exceeding 1.5mtr in width) and for shafts, wells, cesspits, and the like not exceeding 10sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5m, including getting out excavated earth and disposal of surplus excavated earth as directed All kinds of soils	482.18	Cum	436.00
2.00	Providing and laying of stone solling 50 mm thick hand packed including watering dressing, filling, spreading, dressing, ramming all leads, lifts and all carriages	12.93	Cum	1320.00
3.00	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:4:8 mix (1 cement :4 coarse sand :8 graded stone aggregate 40 mm nominal size)	8.62	Cum	4861.83
4.00	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:3:6 mix (1 cement :3 coarse sand :6 graded stone aggregate 20 mm nominal size)	108.67	Cum	5437.74
5.00	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20 mm nominal size)	2.09	Cum	9408.13
6.00	Steel reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete upto plinth level thermo  -Mechanically -Treated bars of grade Fe-500D or more	167.00	Kg	87.17

Retrofitting of WSS Bagwanpora (JJM) by way of construction of chain link fencing, sluice chamber / sluice valves, face lifting of various structures and providing laying of different dias of pipes, installation of 163 FHTCs for WSS Bagwanpora (JJM)

10	Sentring shuttering in Land			
	entring shuttering including strutting , propping etc. and removal of form work or	0	- 0	- 0
7.10 F	oundation footings , bases for columns	105.00	Sqm	262.30
7 20	valls (any thickness) including attached pilasters, buttresses, plinth and string	210.00	Sqm	573.85
(	ourses etc	-	e	680.15
8.00	olumns, pillars, piers, abutments, posts and struts. 2mm Cement plaster of mix: 1 : 4 ( 1 cement : 4 fine sand)	12.48	Sqm Sqm	260.05
1	inishing walls with water proofing cement paint of required shade on New work	1	e	- 1
9.00	two or more coats applied @ 3.84 kg/10sqm)	118.24	Sqm	91.80
10.00	aying and fitting of G.I. pipes (all classes) complete excluding cost of pipes,			
f	ittings and Earth work.	700.00	144	40.80
	0 mm dia G.I pipes	500.00	Mtr Mtr	40.80
	0 mm dia G.I pipes	1000.00	Mtr	30.65
	5 mm dia G.I pipes	1000.00	Mtr	20.25
	0 mm dia G.I pipes 5 5 mm dia G.I pipes 6	1956.00	Mtr	20.25
11.00	Making connection of G.I distribution branch with G.I main of following size by	0 -		
t	roviding and fixing tees, including cutting and threading the pipe etc complete	20.00	No	666.25
11.10	a) 25 to 40 mm nominal bore	8.00	No	1268.75
	Above 40 mm nominal bore			0
F	illing available excavated earth (Excl. rock) in trenches, plinth sides of	275 75	Cum	198.70
12 00 6	pundation etc. layers not exceeding 20cm in depth consolidating each deposited	375.75	Juin	
la	iver by ramming and watering lead upto 50mtr and lift upto 1.5mtr			e
	reserved steel work in single section, fixed with or without connecting plate,	1022 41	Kg	91.02
13.00 lir	cluding cutting, hoisting, fixing in position and applying a priming coat of	1923.41	Ng	3,.02
			e	e
- 10	- idia- and fixing G L chain link fahric tencing of required width in the	e		733.50
14.00	oviding and fixing G.F. Criam mix with 2 mm dia wire or nuts, bolts and washers bx50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers	269.01	Sqm	/33.50
	required complete as per the direction of Engineer incharge. Made of G.I. wire			
	dia 4 mm oviding and laying in position cement concrete of specified grade including	2	e	1
	the cost of centring and shuttering. All work upto printing	9.45	Cum	6465.19
5.00	ring but excluding the cost of century and are graded stone aggregate 20 mm rel with: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm			
			_	. 0
CA	relevent wolded in built up sections/framed work, including cutting,	e	معر	
1	feeting fixing in position and applying a priming coat of approved seet	200.00	Kg	146.63
pri	mer using structural steel etc. as required. In gratings, frames, guard bar,			
lad	der, railings, brackets, gates and similar works	e	D	re
Ap)	olying priming coats with ready mixed red oxide zinc chromate primer of	307.44	Sqm	52.75
apr	proved brand and manufacture on steel galvanized fron/ steel works	0.4	e	- 2
Pro	viding and applying white cement based putty of specified thickness, of	20.70		172.40
R OO Jann	royed brand and manufacturer, over the plastered wall surface to	80.70	Sqm	172.40
	the surface even and smooth complete. 2 mm thick	_e	e	
Pair	iting with synthetic enamel paint of approved brand and manufacture to	102.95	Sqm	121.95
.00 give	an even shade. Two or more coats on new work			
Pro	riding and fixing of sanitary items of standard quality like 1000 liters	, ,	0	1 e
a.m	ay W.C. Indian type flush tank, with all accessories, pvc pipe, pipe	100	lak	20000.00
00	tale C.P. items in tran floor tran, bends, steel sink, connecting with	1.00	Job	20000.0
lenak	age whichever be necessary to make functional all complete. (to be			
paid	as per actual details /measurements with supporting vouchers )	110		1. 1
	ding fixing supplying P.C.C rings including earthwork excavation and			
Provi	sal of surplus excavated material outside the premises including providing			1
alspo	saying cement concrete in 1:2:4 mix over septic tank and soakage pit.	e	01	0
const	ruction of man hole chambers with angle iron frame and covering	13.00	Mtr	1106.00
0   25530	gements, providing fixing of P.V.C pipe (prince make B class) including	13.00	WILL	,
bonde	whichever is required at site or as per directions of Engineer- in- charge (3)			
como	artments for septic tank and 1 for soakage pit. (to be paid as per actual			
detail	s/measurements )		2	
		9		1177
Provi	ling ,supplying fixing instillation of electric fittings of standard quality		- 1	
incl 1	9/18 copper wire cable connection with transformer, instillation of	V e	e	P
Inanel	hoard, switch board, switches, lighting points, heating points, fans,		Job	15000.00
) exhau	st fans pvc conduit, havels wire, MCB, changeover, whichever is	1.00	000	
relate	to the item and found necessary at site or as per directions of		11111	
I	er- in- charge (to be paid as per actual details /measurements with ting vouchers dully verified by AEE concern)	, la	10.7	
Engine				

Retrofitting of WSS Bagwanpora (JJM) by way of construction of chain link fencing, sluice Sub:chamber / sluice valves, face lifting of various structures and providing laying of different dias of pipes, installation of 163 FHTCs for WSS Bagwanpora (JJM)

	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching	12.45	Sqm	1210.66
	pigment etc., complete. In colour such as White, Ivory, Grey, Fume Red Brown			
24.00	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete Welded	190.00	Kg	102.13
25.00	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto in -All kinds of soil.	800.00	Sqm	21.94
26.00	Providing fixing double flanges C.I sluice valves/air valves with tail pieces of standard quality Kirlosker /Vage make confirming to IS 780 of 1984 read with upto date amendments standard mark ISI make PN-1 including cost of nuts bolts IR cloth including all sorts of carriage upto site of work complete job including cost of pedestals and handles (to be paid as per actual details with supporting vouchers dully verified by AEE concern )	2	<u>ڳ</u> No	10815.00
26.10	(a) 80 mm dia sluice valve	3.00	No	3000.004
26.20			110	_ e
27.00	Providing, fixing, supplying pipe specials such as nipples, bends, sockets, can pieces, unions, gate valves, air valves subject to non availability at divisional stores and to be paid as per GST voucher item by item dully verified by AEE concerned and IE.	1.00	Job	17000.00
28.00	Carriage of material from source of site upto dumping site of work by mechanical transport including loading unloading stacking at site complete	178.97	Cum	334.67
28.10	Sand and Bajri avg lead	33.59	M.T	303.64
28.20	Cement and steel avg lead 15km	8.30	M.T	303.64
28.30	pipes avg lead 15km	0.00		
30.00	Extra carriage of material from dumping site to actual site of work by manual labours for an avg lead of 500 mtr	479.07	Cum	621.20
20.42	C J. Dairi	178.97	M.T A	355.69
30.10	Sand + Bajri	29.92	M.T	605.95
30.20	Cement	3.67	Cum	730.80
30.30	Steel 2	12.93	M.T	355.69
30.40	Stone solling	8.30	IVI. I	000.50

## **Terms and Conditions:-**

- This letter of acceptance and the tender of the contractor/subsequent negotiations will constitute a legal contract document and the conditions laid down in the detailed E-NIT and agreement form No. 25 double will hold good even before the drawl of an agreement with the department.
- You have to attend the Divisional office along with your enlistment card for drawl of an agreement within a weeks time positively from the date of issuance of allotment. However, the non drawl of agreement will not prevent the contract from being enforced upon you.
- The work shall be completed within a period of (60) days from the date of issuance of letter of intent/allotment. The date of start shall be reckoned 07 days from the date of issuance of letter of
- Performance Security of Rs 45500/- & Rs 24000/- deposited by you under CDR No. 3233647 & 3236998 dated. 09-05-2022 & 01-11-2022 respectively have been retained in the divisional office.

All other terms and conditions will remain same as per the original agreement form No. 25-double, Form FC - 33 and detailed E-NIT.

Checked

Head praftsman

No. PHEP/ 3843-46

Dated.

- Copy to the:-Chairman District Jal Jeevan Mission (DJJM) Pulwama for favour of information. 1-
  - Superintending Engineer, Hydraulic Circle, Shopian, for information. 2-
  - Assistant Executive Engineer, (JSD) PHE Sub-Div., Tahab for information and further necessary action.

    The work should be executed strictly as a second stri The work should be executed strictly as per design / drawings and specification approved by the competent authority and there should be no any deviation.