

OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (PHE) DIVISION QAZIGUND

Allotment Order No: PHQ/CC/ 148 of 2022-23 dated 30/12/2022	
No: PHQ/ 5961-63	DATE: 02/12/2022
NAME : M/S Mohammad Ramzan Beigh S/o Abdul Ahad Beigh R/o Lower Manda	
email: _____@gmail.com	Cell No.9906537183
REGD. NO:61-BEE/SE-R&B/Ang-Pul/2006-07	ACCOUNT NO: _____ JK Bank Dooru
GSTN: 01ANHPB2941D1ZU	PAN: ANHPB2941D
Name of Schemes:-Laying and fitting of pipes incl. P/F of pipe fittings, const. of 15000 gals capacity SR, Construction of 5000 glns collection chamber , 2 No. sluice chamber, chain link fencing, supporting pillers & impmts. to existing pipe net work WSS Halsidar (Under JJM)	
Adminstrative Approval No.	207-DB of 2022 Dated 27-08-2022
Technical Sanction NO.	211-DB of 2022 Dated 27-08-2022
Alloted Cost; Rs:- 3456265/=	Rupees :- Thrity Four Lacs Fifty Six thousands two Hundred and Sixty Five Only
Completion Time	90 Days
References:1. Executive Engineer Jal Shakti (PHE) Division Qazigund for e-NIT No. PHQ/37_OF 2022-23 Dated:30-11-2022 issued under Dispatch No.PHQ/CC/5260-74 Dated:- 30-11-2022	

For & on behalf of Lt. Governor of J&K , contract for above noted work is here by fixed with you on your quoted percentage rates, terms & conditions and are reproduced hereunder:-

Sl. No.	Description of Work / Item(s)	Qty	Unit	Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed.				
1.01	All kinds of soil	439.97	Cum	436	191826.92
1.02	Ordinary Rock	98.5	Cum	841.6	82897.60
2	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 mtr in width as well as 10 sqm on plan) including disposal of excavated earth upto 50 mtr and lift upto 1.50 mtr, as directed by Engineer-In- Charge.				0.00
2.01	All kinds of soil :)	315.25	Cum	539.35	170030.09
3	Extra for every additional lift of 1.5 m or part there of in excavation/banking excavated or stacked material. All kinds of soil.	175.33	cum	81.65	14315.69
4	Laying & fitting of G.I. pipes complete with G.I. fittings , including cost of pipe specials .excluding trenching and refilling etc. (external work)				0.00
4.01	50 mm dia. nominal bore	1600	Mtr	40.8	65280.00
4.02	40 mm dia. nominal bore	600	Mtr	40.8	24480.00
4.03	25 mm dia. nominal bore	400	Mtr	30.65	12260.00

4.04	20 mm dia, nominal bore	700	Mtr	20.25	14175.00
4.05	15mm dia, nominal bore	1200	Mtr	20.25	24300.00
5	Providing and instalation of house hold connection tounconnected household including providing and fixing of necessary pipes specials, earthwork at connection and whatever necessary complete	55	No	1500	82500.00
6	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete				0.00
6.01	15 to 40 mm nominal bore	10	No	666.25	6662.50
6.02	Above 40mm nominal bore	2	No	1268.75	2537.50
7	Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions etc. complete (The tail pieces, tapers etc. if required will be paid separately).				0.00
7.01	100 mm dia sluice valves	1	NO	10000	10000.00
7.02	100 mm dia NRV	1	NO	9000	9000.00
8	Providing and fixing MS Flanges to GI pipes including cost of cutting of threaded portion, flanges, welding, nuts, bolts, Rubber Washer and carriage etc complete job.				0.00
8.01	100mm dia. G.I Pipes	23	Pair	1500	34500.00
9	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge				0.00
9.01	15mm to 40mm nominal bore.	200	Mtr	99.75	19950.00
9.02	Above 40mm nominal bore	100	Mtr	110.65	11065.00
10	Rethreading of damaged ends of pipes				0.00
10	Uptoto 40 mm nominal bore.	50	No	75	3750.00
11	Provision for Providing and fixing of pipes specials/ control/regulator valves at various spots/if not supplied by deptt. Store(to be paid as per actual)	10000	Job	1	10000.00
12	Providing and laying of dry stone solling tightly hand picked on horizontal levels	21.15	Cum	616.4	13036.86

SAHID
SHE

T.O

[Handwritten signature]

13	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	18.22	Cum	4861.835	88582.63
14	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	38.78	cum	6465.195	250720.26
15	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	18.19	Cum	7800.76	141895.82
16	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement of mix 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	34.01	Cum	9408.135	319970.67
17	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	3.4	cum	9849.345	33487.77
18	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 5.5.1 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	3.25	Cum	10404.515	33814.67

SHAD

TO



19	Centering and shuttering including strutting, propping etc. and removal of form for:				0.00
19	Foundations, footings, bases of columns etc. for mass concrete.	106.02	sqm	262.3	27809.05
19	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	433.38	sqm	573.85	248695.11
19	Suspended floors, roofs, landings, balconies and access platforms	12.34	sqm	635.6	7843.30
19	Edges of slabs and breaks in floors and walls Under 20 cm wide.	27.4	Rm	242.3	6639.02
19.1	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	17.14	sqm	502.85	8618.85
19.1	Arches, domes, vaults upto 6 m span	29.55	sqm	2086.8	61664.94
20	Extra for Shuttering for circular works				0.00
20	Foundations, footings, bases of columns etc. for mass concrete.	1.44	sqm	52.46	75.54
20	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	25.36	sqm	114.77	2910.57
20	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	2.42	sqm	100.57	243.38
21	12mm Cement plaster finished with a floating coat of neat cement of mix: 1 : 3 (1 cement : 3 fine sand	135.1	sqm	343.75	46440.63
22	12mm Cement plaster of mix 1 : 6 (1 cement : 6 coarse sand)	305.13	sqm	241.75	73765.18
23	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm.	192.6	sqm	806.85	155399.31
24	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above/upto plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	4720	kg	87.175	411466.00

S/S 10
A

To




25	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	301	Kg	57.9	17427.90
26	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete Welded	270	kg	102.135	27576.45
27	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	200	kg	146.63	29326.00
28	Structural steel work in single section fixed with or without connecting plate, including cutting, hoisting, fixing in position & applying a priming coat	2500	kg	91.025	227562.50
29	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	532.41	Cum	198.7	105789.87
30	Carriage of material from source to dumping site at road by mechanical transport.				0.00
30	Cement and steel for avg. lead of 40 Km	49.06	MT	534.2785	26211.70
30	Sand for avg. lead of	57.8	Cum	899.093	51967.58
30	20mm Aggregate for avg. lead of	87.84	Cum	750.053	65884.66
30	40mm Aggregate for avg. lead of	16.36	Cum	815.2465	13337.43
30.1	Stone solling For avg lead of	20.99	Cum	401.833	8434.47
30.1	earth For avg lead of	81.23	Cum	257.8415	20944.47
31	Extra Carriage of material by manual labour				0.00
31	Cement for avg. lead of	27.62	MT	282.095	7791.46
31	steel for avg. lead of	6.13	MT	605.958	3714.52
31	Sand and 20mm agg for avg. lead of	65.15	Cum	621.207	40471.64
31	40mm Aggregate for avg. lead of	11.56	Cum	671.554	7763.16
31.1	Stone solling For avg lead of	14.22	Cum	730.802	10392.00
32	Extra Carriage of material by manual labour from dumping site upto actual site of work. For an avg. distance of 1500 mtr				0.00

Handwritten signature or initials in the bottom left corner.

Handwritten mark resembling the number '70' in the bottom center.


Handwritten signature or initials in the bottom right corner.

32	Cement	12.91	MT	638.825	8247.23
32	steel	2.42	MT	1372.318	3321.01
32	Sand and 20mm agg.	44.72	Cum	1535.227	68655.35
32	40mm Aggregate	4.8	Cum	1659.634	7966.24
32.1	Stone soiling	6.37	Cum	1806.052	11504.55
33	Carriage of Pipes material From divisinal store to dumping site of work by mechanical transport For anaverage lead of 35 Km including loading , unloading and stacking complete .				0.00
33	80/65/50/40/25/20 mm dia GI pipe	10.82	MT	401.7985	4347.46
34	Extra Carriage of pipes material from dumping				0.00
34	80/65/50/40/25/20 mm dia GI pipe	10.82	MT	355.695	3848.62
Grand Total					3495096.15


Quoted Percentage rate 1.11% Below

Alloted Cost 3456265.64

Rupees :- Thirty Four Lacs Fifty Six thousands two Hundred and Sixty Five Only

 **Head Draftsman**

Tech. Officer

 **Ex. Engineer PHE Div. Qazigund**

Terms & Conditions

1	The cost of work is restricted to Rs. 3456265/= (Thirty Four Lacs Fifty Six thousands two Hundred and Sixty Five Only) <i>FDRAN. 665467 dt. 04-01-2023 Amt. 105000/-</i>
2	Earnest money deposited by you Vide GDR No. 3008108 Dated:- 19-12-2022 is being retained as security deposit as per the general terms and condition of the Contract
3	The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, the quality of materials used for construction and the quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluating of the performance of the Contract during the Contract Period
4	Agency must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s
5	The rates are including the charges for submission of progress, Geo tagged photographs through the professional person before , during and after construction and progress reports in both hard and soft copies .
6	The date of start of work shall be reckoned within one week form the date of issue of LOI / Contract Allotment whichever is earlier.
7	No price escalation will be paid for completion of the work within the stipulated time or extended date of completion due to any reasons whatsoever.
8	In case of quantity variation OR required as per the direction of the Engineer in charge , the same has to be executed at site and nothing extra will be paid beyond the overall alloted cost.
9	Retention many / Security deposit shall be 10% of the contract value . The security deposit is to be recovered @ of 10% of bill amount from running account bills and shall be released after completion of the work and recommandation from the concerned Engineer in charge


- 10) Liquidated damages (LD): In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT:
- a) Terminate the contract after 15 days' notice and/or
 - b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department and/or
 - c) Recover the extra cost, if any, involved in allotting contract to other party and/or
 - d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract and/or
 - e) Forfeit the performance security and blacklist the firm.
- 11) Adequate precautions be taken for the environment and social protection and all safety practices in vogue be strictly adhered to during the execution of work.
- 12) No mobilization advance shall be paid.
- 13) The Agency shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.
- 14) The Agency shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under.
- 15) The Agency shall at his own cost make arrangements for proper storage, especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.
- 16) The Agency shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc
- 17) The Agency shall in advance communicate with incharge store keeper, of Divisional Store for lifting of pipe material etc and shall make adequate measures like availability of transport and labour for easy transportation from store to site against proper receipt / Challan, if required .
- 18) As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award .
- 19) All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No.25 double /GFR 2017/Manual for procurement of Works 2019 shall remain in force and binding upon the Agency.
- 20) Any rules/terms and conditions, if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/guidelines stipulated in the General Finance Rules (GFR 2017) and Manual for procurement of Works 2019 Government of India

Copy to the :-

1 Chairman District Jal Jeevan Mission (DDC) Anantnag / Kulgam for information.

2	Superintending Engineer Hydraulic Circle Anantnag for information.
3	Assistant Executive Engineer Jal Shakti (PHE) Sub-Division Dooru for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals of JJM, besides the amount of work does not exceed beyond the provision of allotment in any case for which he shall be personally responsible.
4	File concerned.

Head Draftsman



Tech. Officer

Ex. Engineer PHE Div. Qazigund

