
Mohamn	CE OF THE EXECUTIVE ENGINEER	No/PHB:	Sol	18-82	5	
o Ab Ra		Dated: /3-07-2023				
			OIAIP	PD5918C1Z	N	
			, A			
	:- CE R&B-K01-AAÝ-CLASS-CIVIL-2016-	111		<u> 11. </u>		
	2022_PHE_190512_4			1 7 00 25	T = ==	
Adv. Cos	t Rs: 178.05 Lacs	Allot	ed Cos	t Rs: 90.25	Lacs	
Subject:-	L/F, Construction of 0.45 lac gallons RCC SR . Slui for WSSS Wopzan Hayar under JJM			4,		
	1.Your tender received in response to this office: e-NIT N	o.46 OF 2022-	23 issued	under NO/PHE/9	315-35	
E .	Dated: 29.09.2028		tion No.DD	CA/IIM/2022-23	/3858-60	
	02-4DJJM /District Development Commissioner Anantna Dated: 30.07.2022 , No/DDCA/DJJM/9413 Dt: 04.11.22 an	ig s Authorizai id No/DDCA/I	JM/12613	Dated:03.02.202	3	
Reference						
	05. Superintending Engineer Hyd.Circle Anantnag's Authrozation					
	06. Superintending Engineer Hyd.Circle Anantnag's Authrozation 07. Superintending Engineer Hyd.Circle Anantnag's Letter No:SE	n Letter No:SE/F /Hvd/Cors/195	1yu/8445D 3 Dt: 02.06	2023		
SI.No	Description of Work / Item(s)	Qty	Units	Estmated Rate	Amount	
				1		
	Earth work in excavation by manual means			÷.		
	in trenches for foundations, drains, pipes,					
	cables etc. (not exceeding 1.5 m in width)		,			
	and for shafts, wells, cesspits and the like					
1	not exceeding 10 sqm on plan, including	1				
	dressing of sides and ramming of bottoms	13	i i	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1		
	lift upto 1.5 m, including getting out					
	excavated earth and disposal of surplus	l .	A CONTRACTOR	The partition of the		
	excavated earth as directed:			14413		
2	a) All Kinds of Soil	9698	Cum	436	4228328	
3	b) Ordinary Soft Rock	4108	Cum	841.6	3457292.8	
	Earth work in excavation over areas			1		
	exceeding 30 cm and upto 1.5 m in depth		}			
4	1.5 m in width as well as 10 sqm on plan					
	inculding disposal of excavated soil			1 n 1		
	upto1mt from cutting edge.	396	Cum	539.35	213582.6	
5	a) All Kinds of Soil Extra for every additional lift of 1.5 m or	370	Cum	539.35	213562.0	
_	part thereof in excavation/banking			1		
6	excavated or stacked material:					
7	a) All Kinds of Soil	166.46	Cum	81.65	13591.45	
101		150.10	Juni	55	15551140	
	Providing and laying of dry stone soling					
8	tightly hand packed on horizontal levels	52.34	Cum	1320	69088.8	
- Aright	including all carriagees					
27332	Providing and laying of 1:4:8 nominal mix	60.4	1		400	
9	cement concrete	28.4	Cum	4861.83	138075.97	





Subject:-	L/F, Construction of 0.45 lac gallons RCC SR . Slu for WSSS Wopzan Hayar under JJM	iice Chambe	er , Chain	llink fencing, a	and Gang Hut
10	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	36.11	Cum	6465.19	233458.011
11	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & Reinforcement all work up to plinth level (1:1.5:3) 1 cement, 1.5 course sand, 3 graded stone aggregate 20 mm nominal size)	28.05	Cum	7800.76	218811.318
12	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth & string courses, fillets, columns, pillars, piers, abutments, posts & struts etc. up to floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1.5:3 (1cement, 1.5 Course sand, 3graded crushed stone) aggregate 20mm nominal size.	32.43	Cum	9408.14	305105.98
13	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20 mm nominal size)	3.43	Cum	9849.34	33783.236
14	Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20 mm nominal size)	10.02	Cum	10404.5	104253.09



Providing & laying in position cement			*7	
concrete of specified grade exculding the cost of centering & shuttering all work upto plinth level.1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 40 mm nominal size)	29.62	Cum	5437.7	161064.674
Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	6.58	Cum	6344.25	41745.165
Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge: 2nd class kail wood	8.24	Sqm	3307.8	27256.272
Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note: -Butt hinges and necessary screws shall be paid separately). 2nd class kail wood	9.6	Sqm	2745.95	26361.12
P/f of PVC Sanitary fitting (Lump sum)	1	Job	35000	35000
	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge: 2nd class kail wood Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note: -Butt hinges and necessary screws shall be paid separately). 2nd class kail wood	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge: 2nd class kail wood Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note: -Butt hinges and necessary screws shall be paid separately). 2nd class kail wood P/f of PVC Sanitary fitting (Lump sum) 1 P/f of PVC waste pipe of sink including PVC	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge : 2nd class kail wood Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note: -Butt hinges and necessary screws shall be paid separately). 2nd class kail wood P/f of PVC Sanitary fitting (Lump sum) 1 Job P/f of PVC waste pipe of sink including PVC	size) Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge : 2nd class kail wood Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note: -Butt hinges and necessary screws shall be paid separately). 2nd class kail wood P/f of PVC Sanitary fitting (Lump sum) 1 Job 35000 P/f of PVC waste pipe of sink including PVC

32

143.35

No

Sft

200

125

P/F of 40x 5 mm hold fasts 40 cm long

incld. Fixing to frame with 10 mm bolts

approved quality in two lyers as approved

Providing and supplying matting of

with 1:3:6 concrete mix

by Engineer incharge

21

22



6400

17918.75

bject:-	L/F, Construction of 0.45 lac gallons RCC SR . Slu for WSSS Wopzan Hayar under JJM	ice Chambo	er , Chai	nlink fencing,	and Gang I
23	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface) excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.50 mm thick with zinc coating not less than 275 gram/m2	69.38	Sqm	850	5897
24	Providing and fixing plained eaves boarding. 2nd class kail wood 250x32 mm (nominal size)	39.2	Sqm	693.9	27200.8
25	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work	185.42	Sqm	121.95	22611.96
26	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade on New work (two or more coats) over and including priming coat with water thinnable cement primer	184.58	Sqm	149.05	27511.64
27	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. Made of G.I. wire of dia 4 mm	210.6	Sqm	733.5	154475.1
28	Cost for sanitary, Plumbing and electrification to the quarter complete as required and iron grills for windows of quarter	1	Job	20000	20000
29	P/f of sluice value of ISI inc. Tail pieces.				
30	1200 mm dia slujee 1				
31	100 mm dia chica	2	No	22500	4500
32	TOVISION for handles	2	No	8500	45000 17000
	doors windows etc.	1			17000



subject:-	L/F, Construction of 0.45 lac gallons RCC SR . Slui for WSSS Wopzan Hayar under JJM	ce Chambe	r , Chainl	ink fencing, a	nd Gang Hu
33	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	1000	Ltr	11.25	11250
34	Centring and shuttering including strutting propping and removal of form work.	1 12:00	u i sanii	3	
35	a) Foundations	162.97	Sqm	262.3	42747.031
36	b) Walls	386.36	Sqm	573.85	221712.68
37	c) Edges of slabs and breaks in floors and walls	10.8	mtr	242.3	2616.84
38	d) Lintel, beams, plinth beams, girders, bressumers and cantilevers.	105.35	Sqm	502.85	52975.248 168488.23
39	e) Arches, domes, vaults upto 6 m span	80.74	Sqm	2086.8	166466.23
40	f) Suspended floors, roofs, landings, balconies and access platforms.	5.76	Sqm	635.6	3661.056
41	Extra for shuttering in circular work (20% of respective centering and Shuttering items		,		
42	a) Foundations	2.55	Sqm	52.46	133.773
43	b) Walls	40.03	Sqm	114.77	4594.243
44	c) Lintel, beams, plinth beams, girders, bressumers and cantilevers.	7.97	Sqm	100.57	801.543
45	d) Arches, domes, vaults upto 6 m span	80.74	Sqm	1008.45	81422.25
46	12mm thick cement plaster in 1:4 mix (1 cement, 4 fine sand).	265	Sqm	260.05	68913.25
47	12mm Cement plaster finished with a floating coat of neat cement of mix: 1:3(1 cement: 3 fine sand)	269.57	Sqm	343.75	92664.688
48	Providing Reinforcement to RCC works including bending, binding, cutting, straitening and placing in position complete. TMT	6686	Kg	87.18	582885.48
49	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded	505	Kg	102.13	51575.65
50	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2486	Кg	91.02	226275.72





51	Deviding				24
	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	406	Kg	57.9	23507
52	Dry random rubble masonry with hard stone in foundation and plinth: With bond stone	5.68	Cum	2497.5	14185
53	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in : Cement mortar 1:6 (1 cement : 6 coarse sand)	20.57	Cum	6183.75	127199.7
54	Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level	13.58	Cum	1323.65	17975.16
55	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): First class Badloo	2.08	Cum	90000	187200
56	Providing & Fixing M.S Flanges to G.I Pipes including cost of nuts holts work and the state of t		,	Α .	
57	pictc.				
58	a)100mm M.S Flange	484	pain		
	b)80mm M.S Flange	484	pair— pair	1500	726000
59	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipes)	4146	Qtl	1100 245.55	532400 1018050.3
60	Providing push-on-joints to centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints.				
61	a)200 mm D.I Pipe				
62	b) 150 mm D I Pine	1455	Joint	213	20004-
63	Back-filling of available excepted in the	1182	Joint	144.7	309915 171035.4
64	Carriage of material from source to dumping site at road by mosh and the source to	12424	Cum	198.7	2468648.8
65	Talispoi L.				
65	a) Cement/ Steel (05 Km)	25.04			
66	b) Cement/ Steel (15 Km)	35.31 33.21	M.T M.T	210	7415.1



1	
a II	12
8	

Subject:-	L/F, Construction of 0.45 lac gallons RCC SR . Slu for WSSS Wopzan Hayar under JJM	iice Chambe	r , Chainl	ink fencing, a	nd Gang Hut
67	c) Sand (35 Km)	129.91	Cum	633	82233.03
68	d) 20 mm Aggregate (30 Km)	98.13	Cum	576	56522.88
69	e) 40 mm Aggregate (30 Km)	21.86	Cum	626	13684.36
70	f) Bricks (10 Km average)	10285	NO	0.86	8845.1
71	g) Timber (10 Km average)	2.08	Cum	320.94	667.555
72	h) 150 mm D.I (10 Km)	6500	mtr	11.37	73905
73	i)200 mm D.I (10 Km)	8000	mtr	16.64	133120
74	j) 100 mm G.I (10 Km)	3000	mtr	7.27	21810
75	k) 200mm D.I to 15 mm G.I Pipe(10 Km)	64.81	м.т	274	17757.94
76	Extra Carriage of Pipes from nearest dumping site to actual site of work by manual labour for				
77	a) 150 mm D.I (1000m)	6500	mtr	22	143000
78	b) 80/65 mm dia (300m)	29.13	M.T	667	19429.71
79	c)200 mm D.I (1000 m)	8000	mtr	31	248000
80	d) 100 mm G.I (1000 m)	3000	mtr	15.68	47040
	(2000 222)		Total Amo	unt	17805712.90
			0 = 0/ · f - 1	1 14	100602278

 Total Amount
 17805712.90

 Deduct @5.65% of all items
 1006022.78

 Alloted Amount after the deductions
 16799690.12

 Amount Restricted as per DPR Provision
 90.25 lacs

Rates & Qty Checked

Head Draftsman Technical Officer



Terms & Conditions The cost of work should in no case exceed beyond Rs. 90.25 Lacs Rupees Ninety lac and twenty five to ous and only The work shall have to be completed within a period of 180 days from the date of issuance of this allotment order failing which penalty 2 upto 10% of the total value of contract shall be imposed upon you. Earnest money deposited by you vide FDR NO:607117 Dated:- 13.05.2023 Rs 3,31,700/- J&K Bank TP Branch Anantnag successful completion of the 3 work and expiry of defect clause. Client/Paying Authority: The client/paying authority shall be the concerned Executive Engineer. Besides, the supervision of the various components of the work shall be carried out by the concerned Engineers of the Division/TPIQM consultants under the overall coordination of the concerned Superintending Engineer Hydraulic Circle/Executive Engineer/Assitant Executive Engineer Terms of Payment: Payment can be claimed on a monthly basis subject to the amount of bill being proportionate to the value of work viz a viz completion 5 period within a variation of -5%. Warranty: The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty period any malfunctioning/ defects arise, the firm /joint venture shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm/joint venture to remove the defect, the Department may get the defects removed/ repaired by any other agency and cost thereof shall be recovered from the firm / joint venture and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department. Defects Liability Period (DLP): The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum celling of 6 Months.

Subject:-	L/F, Construction of 0.45 lac gallons RCC SR . Sluice Chamber , Chainlink fencing, and $_{Gang\Pi_{u_l}}$ for WSSS Wopzan Hayar under JJM
	Liquidated damages (LD) In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT: a)Terminate the contract after 15 days notice and/or b)Recover the amount of loss caused by damage, failure or default as may be determined by the department.
9	c)Recover the extra cost, if any, involved in allotting contract to other party.
	d)Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every wee and/or e)Forfeit the performance security and blacklist the firm.
A Palestan Comment	Force Majeure:
10	Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department or bidder one against the other if su failure of commission arises from the 'ACT OF GOD' which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, Specifications of the parties including war, or a state of insurgency.
11	Specifications of job:
12	Tenderer/s must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s. Bidder Dying, Becoming Insolvent Or Imprisoned: in the event of the death or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or bein posted at the site of the works. communications/ instructions. Safety of Govt. Infrastructures:
13	Safety of Govt. Infrastructures: The bidder should ensure the safety of the water supply lines, sewer lines, telephone cables, power cables, storm water drains etc., pipe laying alignment are by the Department at the risk and cost of the allotee. Allottee's risk and insurance:
14	Allottee's risk and insurance: All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract Work under Bidders Charge:
15	Work under Bidders Charge: From the commencement of the work to the completion thereof the same shall be under the bidders charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country. Setting Out of Works:
16	Setting Out of Works: The hidden should be setting labour laws of the country.
17	The hidden shall a shall be sh
18	workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under. Storage at Site: The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of Watch & Ward of Works:
19	Watch & Ward of Works: The bidder shall in connection to the site of
20	where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc. The equipment/work shall be accepted by the Department only after the system has been tested and has performed satisfactorily in Cleaning Up:
21	Cleaning Up: On completion of the works the bidder shall clear away, load into trucks or any other transport and remove from the site all constructional plant, surplus materials, dismantled or otherwise, earth and rubbish and temporary works of every kind and leave the whole of the site and works clean and in a workmanship condition, to the satisfaction of the Department.



Subject:-	L/F, Construction of 0.45 lac gallons RCC SR . Sluice Chamber , Chainlink fencing, and Gang Hut for WSSS Wopzan Hayar under JJM
22	Power and Water Supply: The bidder/firm shall make his own arrangement, at his own cost, for all lines, individual power points, etc. to the machinery and plant required by him for the bidder/firm shall make his own arrangement, at his own cost, for all lines, individual power points, etc. to the machinery and plant required by him for this purpose at the erection, testing and commissioning of the equipment ordered on him. The bidder shall pay for all electrical energy consumed by him for this purpose at the prevalent electricity tariff in J&K State. Such charges shall be paid by the bidder/firm directly to the Power Corporation and the bidder's final bill shall be settled only after he gets a no outstanding certificate from the concerned Electric Division. The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the execution/llydro-testing/ water tightness Test/ Curing, labour colony, Site Office etc.
23	Agreement: As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time execute an agreement with the competent authority within seven days from the date of letter of award from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.
24	from the date of issue of the letter of award in favour of successful firm. Tender quantities: The advertised quantities in the tender documents are tentative and subject to increase or decrease, depending upon actual requirement at site as per the design and other considerations. The successful bidder shall have no claim/reservation on this account and the decision of the department shall be final and binding.
25	Third Party Monitoring: The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery installed in each scheme. The TPIQM's role shall be of works executed by the agencies, quality of materials used for construction and quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contract during the Contract Period.
26	All other terms and conditions as laid down in form No.25 of P.W.D. shall remain in force and binding on successful tenderer.

Copy to the :-

- Chief Engineer Kmr PHE Department Srinager for favour of information please.
- 2 District Dev.Commissioner Anantnag for favour of information please
- Superintending Engineer Hyd. Circle Anantang for favour of information

 Assistant Executive Engineer PHE Sub Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals, besides the amount of work does not exceed beyond the provision of allotment in any case for which he shall be personally responsible.
- 6 Technical Officer Divisional Office for information
- 7 File Concerned



OFFICE OF THE EXECUTIVE ENGINEER PHE, JAL SHAKTI DIVISION **BIJBEHARA**

Name:-

AB. HAMID BHAT

S/o

GH. RASOOL BHAT

R/0:-

OPZAN

Regd. No:- 11/SE/HH/AAY/CIVIL/207-08

GST NO. 01AKDPB3285H1ZP

Advt. Cost Rs 27.26 Lacs

Alloted. Cost Rs 27.26 Lacs

Time for completion: 45 days

Head of Account = JJM

Subject:- Retrofitting of WSS. Opzen for providing 100 percent FHTC by way of P/F of pipes, Construction of R/ Wall near clear

water chamber and sump near Spring site under JJM and 03 years maintenance incl 01 year DLP

Refrence:- Your Tender in response to this office e-NIT No. 42 of 2020-21 issued vide No. 8711-35 dt: 24-03-2021 For & on behalf of Lt. Governor of Union territory of J&K, contract for above noted work is here by fixed with you on the

following quoted rates :-

S.No	,	Qty.	Unit	Alloted	Amount
1.00	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for a helf-			Rates	Amount
ľ	pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil	557.38	Cum	436.00	243017.6
2.00	Providing and laving S&S C	100			
3.00	Providing and laying S&S Centrifugally Cast (Spun)/ Ductile Iron Pipes conforming to Providing push or last K - 7 Pipes	250.00	RM	1581.25	395312.50
i	Providing push on Joints to centrifugally (Spun) cast iron pipes or ductile Iron pipe nct. testing of joints & inct. the cost of rubber gasket. 150mm dia	46.00	Joint	144.70	Superior of the state
4.00	Providing and fixing GJ. pipes complete with GJ. fittings excluding trenching and fixing GJ. pipes complete with GJ. fittings excluding trenching and		3 71	(17.70	6656.20
4.10	100mm dia GI pipe	-			
4.20	30mm dia GI pipe	200.00	Mtr	1135,35	0
4.30	50mm dia GI pipe	500.00	1		227070.00
4.40	Omm dia GI pipe	600.00		773.15	386575.00
4.50	25mm dia GI pipe	500.00	1	477.50	286500.00
4.60	20mm dia GI pipe	550.00		386.50	193250.00
4.70	5mm dia GI pipe			249.00	136950.00
5.00	illing everil to	400.00		182.65	73060.00
0.00	illing available excavated earth (excl. Rock) in trenches plinth sides of foundation	300.00		144.40	43320.00
6.00	Making connection of C.L. disking the state of the state	481.95	Cum	198.70	95763,47
	Making connection of G.I. distribution branch with G.I. main of following sizes by to mm nominal bore	10.00	No	666.25	6662.50
7.00	Demolishing stone rubble masonry manually/by mechanical means including stacking	11.11	CUM		Marine South Land
	as per direction of Engineer-in-charge: In cement mortar			1583.05	17587.69
8.00	Demolishing stone rubble masonry manually/by mechanical means including stacking of serviceable material and disposal of unserviceable material and disposal of unserviceable material.			1	
	as per direction of Engineer to at	15.67	cum	301.15	4719.02
9.00	moorum/Kankar/shingle/boulders; disposal lead upto 50 m and lift upto 1.5 m. P/Laying of stone soiling dry hand packed			1	
10.00	Providing & laving in position	2.84	Cum	- 212	The Land Street
	Providing & laying in position cement concrete in 1:4:8 mix of specified grade exculding the cost of centering & shuttering all work upto plinth level.40mm nominal		cum	616.40	1750.58
11.00	Size Providing and laving compations are laving compations.	1.70	Cum	4419.85	7867.33
	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, paragolo	52.66	cum		
	blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with. 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size)			7542.40	397182.78
12.00	RCC work in beams suspended floors roofs having slope upto 15° landings, Balconies, shelves, Chajjas, Lantels, bends, plain window, sills, stair casses & spiral stair cases upto floor 5 level excld the cost of centering of	3.24	4 Cum	005	
	reinforcement 1:1.5:3 (1 cement: 1.5 corse sand : 3 graded crushed tone agg 20mm			8953.95	29010.80
13.00	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	227.0	kg	79.25	47000 7
	Centering and shuttering including strutting, propping etc. and removal of form for:				17989.7
	Foundations, footings, bases of columns etc. for mass concrete,				0.00
14.10	Walls (any thickness) including attached pilests	7.2	6 SQM	000	1.00
14.20	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc		8 SQM	262.30	1904.30
	1 page 117 .		"	573.85	54102.58

14,40	Suspended floors, roofs, landings, balconies and access platforms.	21.16	SOM	******	
15.00	Edges of slabs and breaks in floors and walls	-	Contract Contract	635,60	13449.30
15.00	P/f of MS ild and ladder using angle iron 40x40x8 with lock arrangements complete	18.40		242.30	4458.32
18.00	Complete Complete	40.00	Kg	92.85	3714.00
10.00	Carraige of material from Different sources to nearest dumping site of work incl loading, unloading & stacking by mechanical transports	The same of the sa			57 14.00
16.10	loading, unloading & stacking by mechanical transport Cement/ Steel avg. 5 kms				0.00
16.20	Sandavg15 kms	18.72	MT	159.44	0007
	Aggregate avg20 kms	25.97	cum	297.02	2984.72
16.40	Stone soling Avg 10kms	51.42	Cum		7713.61
17.00	Tomo doming Avg Tokms	-	and the same of the same of	349.82	17987.74
17.00	Extra camage of materials by manual labour from dumping site to actual site of work for avg distance of 500mtrs.	2.84	cum	287.32	815.99
17.10	Cement/steel				0.00
17.20	Sand/20mm Agg	18.72	MT	245.30	4000.00
17.30	Stone Soling	77.55		245.55	4592.02
3,000	Storie Solling	77.39	Company of the Control of the Contro	540.18	41804.53
		2.84	Cum	635.48	1804.76
				Total	2725577.15

Rs: 27.26 LACS

utive Engine

Head Draftsman

Terms & Conditions

PHE, Division Bijbeh The cost of work should in no case exceed beyond Rs 27,26 Lacs (Rupees Thousand only) CDR 70. 267353 cl The work shall have to be completed within a period of 2

28. 5-21 R 02006 days from the date of issuance of this allotment order failing which penalty upto 10% of the total value of contract shall be imposed upon you.

- You have to attend the Divisional Office along with your enlistment card for drawl of agreement within 3 three days from the date of issuance of this allotment order. However non drawl of agreement will not prevent the contract from being enforced upon you.
- All other terms & conditions will remain same as laid down in the original NIT / PWD form No 25- double.

Copy to the :-

- Superintending Engineer Hyd. Circle Anantnag for favour of information
- Assistant Executive Engineer PHE Sub -Division Bijbehara for information & necessary action. He will 2 ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals, besides the amount of work does not exceed beyond the provision of allotment in any case for
- File concerned