Government of Jammu and Kashmir

HQ: ANANTNAG Name: of 2022-23 dated: 103/12023 23.03.2023 M/S Abdul Majeed Wagay JV with M/S Bandh & Co Leader Partner: M/S Abdul Majeed Wagay S/O Mohd Ramzan Wagay R/O New Colony Riibahan Bilahahan R/O Tral Pulwama R/O New Colony Bijbehara Other Partner : Bandh & Co Leader Partner : M/S Abdul Majeed vvagay Sulvama Regd. No. SE I&FC/Sgr/AAY-145/Civil of 1998-99 email ID: wagaymajeed999@gmail.com Phone No. 7006557914 GSTN: 01AASPW48682Q2ZJ PAN. AASPW4868Q ₹ 212.00 lacs Allotment Order No. Advertised Cost: ₹ 207.10 lacs

Subject:of 2022 -23 dated: /03/2023 23.3.23 Alloted Cost: Construction and successful testing and commissioning of 0.20 MGD Rapid Sand Filtration Plant (Cost shall include Clari-Florulator Floribus Cost shall include Clari-Floribus Cost shall be contained to the Cost shall Floculator, Flash Mixer, Filter House & Wash Water Disposal Chamber) at Aadkher, WSS Arigohal Akad. (under JJM) References:

(i)Your tender received in response to e- NIT.No. 132 of 2021-22 dated 08.03.2022 (Tender ID 22_163566_1-271 issued by

the Chief Engineer, Kmr. Jal Shakti, PHE Department, Srinagar. (ii) Chief Engineer, Kmr. Jal Shakti, PHE Department, Srinagar.

(E/DHE/JJM/6938-82 dated 04.06.2022, CE/DHE/JJM/6938-82 dated 04.06.2022, CE/DHE/JJM/6938-92 dated 04.0020, CE/DHE/DHE/DHE/DATED 04.002, CE/DHE/JJM/6938-92 dated 04.002

CE/PHE/JJM/7117-63 dated 06.06.2022 and No. CE/PHE/JJM/7499-7547 dated 09.06.2022

(iii) District Development Commissioner, Anantnag's authorization issued under letter No. DDCA/JJM/2022-23/3582-86 dated 25.07.2022

(iv) This office letter of intent No. SE/Hyd/Cors/4425-28 dated 30.07.2022. (v) Executive Engineer, Jal Shakti, PHE Division, Bijbehara's letter No. PHB/18109-11 Dated 13.03.2023 and No. PHB/18376 Dated 16.03.2023.

For & on behalf of Lt. Governor of J&K , contract for above mentioned job is here by fixed with you on your following quoted rates, terms & conditions:-

.No	Description of Work / Item(s)	Quantity	Unit	Rate	Amount
1	Clearing jungle including uprooting of rank vegetation, grass,	Quantity	Jille	1.000	
	brush wood, trees and saplings of girth upto 30 cm measured at				
	a height of 1 m above ground level and removal of rubbish upto a	32	100 sqm	₹ 1,136.15	₹ 36,356.80
	distance of 50 m outside the periphery of the area cleared.	1			
2	Clearing grass and removal of the rubbish upto a distance of 50		1	7	₹ 27,722.40
	I'm outside the periphery of the area cleared.	48	100 sqm	₹ 577.55	₹ 21,122.40
3	Felling trees of the girth (measured at a height of 1 m above	an experience			
	ground level) including cutting of trunk and branches, removing		1	1	1
	the roots and stacking of serviceable material and disposal of				
	unserviceable material.				
a	Beyond 30 cm girth upto and including 60 cm girth.	2	each	₹ 344.80	₹ 689.60
b	Beyond 60 cm girth upto and including 120 cm girth.	10	each	₹ 1,530.80	₹ 15,308.00
С	Beyond 120 cm girth upto and including 240 cm girth.	8	each	₹ 7,090.80	₹ 56,726.4
d	Above 240 cm girth	9	each	₹ 14,214.35	₹ 1,27,929.1
4	Earth work in bulk excavation by mechanical means (hydraulic			i	
	excavator) over areas (exceeding 30 cm in depth, 1.5 m in width				
	as well as 10 sqm on plan) including disposal of excavated earth	680.1	Cum	₹ 188.75	₹ 1,28,368.8
	lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-			1	
	in-Charge. (All kinds of soil)				
5	Extra for every additional lift of 1.5 m or part thereof in				
	excavation/banking excavated or stacked material :All kinds of	N _{ac}			
	soil:				
а	All kinds of soil :	16.2	Cum	₹ 81.65	₹ 1,322.7
6	Earth work in bulk excavation by manual means over areas				
	(exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on				
	plan) including disposal of excavated earth lead upto 50 meters				
	and lift upto 1.5 m, as directed by Engineer-in-Charge.				
а	All kinds of soil :	680.1	Cum	₹ 539.35	₹ 3,66,811.9
7	Filling available excavated earth (excluding rock) in trenches,				
	plinth, sides of foundations etc. in layers not exceeding 20 cm in	612.09	Cum	₹ 198.70	₹ 1,21,622.2
	depth, consolidating each deposited layer by ramming and	012.09	Cuin	(190.70	(1,21,022.2
all and the second	watering, lead upto 50 m and lift upto 1.5 m.				
а	Extra for levelling & neatly dressing of disposed soil completely as	748.11	Cum	₹ 59.95	₹ 44,849.1
	directed by Engineer-in-charge.	740.11	Cum	₹ 59.95	(44,043.1
8	Providing and laying hand packed stone soling 50 mm nominal		the state of the s		
	size including filling, spreading, dressing, ramming, all leads lifts	313.63	Cum	₹ 1,320.00	₹ 4,13,991.6
	and all carriages complete.				
9	Supply and filling of filter media from approved source - Gravel				
	(Graded gravel - size ranging from 2.0mm to 40.00 mm) in filter	4.05	Cum	₹ 7,700.00	₹ 31,185.0
	beds, Including all carriages, complete job				
10	Supply and filling of filter media from approved source - Sand				
	(Coarse filter sand - in filter beds. Including all carriages,	6.75	Cum	₹ 7,968.00	₹ 53,784.0
	complete job	1	1	\ I	1 1 2

11 ,				AND RESERVED A PROPERTY OF THE PARTY OF THE	Water Comments
	Providing and laving in pastit	property and the second	and the second second	Control of the Barrier	
	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work unto plicible to shuttering.				
a	Ishuttering, All work upto all with the cost of centring and				₹ 10,93,202.6
a		169.91	Cum	₹ 6,434.01	
b		100.07		₹ 5,399.02	₹ 7,828.5
	1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size)	1.45	Cum		₹ 3,92,058.7
С	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40	00.04	Cum	₹ 4,861.84	₹ 3,92,056.7
	mm nominai size)	80.64			
12	Providing and laying in position specified grade of reinforced				
	cement concrete including curing but excluding the cost of				
	centering, shuttering, finishing and reinforcement. All works upto plinth level				
а	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate	114.52	Cum	₹ 7,800.76	₹ 8,93,343.
	20 mm nominal size)	114.52	- Odini		
13	Reinforced cement concrete work in walls (any thickness)				₹ 0.
	including attached pilasters, buttresses, plinth and string courses,				₹ 0.
	fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering				
	shuttering, finishing and reinforcement.				
а	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate	25.96	Cum	₹ 9,408.14	₹ 2,44,235.
	20 mm nominal size)	25.90			
14	Reinforced cement concrete work in beams, suspended floors,				
	roofs having slope upto 15°, landings, balconies, shelves,				
	chajjas, lintels, bands, plain window sills, staircases and spiral				
	stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with:				
a	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate	00	Cum	₹ 9,849.35	₹ 5,44,472.
	20 mm nominal size)	55.28	Cuili	,-	
15	Providing and laying in position machine batched and machine				
	mixed design mix M-25 grade cement concrete for reinforced			l	
	cement concrete work, using cement content as per approved				
	design mix, including pumping of concrete to site of laying but				
	excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions				
	as per IS: 9103 to accelerate, retard setting of concrete, improve				
	workability without impairing strength and durability as per			i	
	direction of Engineer-incharge. Note: - Cement in this item is @				
	330 kg/ cum. Excess or less cement used as per design mix is				
	content considered payable or recoverable separately.	4.00	Cum	₹ 7,911.26	₹ 12,895.
а	All works upto plinth level	1.63 135.79	Cum	₹ 9,302.98	₹ 12,63,251.
b	All works above plinth level upto floor V level Extra for providing richer mixes at all floor levels. Note:- Excess/	100.70			
16	less cement over the specified cement content used is payable/				
	recoverable separately.	107.40	Cum	₹ 111.87	₹ 15,373.
	Is 35 1 Providing M-30 grade concrete instead of M-25 grade	137.42	Cuiii	X 111.07	(10,070.
	BMC/RMC. (Note:- Cement content considered in M-30 is @ 340				
	kg/cum)				
17	Add or deduct for using more or less cement in the items of			7 4 07 4 07	Ŧ 4 40 040
	design mix over and above the specified cement content therein.	133.3	Quintal	₹ 1,074.37	₹ 1,43,213.
	i iii will and and				
18	Centering and shuttering including strutting, propping etc. and				
18	removal of form for:				
	removal of form for:	775.55	sam	₹ 262.30	₹ 2,03,426.
18 a	removal of form for: Foundations, footings, bases of columns etc. for mass concrete.	775.55	sqm	₹ 262.30	₹ 2,03,426.
	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses,	775.55 1032.97	sqm	₹ 262.30 ₹ 573.85	
а	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plicts and string courses etc.	1032.97	<u> </u>	₹ 573.85	₹ 5,92,769.
а	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access		<u> </u>		₹ 2,03,426. ₹ 5,92,769. ₹ 2,07,078.
a b c	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms	1032.97 325.8	sqm	₹ 573.85 ₹ 635.60	₹ 5,92,769 ₹ 2,07,078.
a b	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers.	1032.97 325.8 264.11	sqm	₹ 573.85 ₹ 635.60 ₹ 502.85	₹ 5,92,769. ₹ 2,07,078. ₹ 1,32,807.
a b c	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts.	1032.97 325.8 264.11 191.17	sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15	₹ 5,92,769. ₹ 2,07,078. ₹ 1,32,807. ₹ 1,30,024.
a b c	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases.	1032.97 325.8 264.11 191.17 37.69	sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50	₹ 5,92,769. ₹ 2,07,078. ₹ 1,32,807. ₹ 1,30,024. ₹ 30,434.
a b c d e	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls	1032.97 325.8 264.11 191.17	sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15	₹ 5,92,769 ₹ 2,07,078. ₹ 1,32,807. ₹ 1,30,024. ₹ 30,434.
a b c d e f	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls	1032.97 325.8 264.11 191.17 37.69	sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50 ₹ 242.30	₹ 5,92,769. ₹ 2,07,078. ₹ 1,32,807. ₹ 1,30,024. ₹ 30,434. ₹ 93,445.
a b c d e f g	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's	1032.97 325.8 264.11 191.17 37.69	sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50	₹ 5,92,769. ₹ 2,07,078. ₹ 1,32,807. ₹ 1,30,024. ₹ 30,434. ₹ 93,445.
a b c d e f g	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	1032.97 325.8 264.11 191.17 37.69 385.66	sqm sqm sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50 ₹ 242.30	₹ 5,92,769 ₹ 2,07,078. ₹ 1,32,807 ₹ 1,30,024. ₹ 30,434. ₹ 93,445.
a b c d e f g 19	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	1032.97 325.8 264.11 191.17 37.69 385.66	sqm sqm sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50 ₹ 242.30	₹ 5,92,769 ₹ 2,07,078. ₹ 1,32,807 ₹ 1,30,024. ₹ 30,434. ₹ 93,445.
a b c d e f g	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement) Steel reinforcement for R.C.C. work ready to use "cut and bend"	1032.97 325.8 264.11 191.17 37.69 385.66	sqm sqm sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50 ₹ 242.30	₹ 5,92,769 ₹ 2,07,078. ₹ 1,32,807 ₹ 1,30,024. ₹ 30,434. ₹ 93,445.
a b c d e f g 19	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement) Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all	1032.97 325.8 264.11 191.17 37.69 385.66	sqm sqm sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50 ₹ 242.30	₹ 5,92,769. ₹ 2,07,078. ₹ 1,32,807. ₹ 1,30,024. ₹ 30,434. ₹ 93,445.
a b c d e f g 19	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement) Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all	1032.97 325.8 264.11 191.17 37.69 385.66	sqm sqm sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50 ₹ 242.30	₹ 5,92,769. ₹ 2,07,078. ₹ 1,32,807. ₹ 1,30,024. ₹ 30,434. ₹ 93,445.
a b c d e f g 19	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement) Steel reinforcement for R.C.C. work ready to use "cut and bend"	1032.97 325.8 264.11 191.17 37.69 385.66	sqm sqm sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50 ₹ 242.30	₹ 5,92,769. ₹ 2,07,078. ₹ 1,32,807. ₹ 1,30,024. ₹ 30,434. ₹ 93,445.
a b c d e f g 19	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement) Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all	1032.97 325.8 264.11 191.17 37.69 385.66	sqm sqm sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50 ₹ 242.30	₹ 5,92,769. ₹ 2,07,078. ₹ 1,32,807. ₹ 1,30,024. ₹ 30,434. ₹ 93,445.
a b c d e f g 19	removal of form for: Foundations, footings, bases of columns etc. for mass concrete. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. Suspended floors, roofs, landings, balconies and access platforms. Lintel, beams, plinth beams, girders, bressumers and cantilevers. Columns, pillars, piers, abutments, posts and struts. Stairs (excluding landings) except spiral staircases. Edges of slabs and breaks in floors and walls Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement) Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all	1032.97 325.8 264.11 191.17 37.69 385.66	sqm sqm sqm sqm sqm sqm	₹ 573.85 ₹ 635.60 ₹ 502.85 ₹ 680.15 ₹ 807.50 ₹ 242.30	₹ 5,92,769.

					10
1				₹ 87.18	₹ 26,14,179.48
21	Thermo-Mechanically Treated bars of grade Fe-500D or more. Brick work with common burst clay (200 per left) back of class	29986	Kg	₹ 87.10	
	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plints including a price in				074 93
	and pintin including curing in			₹ 7,111.31	₹ 2,63,971.83
a	Cement mortar 1:4 / 4	37.12	Çu m		₹ 56,504.06
	Extra for brick work with common burnt clay bricks/cement concrete bricks in superstance.	07.12	Cum	₹ 1,522.20	
	concrete bricks in superstructure above plinth level upto floor five level	37.12			
23	Providing wood work in frames of doors, windows, clerestory				
	I moved and other trames wrought framed and tived in position I				İ
	with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners				₹ 2,30,891.36
	shall be paid for separately):		Cum	₹ 1,06,894.15	₹ 2,30,891.00
a	First class kail wood	2.16	Our		
24	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of				1
	required size with necessary screws, excluding panelling which				
	will be paid for separately, all complete as per direction of			₹ 2,784.10	₹ 1,46,889.12
a	Engineer-in-charge. First class kail wood (30 mm thick shutter)	52.76	mm/sqm	₹ 2,784.10	
25	Providing and fixing fly proof wire gauge to windows and				
	clerestory windows using wire gauge with average width of				₹ 15,530.75
a	aperture 1.4 mm in both directions all complete.	16.79	sqm	₹ 925.00	
26	With Galvanized M.S. Wire gauge with wire of dia 0.63 mm Steel work welded in built up sections/framed work, including				
	cutting, hoisting, fixing in position and applying a priming coat of				
	approved steel primer using structural steel etc. as required.				₹ 1,11,860.02
а	chequered plate wherever required, all complete. In stringers, treads, landings etc. of stair cases, including use of	975.41	Kg	₹ 114.68	₹ 1,11,800.02
	chequered plate wherever required.	970.41		₹ 146.63	₹ 3,93,697.15
b	In gratings, frames, guard bar, ladder, railings, brackets, gates	2684.97	Kg	₹ 140.03	
27	and similar works. Providing and fixing hand rail of approved size by welding etc. to				
	steel ladder railing, balcony railing, staircase railing and similar			-	
	works, including applying priming coat of approved steel primer.				₹ 23,60,474.03
а	M.S. tube	13652.25	Kg	₹ 172.90	(23,00,11 1103
28	Structural steel work in single section, fixed with or without		-		
	connecting plate, including cutting, hoisting, fixing in position and		2 10		
	applying a priming coat of approved steel primer all complete.			₹ 102.14	₹ 4,54,516.87
а	Welded	4449.94	Kg	₹ 102.14	.,.,.
29	Supplying and fixing rolling shutters of approved make, made of		L-0		
	required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on				
	a sign of nine shaff with prackets, side guides and				
	for incide and official fockling with push and pair				
	operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high necessary 27.5 cm long wire springs manufactured from high necessary 27.5 cm long wire springs manufactured from high necessary 27.5 cm long wire springs to 15:4454 part-				
	1 and M.S. top cover of required thickness for folling shakers			3.0.000.00	₹ 35,069.71
а	80x1.25 mm M.S. laths with 1.25 mm thick top cover	10.83	sqm each	₹ 3,238.20 ₹ 483.10	₹ 1,932.40
b	- tion and fixing hall hearing for rolling shutters.	-	Gacii	, 400,10	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
30	Providing and lixing ball bearing to the providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality (thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be specified by the payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thickness to be payord make laid on 20 mm thic				
4				1	
	skirting in vertical & pointing the joints with white coment and				and the
	matching pigment etc., complete In colour such as White, Ivory, Grey, Fume, Red Brown (as	68.45	sqm	₹ 1,210.66	₹ 82,869.68
а	discarted by the engineer incharge)	30.40	Joqui	1,1,2,10,00	
31	Flooring with marble stone of specified thickness as per sample	· · · · · · · · · · · · · · · · · · ·			
	of marble approved by Engineer-in-charge, over 20 mm (average) thick base of cement mortar 1:4 (1 cement:4 coarse				
	loand) laid and jointed with grey cement slurry including skilling in		1		
	vertical, rubbing, polishing and curing complete with:	197.92	eam	₹ 6,175.39	₹ 12,22,233.19
а	Makrana White Second quality (16mm) Extra for pre finished nosing to treads of steps of marble stone	197.92	sqm	₹ 579.31	₹ 7,015.44
b	12mm Cement plaster finished with a floating coat of neat cement		77"		₹ 0.00
32	of mix:			7 040 77	₹ 81,042.50
а	1:3 (1 cement: 3 fine sand)	235.76 1213.69	sqm	₹ 343.75	₹ 81,042.50
b	1 : 4 (1 cement : 4 fine sand)	1213.09	sqm	1 020.40	200

(y) HD.

10

33	6 ma				
34	6 mm cement plaster to ceiling of mix 1 : 3 (1 cement : 3 fine shade on New work (here				
54	Finishing walls with water proofing cement paint of required Applying priming coats				
	shade on New work (two or more coats applied @ 3.84 With ready missing walls with water proofing cement paint of required a supplying priming coats.			Spok for the most spray of any conductive experience of	
35	kg/10sgm) New work (has proofing cement	67.16	sqm	₹ 221.50	₹ 14,875.94
a	Applying priming coat:				
u	LAMIN LOS CONT.	100.69	sqm	₹ 91.80	₹ 9,243.34
36	Imanuse " Illixed pipt				
00	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Finishing with synthetic enamel paint of approved brand and Two or more coats on new work.				
a	manufacture to the manufacture t	100.08	sqm	₹ 59.50	₹ 5,954.76
37	Two or me to give an even about of approved brand and				
07					₹ 0.00
	Pienarod - Pani (huo -	100.08	sqm	₹ 121.95	₹ 12,204.76
	including appropriate priming coat, preparation of surface, etc				
a	Toomplete Printing Coat property				
b	On steel work				
38	On concrete work	54.32	-	3 400 00	7 40 055 00
	1 (Oviding and c	587.86	sqm	₹ 188.80	₹ 10,255.62
	(anodic coating not less than grade AC 10 as per IS: 1868) screws etc.complete	307.00	sqm	₹ 183.34	₹ 1,07,778.25
	transparent or dyed to required colour and shade with necessary 125 mm				
a	125 mm				
b	100 mm				
39	Providing and 6	22	each	₹ 66.35	₹ 1,459.70
	Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1989)	68	each	₹ 52.30	₹ 3,556.40
	(anodic coating not less than grade AC 10 as per IS : 1868) screws etc. complete :				
	screws etc. complete				
a	The extro tilling				
b	100x10 mm	14	each	₹ 80.35	₹ 1,124.90
40	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L books halfs and the same discount of the same di	68	each	₹ 57.35	₹ 3,899.80
	surface fixed with polymer coated J or L hooks, bolts and nuts				, 0,000.00
	Torritti diameter with his			1	
	limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved points.			1	
	steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in bedienstable).				
	sheets complete (upto any pitch in horizontal/vertical or curved surface) excluding the cost of purior, reflections and two coats of approved paint on overlapping of surface) excluding the cost of purior, reflections and two coats of approved paint on overlapping of surface).				
	surface)excluding the cost of purlins, rafters and trusses and including cutting to size and shape where				
	including cutting to size and shape wherever required.				
а	0.50 mm thick with zing coating and				
41	0.50 mm thick with zinc coating not less than 275 gram/m2 Providing ridges or hips of width 60cm overall width plain G.S.	101.49	sqm	₹ 830.25	₹ 84,262.07
	This sto liked will polyliner chared I are books half-				,
	8mm dia G.I. limpet and bitumen washers complete				
а	0.50 mm thick with zinc coating not less than 275 gram/m2	40			
42	Providing and fixing plained eaves boarding	40	m	₹ 626.70	₹ 25,068.00
	2nd class kail wood	hi i t			
a	250x32 mm (nominal size)	50	m	₹ 693.90	3 0 4 00 F 0
43	Providing and applying white cement based putty of specified		-"-	1 093.90	₹ 34,695.00
	thickness, of approved brand and manufacturer, over the				
	plastered wall surface to prepare the surface even and smooth			1	
	complete.	4.7			
44	2 mm thick Providing and fiving G L pines (R medium) complete with C L	587.86	sqm	₹ 172.40	₹ 1,01,347.00
44	Providing and fixing G.I. pipes (B medium) complete with G.I. fittings excluding trenching and refilling etc. (external work)				, , , , , , , , , , , , , , , , , , , ,
	15 mm dia. nominal bore	10			
a b	25 mm dia. nominal bore	18	m	₹ 163.55	₹ 2,943.9
	50 mm dia. nominal bore	18	m	₹ 298.15	₹ 5,366.7
C	80 mm dia. nominal bore	30	m	₹ 559.35	₹ 16,780.5
d d	100 mm dia. nominal bore	80	m	₹ 840.00	₹ 67,200.0
	Providing and fixing D.I. sluice valves (with cap) complete with	50	m	₹ 1,234.95	₹ 61,747.5
45	bolts, nuts, rubber insertions etc. (the tail pieces if required will be				
	paid separately). Confirming to IS:14846 read with latest		1		
	amendments.				
а	80 mm dia. Class 1	8	Each	₹ 10,815.00	₹ 86,520.0
b	100 mm dia. Class 1	4	Each	₹ 13,164.00	₹ 52,656.0
C	250 mm dia. Class 1	1	Each	₹ 50,356.00	₹ 50,356.0
	300 mm dia. Class 1	1	Each	₹ 62,066.00	₹ 62,066.0
		<u> </u>		, 02,000.00	(02,000.0
d 46	Providing and laying D.I. standard specials such as tees, bends.				
46	Providing and laying D.I. standard specials such as tees, bends, collars, tapers, caps etc. suitable for flanged jointing as per IS:				
	collars, tapers, caps etc. suitable for flanged jointing as per IS: 9523 (as per site requirement)				
	collars, tapers, caps etc. suitable for flanged jointing as per IS:	3	Quintal	₹ 7,823.70	₹ 23,471.10

On the Too.

a	Providence				
a	noviding and s				
a	Providing and fixing of MS flanged joints (12mm thick) to double cutting of flanges, rubber gasket, bolts, nuts including charges, 100 mm dia. pipe				
_ a _	cutting of flanges including cutting of pipes, welding charges, rubber gasket, bolts, nuts including testing of mm dia. pipe 250 mm dia. pipe 300 mm dia. pipe				
	joint and all sorts of carriages. Complete Job. 250 mm dia. pipe 300 mm dia. pipe 300 mm dia. pipe			6441.	
b	mm dia, pipe Carriages, Coults, nuts including charges,				₹ 0.00
c	250 mm dia. pipe 300 mm dia. pipe 300 mm dia. pipe				(0.00
48	300 mm dia, pipe Providine Presente Sob.				
	Providing & fixing of PVC under drainage laterals with fabricated out of approved makes \$ IS-15801, 8mm thick perforations.	2	Joint	₹ 1,520.00	₹ 3,040.00
	specifications conforming to IS-4985 & IS-15801, 8mm thick perforations as per design of bed make with nominal dia of 9mm with PVC Toos.	2	Joint	₹ 5,030.00	₹ 10,060.00
	fabrications conforming to IS-4985 & IS-15801, 8mm thick perforations as per design of bed provided at 60 degrees along rating of 10th.	10	Joint	₹ 7,710.00	₹ 77,100.00
	perforations as per design of bed provided at 60 degrees along rating of 10kg/sq cm				
	with PVC Tees and end caps grouted in concrete, the pressure		l 1		1
_	rating of 10ker and end caps growth at 60 degrees along				
a	75 mm die				
49	Carriage				1
	Carriage of materials by mechanical transport including loading. Carriage of materials - SAND: 31	60		₹4.400.00	7.07.000.00
50	unloading, stacking of materials - SAND: 31	- 60	m	₹ 1,420.00	₹ 85,200.00
	Carriage of materials by mechanical transport including loading. loading, unloading, stacking of materials - Appropriate 20mm and above - 34 Keeping 19 Materials - Appropriate 19 Mat	290.32	Cum	₹ 511.62	₹ 1,48,533.52
	loading, unloading, stacking of materials - Aggregate Carriage of materials - MM				
51	20mm and above : 34 keeping of materials - Aggregate				
01	Carriage of materials	451.32	Cum	₹ 511.62	₹ 2,30,904.34
	Carriage of materials by mechanical transport including loading, 31 KM Carriage of materials - Aggregate 40mm and above:				
52	31 KM				
32	Carriage of mot	72.57	Cum	₹ 511.62	₹ 37,128.26
	unloading starting by mechanical transport	Y			
53	Carriage of materials by mechanical transport including loading, unloading, stacking of materials -Bricks: (22 Km)	17630	No	₹ 1.12	₹ 10 745 60
	unloading stacks by mechanical transport in the	17030	INO	₹ 1.12	₹ 19,745.60
54	Carriage of materials -Bricks: (22 Km) Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Cement/steel 22 KM PVC conductive transport including loading, processed and processe	252.35	Tonno	# 075 00	3.04.740.00
	Electrical Items:Supplying and fixing of 25mm dia. medium class PVC conduit along with accessories in surface/recognizations cutting the wall position.	252.35	Tonne	₹ 375.32	₹ 94,712.00
	I' VO COMMITT STORE III I' I'I'II I I I I I I I I I I I I				
	cutting the wall and making good the same in case of recessed	250		7 400 50	
55		250	m	₹ 103.50	₹ 25,875.00
	i vovidiliti and com di				
	fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated				
	Topper conductor single			1	
	Iciass PVC conduit with a surface / recessed medium l				
	Of box and earthing the paint with modular plate, suitable	55	Point	₹ 824.55	₹ 45,350.25
	Insulated copper conductor single			1021.00	(40,000.20
	(excl. cost of conduit)				
56	Providing and carrying out within 5				
	1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed modium along the conductor single core				
	cable in surface / recessed and copper conductor single core				
				1	
		4	Point	₹ 1,215.55	¥ 4 000 00
	The state of the s		1 0	\ 1,210.00	₹ 4,862.20
	single core cable etc. as required. (excl cost of conduit)		1		
57	Description				
37	Providing and carrying out wiring for heating points with 4.0		1 100		
	sq.mm FRLS PVC insulated copper conductor single core cable	·			
	In surface / recessed medium class PVC conduit, modular				
	combined S&S 16Amp along with modular plate, suitable GI hox	25	Point	₹ 1,300.00	
	and earthing the point with 2 sq.mm FRLS PVC insulated copper		1 '0""	X 1,300.00	₹ 32,500.0
	conductor single core cable etc. as required. (excl cost of conduit)				
	776.00			1 1	
57 (A)	Providing and carrying out circuit/ submain wiring along with earth				
	wire with the following sizes of FRLS PVC insulated copper	1		1 1	_
	conductor, single core cable in surface/ recessed medium class	1			
	PVC conduit as required. (excl. cost of conduit)		85		
		- 12			
	2 x 2.5 sq. mm + 1 x 2.5 sq. mm earth wire	40	m	₹ 192.05	₹ 7,682.0
	2 x 4 sq. mm + 1 x 4 sq. mm earth wire	70	m	₹ 230.00	₹ 16,100.0
58	Supplying and fixing suitable size GI box with modular plate and				(10,100.0
	cover in front on surface or in recess, including providing and	4.4			
	fixing 6 pin 5/6A & 15/16 A modular socket outlet and 15/16 A	14	No.	₹ 569.25	₹ 7,969.5
	modular switch, connections etc. as required.			1	
59	Supply and fixing of two module stepped type Electronic Fan				
00	regulator on the existing modular plate switch box including	1	1		
	connections but excl cost modular plate etc., as required.	2	No.	₹ 393.30	₹ 786.6
	3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			1	**
60	Supplying and fixing single pole 5 A to 32 A rating, 240V, 10				
	kA, "C" curve, miniature circuit breaker suitable for inductive				
	load in the MCB DB complete with connections, testing and	16	No.	₹ 228.85	₹ 3,661.6
	load in the MOD DD complete that controlled, teeting and				
	commissioning etc. as required.				
61	Supplying and fixing double pole 63 Amp 240V, 10 kA, "C" curve,		1		l .
61	Supplying and fixing double pole 63 Amp 240V, 10 kA, "C" curve,	1	No	₹ 449 75	₹ 3 542 (
61	Supplying and fixing double pole 63 Amp 240V, 10 kA, "C" curve,	8	No.	₹ 442.75	₹ 3,542.0
61	Supplying and fixing double pole 63 Amp 240V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load in MCB DB complete with connections, testing and commissioning etc. as	1	No.	₹ 442.75	₹ 3,542.0
61	Supplying and fixing double pole 63 Amp 240V, 10 kA, "C" curve,	1	No.	₹ 442.75	₹ 3,542.

(HU). B.O. 18.2

62	Supplying and Su	and the same of th	the contract of the contract o	₹ 74.75	₹ 373.75
	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required	5	No.		₹ 24,000.00
63	Supply of 24-Watt LED slim share and a feet has	40	No.	₹ 600.00	₹ 4,250.00
64	Land in the species	40		₹ 2,125.00	· 4,20
	Supply of 1200 mm sweep Ceiling Fans complete in all respects. Confirming to relevant Indian Standards	2	No.	₹ 1,550.00	₹ 12,400.00
65	Supply of 200 mm nominal sweep Exhaust Fans including shutter from outside complete.Confirming to relevant Indian Standards	8	No.	₹ 1,550.00	
66	Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (up to 30 cm) with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable	2	No.	₹ 196.65	₹ 393.30
67	etc. as required. Installation of exhaust fan in the existing opening, including	8	No.	₹ 417.45	₹ 3,339.60
68	making good the damage, connection, testing, commissioning etc. as required. Supplying and fixing 12-way double door, single pole and neutral,			₹ 2,360.95	₹ 4,721.90
	sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)	2	No.		₹ 21,000.00
69	Providing, fitting and testing of LED flood light IP65 30W rating to pre-wired electric points on the outside of the Filter House	14	No.	₹ 1,500.00	
70	Providing and laying of armoured cable 95mm, 3.5 core for main service line of reputed make in P.V.C pipes of required dia to accommodate the service line including bends etc., from main transformer to the main panel board including copper thimbles, earth work excavation and filling for laying of cable complete.	200	m	₹ 325.00	₹ 65,000.00
71	Providing and fitting at site 3-phase, Voltage stabilizer of following ratings, oil emersed, of standard make and quality including accessories as required. The job includes making of connections with main panel board and service line. To be paid in fitted and finished form after testing on full load capacity, complete job.				- 47 000 0
	and the second s	1	Job	₹ 47,000.00	₹ 47,000.0
72	30 KVA Providing and fitting of panel board with angle iron supports and A.C. sheets for fixing of MCCB, change over switch, bus bars etc. The job includes nuts bolts and embedding of supports in cement	6	Job	₹ 4,250.00	₹ 25,500.0
	concrete blocks complete job.			₹ 7,598.00	₹ 15,196.0
73	Providing and fitting of:	2	No	₹ 3,750.00	₹ 7,500.
а	100 Amp 4 pole change over of reputed make.	2	No No	₹ 3,300.00	₹ 6,600.
b	64 Amp-Copper bus bar	2	No	₹ 2,700.00	₹ 5,400.
C	100 Amp MCCB 63 Amp MCCB	4	No	₹ 1,250.00	₹ 5,000.
0	16 Amp MCCB	6	No	₹ 630.00	₹ 3,780.
e	6 Amp MCCB	13	No	₹ 445.00	₹ 5,785.
	indicator points	12	No	₹ 1,190.00	₹ 14,280.
		1	Set	₹ 2,500.00	₹ 2,500.
- 1	3-phase voltmeter and varieties and varietie	1	No	₹ 4,800.00	₹ 4,800.
100	1.0 HP	1	Set	₹ 4,548.00	₹ 4,548.
		1	No	₹ 1,680.00	₹ 1,680
	Foundation \ Base plate			4.5	
	Foundation \ Base plate			1	
k	Foundation \ Base plate Starter along with necessary wiring upto motor Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following items for	•			¥ 0 500
74	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following items for	1	Set	₹ 2,500.00	
74	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following itemn for Alum Dosing Unit- Mixing device with reduction gear system.	1 1	No	₹ 4,800.00	₹ 4,800
74	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following Itemn for Alum Dosing Unit- Mixing device with reduction gear system.	1	No Set	₹ 4,800.00 ₹ 4,548.00	₹ 4,800 ₹ 4,548
74 8	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following itemn for Alum Dosing Unit- Mixing device with reduction gear system. 1.0 HP	1 1	No	₹ 4,800.00	₹ 4,800 ₹ 4,548
74 	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following itemn for Alum Dosing Unit- Mixing device with reduction gear system. 1.0 HP Foundation / Base plate	1 1 1	No Set	₹ 4,800.00 ₹ 4,548.00 ₹ 1,680.00 ₹ 530.00	₹ 4,800 ₹ 4,548 ₹ 1,680 ₹ 530
74 	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following Itemn for Alum Dosing Unit- Mixing device with reduction gear system. 1.0 HP Foundation / Base plate Starter along with necessary wiring upto motor P.V.C outlet, overflow system with fittings upto point of	1 1 1	No Set No	₹ 4,800.00 ₹ 4,548.00 ₹ 1,680.00 ₹ 530.00	₹ 4,800 ₹ 4,548 ₹ 1,680 ₹ 530
74 a a b c c c c c c c c c c c c c c c c c	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following Itemn for Alum Dosing Unit- Mixing device with reduction gear system. 1.0 HP Foundation / Base plate Starter along with necessary wiring upto motor P.V.C outlet, overflow system with fittings upto point of application	1 1 1 1	No Set No Lot	₹ 4,800.00 ₹ 4,548.00 ₹ 1,680.00 ₹ 530.00	₹ 4,800 ₹ 4,548 ₹ 1,680 ₹ 530 ₹ 1,350 ₹ 530
74 a a b c c c c c c c c c c c c c c c c c	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following itemn for Alum Dosing Unit- Mixing device with reduction gear system. 1.0 HP Foundation / Base plate Starter along with necessary wiring upto motor Starter along with necessary wiring upto point of application f 150mm dia drain out let	1 1 1 1 1	No Set No Lot	₹ 4,800.00 ₹ 4,548.00 ₹ 1,680.00 ₹ 530.00	₹ 4,800 ₹ 4,548 ₹ 1,680 ₹ 530 ₹ 530 ₹ 1,500
74 a a b c c c c c c c c c c c c c c c c c	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following itemn for Alum Dosing Unit- Mixing device with reduction gear system. 1.0 HP Foundation / Base plate Starter along with necessary wiring upto motor P.V.C outlet, overflow system with fittings upto point of application f 150mm dia drain out let Tomm dia Service water piping. Constant dozing unit with time device	1 1 1 1 1 1 1 1 1	No Set No Lot Lot	₹ 4,800.00 ₹ 4,548.00 ₹ 1,680.00 ₹ 530.00 ₹ 530.00	₹ 4,800 ₹ 4,548 ₹ 1,680 ₹ 530 ₹ 530 ₹ 1,500
74	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following itemn for Alum Dosing Unit- Mixing device with reduction gear system. 1.0 HP Foundation / Base plate Starter along with necessary wiring upto motor P.V.C outlet, overflow system with fittings upto point of application f 150mm dia drain out let 50 mm dia Service water piping. Constant dozing unit with time device i Manually operated hoist Rewiding fitting, testing and commissioning of following itemns	1 1 1 1 1	No Set No Lot Lot Lot Set	₹ 4,800.00 ₹ 4,548.00 ₹ 1,680.00 ₹ 530.00 ₹ 530.00 ₹ 1,350.00 ₹ 1,500.00	₹ 4,800 ₹ 4,548 ₹ 1,680 ₹ 530 ₹ 1,350 ₹ 530 ₹ 1,500 ₹ 10,000
74	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following Itemn for Alum Dosing Unit- Mixing device with reduction gear system. 1.0 HP Foundation / Base plate Starter along with necessary wiring upto motor Starter along with necessary wiring upto point of application P.V.C outlet, overflow system with fittings upto point of application f 150mm dia drain out let 50 mm dia Service water piping. Constant dozing unit with time device i Manually operated hoist Providing, fitting, testing and commissioning of following itemns	1 1 1 1 1 1 1 1 1 1	No Set No Lot Lot Set Set Set	₹ 4,800.00 ₹ 4,548.00 ₹ 1,680.00 ₹ 530.00 ₹ 1,350.00 ₹ 1,500.00 ₹ 10,000.00	₹ 2,500. ₹ 4,800. ₹ 4,548. ₹ 1,680. ₹ 530. ₹ 1,350. ₹ 1,500. ₹ 10,000.
74	Foundation \ Base plate Starter along with necessary wiring upto motor Providing, fitting, testing and commissioning of following itemn for Alum Dosing Unit- Mixing device with reduction gear system. 1.0 HP Foundation / Base plate Starter along with necessary wiring upto motor P.V.C outlet, overflow system with fittings upto point of application f 150mm dia drain out let Tomm dia Service water piping. Constant dozing unit with time device	1 1 1 1 1 1 1 1 1	No Set No Lot Lot Lot Set	₹ 4,800.00 ₹ 4,548.00 ₹ 1,680.00 ₹ 530.00 ₹ 1,350.00 ₹ 1,500.00 ₹ 10,000.00	₹ 4,800 ₹ 4,548 ₹ 1,680 ₹ 530 ₹ 1,350 ₹ 530 ₹ 1,500 ₹ 10,000

Cy HO

FO,

) c	Foundation / Base plate. P.V.C outlet over 1				and the state of t
d	P.V.C outlet, overflow system with fittings upto point of Starter along with possi-		Set	₹ 4,548.00	₹ 4,548.00
А	Startor at	1		₹ 530.00	₹ 530.00
f	Starter along with necessary wiring upto motor 50mm dia Drain out let	1	Lot	The second secon	₹ 1,680.00
9	150 mm dia Drain out let	1	No	₹ 1,680.00 ₹ 1,350.00	₹ 1,350.00
	50mm dia service water piping Constant dozing	1	Lot	₹ 530.00	₹ 530.00
76	Constant dozing unit with time device. Providing fitting, testing and comissioning of air blower standard make ISI mark capable of providing compression @ 0.25	1	Lot Set	₹ 1,500.00	₹ 1,500.00
	make ISI mark commissioning of air blower standard		OCC		
	Complete with auxilian air and a pridate induction electric motor				
	godge, Nozzles foundation to				
а	non- return valve, Starter etc				
77	4.2 KLPM Air blower with 5.0 HP Motor.	2	No	₹ 87,500.00	₹ 1,75,000.00
	Supply installation and successful testing and commissioning of mono block pumping unit standard make ISI mark coupled with 2 phase induction motor with appropriate.				
	phase induction motor with any mark coupled with 2				
	fill the tank within the max. of 2 hours with nominal dynamic head of 25m along with all accessories like feat and all accessories and accessories and accessories and accessories and accessories and accessories and a				
	of 25m along with all accessories like foot valves, non- return				
	valves, foundation block, base plate, suction pipe, suitable rising main with nominal dia 50mm (class R) with nominal dia 60mm				
	main with nominal dia 50mm (class-B) with heavey duty valves and other accessories required for the job.				4
а					
	Pumping unit with 5.0 HP Motor.	2	Set	₹ 20,268.00	₹ 40,536.00
. 0	Structural steel work in built up sections, trusses and framed work, including cutting beisting sections.				
	work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete for the				
	motandion results and Commissioning of Half Pridge with				
	Scranner and churnors for required die				
9	Clarifer. Welded				₹ 3,09,090.96
		3026.15	Kg	₹ 102.14	₹ 3,09,090.90
. •	Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications				
	including appropriate priming coat, preparation of surface, etc.	1			
	complete	e luju			
	On steel work	54.32	sqm	₹ 188.80	₹ 10,255.62
	On concrete work	587.86	sqm	₹ 183.43	₹ 1,07,831.16
C	Central axle turn table with double bearing and guide for incoming cable.	2	Set	₹ 4,800.00	₹ 9,600.00
d	Pumping unit with 2.0 HP Motor.	1	Set	₹ 19,120.00	₹ 19,120.00
	Starter along with necessary wiring upto motor	2	No	₹ 1,680.00	₹ 3,360.00
	1.0 HP	. 1	No	₹ 7,300.00	₹ 7,300.00
g	Incoming cable, telescopic electric pole with rotary current	1	Set	₹ 6,500.00	₹ 6,500.00
79	collector Providing and laying/fixing S&S Centrifugally Cast (Spun)/ Ductile		and the same		
19	Iron Pipes Class K-7 conforming to IS: 8329				
а	100 mm dia	36	m	₹ 1,108.15	₹ 39,893.40
80	Providing/ Fixing, installation, successful commissioning of				
	double flanged MS pipes/specials to be fabricated from MS tube				
	heavy quality nominal thickness 6mm, conforming to relevant Indian Standard IS-1239 and/or IS 1161 read with up to date				
	amendments. The pipe material should be of standard quality	3091.62	Kg	₹ 147.00	₹ 4,54,468.14
	land must withstand all the anticipated design pressure				
	ratings. The work should be leakproof and should be painted with				
	anti corrosive red oxide primer. Complete Job			ab - 1 1 1 1 1	
	La LLO ata d/A accorted percentage		(Plus) 8.0	chedule Value	
	Add Quoted/Accepted percentage				1534104 ₹ 2,07,10,403.00
	l'atana		^		× 2,07,10,403.00
Terms & Co	onaltions	2 07 40 402	/= /D	- T	
1	The cost of work should in no case exceed beyond Rs.	4,07,70,403	√= (Rupe	es Iwo Crore	Seven Lac Ten
	Thousand Four Hundred Three Only) The overall payment under the contract will be restricted	to approve	d DAP/D	PR provision	
2	This letter of allotment & your tender will constitue a legal con	tract docum	ent and the	he conditions la	id down in the
3	detailed NIT/Form No.25-double will hold good and binding u	pon you.	. a.r. wild ti	conditions la	IN NOWITH HITCHE
	You have to attend the Divisional/Circle Office along with you	r enlistment	card for d	drawl of agreem	ent . However non
4	drawl of agreement will not prevent the contract from being er	forced upor	n you.	2, 29,00111	
	An amount of Rs. 6,86,900/- (Rupees Six Lac Eighty Six Thousa			v) denosited by	ou vide TDP No
5	loss 420 dated 08 07 2022 issued by JK Bank Branch Zablipora Bil	penara is be	no retaine	d as Porformano	e Security
	Deposit and shall be released only after successful completion & e	expiry of DLP	of the wo	rk.	
	The state of the s	The same of	1	and well, in Stable Po	

Cy HO

T.0 \$ 500

6	The date of the Contract allotment.
	The date of start of work shall be reckoned within one week from the date of issuance of this Contract allotment.
7	above
8	The work be executed strictly in accordance with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision of the Engineer with approved proposals & in close supervision with a proposal with
9	After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department
10	The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a
11	The bidder shall be responsible for the time and proper setting out of all the works and for the corrections positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary
12	The rates are including the Charges for Submission of progress, Geo-tagged photographs, vediographic record through the professional person before, during & after construction and progress reports in both hard and soft copies. Taking Cross-Sections/ L- Sections by Auto Level / ETS before and after execution. Preparation of work copies abstract of executed work, preparation of bills besides, where rates quoted/alloted are inclusive of taxes and the taxes abstract of executed work, preparation of bills besides, where from running account bills.
13	All the Cement, R.C.C, Steel, plumbing and other works shall be strictly as per relevant IS Codes, CPHEEO
14	You shall be solely responsible for carrying out the mandatory tests required or as decided by Engineer-in-charge for the quality control at your own costs. The cost of conducting all tests shall be borne by the contractor and shall be deemed to have been included in the item rates for various items of work and percentage rate tendered. Nothing extra shall be payable on this account.
15	You have to furnish the confirmatory survey, structural & functional design including geo-technical analysis, soil investigation, and quality control tests done at your level duly vetted by DIQC as per terms & conditions of the NIT. The vetting charges for the design if any are to be borne by you.
16	The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contract during the Contract Period.
17	Any item of work not included in the BOQ but required for the completion of the work, shall be executed by the contractor, as directed by the Department. Such extra item shall be paid at J&K SSR 2020 rates with allotted appreciation/depreciation of the contractor. In case such item does not figure in J&K SSR 2020, the same shall be paid as per the current market rate analysis, to be approved by the competent authority.
18	No price escalation will be paid for completion of the work within stipulated time or extended date of completion due to any reason whatsoever.
19	No extra claim towards any type of tax, freight, etc shall be entertained whatsoever.
20	tive time of teners shall be paid
21	Retention money/Security deposit shall be 10% of the contract value. The Security Deposit is to be recovered at the rate of 10% of bill amount from Running Account Bills and shall be released after completion of the defect liability period.
22	In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the timebeing enforce in the UT: a) Terminate the contract after 15 days' notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department and/or c) Recover the extra cost, if any, involved in allotting contract to other party, and/or d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract. and/or e) Forfeit the performance security and blacklist the firm.
23	All risks of loss or damage to physical property and of personal injury and death which arise during and consequence of the performance of the Contract are the responsibility of the Bidder.
	ON HD. T.O.

1	
24	Any failure or
	Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other
	natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other The bidder shall include any calamities of the parties including war, or a state of insurgency.
	1 beyond the court was into a state ambarages or from any political st
25	The bidder should the parties including war or a state of insurgency.
	watching, when and connection with the work provide and resistain at his own cost all lights, guards, fencing and
	watching, when and where necessary or required by the Department for the protection of the work or safety and
26	i totti tile comman
	From the commencement of the work to the completion thereof the same shall be under the bidders charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold default were the property happening from any neglect,
	Tacidult, Want of property includes to persons of damage to property includes
	of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the
27	In the event on
-/	In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being a partnership
	partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer in characteristics.
	may, in the option of the Engineer-in-charge, be terminated by notice in writing posted at the site of the works.
28	The damage caused to the world by
	The damage caused to the work during execution or prior to actual completion of work/handing over of the project before defect liability period due to any natural calamity/human interference, the same shall be got restored/made good by you at your own cost
	good by you at your own cost.
29	
	No damage is caused to existing structures like roads, bridges, buildings or other public utilities as a result of construction of this work. Whereever any damage occures to any public/private infrastructure or public utility, the same shall be rectifed/made good by the same shall be rectified to t
	same shall be rectifed/made good by you at your own cost.
30	Adequate precaustions be talk of
	Adequate precaustions be taken for enviornment and social protection besides, all safety practices in vogue be strictly adhered to during execution of work.
31	
32	The objection certificate from the concerned regulatory authority may also be sought wherever required
32	No objection certificate from the concerned regulatory authority may also be sought wherever required.
	All other terms & conditions will remain some as loid down in the arisinal NIT (SPD/CER 2017) Progurement Manus
	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D.
	All other terms & conditions will remain some as loid down in the crisinal NIT (CRD/CER 2017) Progurement Manual
	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manua 2019/Operational guidelines for JJM /Form No.25 of P.W.D.
Head Dr	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manua 2019/Operational guidelines for JJM /Form No.25 of P.W.D.
Head Dr	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Superintending Ingineer,
	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Superintending Figineer, Hydraulic Circle Anantnag/Kulgam,
	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manu 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Superintending Figureer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag
The Physical Address of the Late Control	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Superintending Figineer, Hydraulic Circle Anantnag/Kulgam,
ted:	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Aftsman Technical Officer Superintending Engineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag 33 /03/2022
). Ited:	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Aftsman Technical Officer Superintending Engineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag 33_/03/2022
opy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Superintending Ingineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information.
oted:	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Aftsman Technical Officer Superintending Engineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag 33 /03/2022
opy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Aftsman Technical Officer Superintending Ingineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above
opy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Superintending Ingineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Aftsman Technical Officer Superintending Ingineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. SE/Hyd/Cors/ 13646-19 Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Superintending Ingineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will be a significant to the condition of the condi
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. SE/Hyd/Cors/ 13646-19 Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. SE/Hyd/Cors/ 13646-19 Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manua 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Sperintending rigineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manu 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Sperintending rigineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manua 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Sperintending rigineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manu 2019/Operational guidelines for JJM /Form No.25 of P.W.D. SE/Hyd/Cors/ 13646-79 Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Sperintending Ingineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Sperintending Ingineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Agriculture of the procure of
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Sperintending Ingineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines.
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Anternational guidelines for JJM /Form No.25 of P.W.D. Artisman Technical Officer Superintending argineer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines. Apply by Nee , Assistant Research Augustus Analysis Analysis Analysis Ananchicate Augustus Ananchicate
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Agriculture of the procure of
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manua 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Agriculture of the procure of
ppy to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manua 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Agriculture of the procure of
py to the :- 1	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Technical Officer Sperintending regimeer, Hydraulic Circle Anantnag/Kulgam, H.Q. Anantnag SE/Hyd/Cors/ 13636-49 Chief Engineer Jal Shakti (PHE) Department Srinagar for favour information. District Development Commissioner Anantnag (Chairman District Jal Jeevan Mission) for information. This is with reference to your authorisation issued vide letter quoted under reference (iii) above Executive Engineer Jal Shakti (PHE) Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with JJM Guidelines. No. 1445 10940 - 42
py to the :-	All other terms & conditions will remain same as laid down in the original NIT /SBD/GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM /Form No.25 of P.W.D. Agriculture of the procure of