

OFFICE OF THE EXECUTIVE ENGINEER PHE, DIVISION BIJBEHARA

K (889)
K-2528

M/S Haji Mohammad Hussain Rather **No/PHB:** 2499-2804
S/O GH Mohd Rather **Dated:** 10-5-2023
R/O Hiller
Regd No: 01/AA/SE/Hyd/2001-2002
GST No: 01AHSR7030G1ZC

Reserved
97-87

Tender ID: 2023_PHE_195436_3
Actual Adv Cost Rs: 95.89 Lacs **Cost of L1 Rs: 99.24 Lacs**

Subject:- Construction of 0.40 lac Gallons SSFP, 0.20 lac gallons SR, intake works, 2 No sluice Chamber, Chain link fencing around various structures, laying fitting of RWM, Supply Main, Sub Main, and distribution system for WSS Ichoo under JJM

Reference

1. In response to this office Fresh e-NIT No. 56 OF 2022-23 No: PHEB: 11470-90 Dated: 09/11/2022
 03. DJJM / District Development Commissioner Anantnag's Authorization No: DDCA/JJM/2022-23/3858-60 Dated: 30.07.2022 and No/DDCA/JJM/12613 Dated: 03.02.2023
 04. Superintending Engineer Hyd. Circle Anantnag's Authorization Letter No: SE/Hyd/4590 Dated: 03.08.2022
 05. Superintending Engineer Hyd. Circle Anantnag's Authorization Letter No: SE/Hyd/8445 Dt: 10.11.2022
 06. Superintending Engineer Hyd. Circle Anantnag's Authorization Letter No: SE/Hyd/4590 Dated: 03.08.2022
 07. Superintending Engineer Hyd. Circle Anantnag's Authorization Letter No: SE/Hyd/8323-24 Dated: 05.11.2022

For & on behalf of Lt. Governor of J&K (UT), contract for above noted work is hereby fixed with you on the following quoted rates :-

SLNo	Description of Work / Item(s)	Qty	Units	Estimated Rate	Amount
1	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.				
2	All kinds of soil	393.97	Cum	539.35	212488
3	Ordinary Rock	274.29	Cum	855.65	234696
4	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material:				
5	All kinds of soil	8.00	Cum	81.65	653
6	Ordinary Rock	2.00	Cum	146.45	293
7	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed (1 meter from cutting edge)				
8	All kinds of soil	2592.00	Cum	436.00	1130112
9	Ordinary Rock	774.56	Cum	841.60	651870
10	Providing and laying of dry stone soling tightly hand packed on horizontal levels.	47.53	Cum	616.40	29297
11	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centering and shuttering. All work upto plinth level with:				
12	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	28.77	Cum	4861.62	139869
13	1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	67.5	Cum	5437.74	367047
14	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	2.1	Cum	6465.20	13577
15	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level				
16	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	39.21	Cum	7800.76	305868
17	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				
18	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	78.57	Cum	9408.14	739198
19	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centering, shuttering, finishing and reinforcement with				
20	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	8.93	Cum	9849.35	87955
21	Reinforced cement concrete work in arches, arches, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	3.18	Cum	9458.65	30079
22	Centering and shuttering including strutting, propping etc. and removal of form for:				
23	Foundations, footings, bases of columns etc. for mass concrete.	381.95	Sqm	262.30	100185
24	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc	711.03	Sqm	573.85	408025
25	Lintel, beams, plinth beams, girders, bressumers and cantilevers	23.58	Sqm	502.85	11857
26	Columns, pillars, piers, abutments, posts and struts.	10.8	Sqm	680.15	7346

JH

Sum

27	Suspended floors, roofs, landings, balconies and access platforms.	32.9	Sqm	636.60	20911
28	Under 20 cm wide	63.83	Rm	242.30	13043
29	Arches, domes, vaults upto 6 m span	38.02	Sqm	2086.80	73080
30	Extra for arches, domes, vaults exceeding 6 m span	38.02	Sqm	1006.45	35316
31	Extra for shuttering in circular work (20% of respective centering and Shuttering items)				
32	Foundation	1.78	Sqm	62.46	92
33	Walls	27.91	Sqm	114.77	3203
34	12mm Cement plaster finished with a floating coat of neat cement of mix:				
35	1:3 (1 cement : 3 fine sand)	619.81	Sqm	343.76	178582
36	1:4 (1 cement : 4 fine sand)	279.63	Sqm	325.45	90973
37	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level				
38	Hot rolled deformed bars	11492.25	kg	87.18	1001894
39	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded	1100.00	kg	102.13	112343
40	P/M of water proofing compound to cement concrete @ 1kg/50 kg of cement.	933.00	kg	57.90	54021
41	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2145.85	kg	91.03	195337
42	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm	270.00	Sqm	733.50	198045
43	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade.				
44	Two or more coats on new work	270.00	Sqm	121.95	32927
45	Providing/ laying of Baramullah slab including all carriages up to actual site complete.	57.76	sqm	2150.00	124184
46	Providing & laying of filter media effective size of sand varies from 0.45 mm to 0.70 mm having uniformity coefficient between 1.30 to 1.75 & should be dust free & free from other organic impurities to be obtained from Ganderbal Nallah & the size of gravel should vary from 2mm to 40mm incld all carriages complete.	69.31	cum	10600.00	734686
47	Filling available excavated earth (excl. rock) in trenches plinth sides of foundation etc. in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming & watering lead upto 50 m, & lift upto 1.5 m.	2538.00	Cum	198.70	504301
48	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe)	835.00	Qtls	245.55	205034
49	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket.				
50	150 mm dia	84.00	Joints	144.70	12155
51	100 mm dia	750.00	Joints	89.70	67275
52	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.				
53	15 mm dia. G.I. pipes	1500.00	Mtr.	20.25	30375
54	20 mm dia. G.I. pipes	1500.00	Mtr.	20.25	30375
55	25 mm dia. G.I. pipes	1000.00	Mtr.	30.65	30650
56	40 mm dia. G.I. pipes	1000.00	Mtr.	40.80	40800
57	50 mm dia. G.I. pipes	500.00	Mtr.	40.80	20400
58	65 mm dia G.I pipe	1000.00	Mtr.	73.05	73050
59	80 mm dia G.I pipe	1500.00	Mtr.	73.05	109575
60	P/f of 12mm thick MS flanges to the G.I pipe, including cost of flanges, welding charges and L/F charges complete.				
61	100 mm dia G.I pipe	33.00	Pairs	1500.00	49500
62	By Mechanical Transport including loading, unloading and stacking				
63	150 mm dia D.I / G.I Pipes (45 kms)	500.00	Mtr.	23.70	11850
64	100 mm dia D.I / G.I Pipes (45 kms)	4500.00	Mtr.	14.22	63990
65	Below 100 mm G.I Pipes (45 kms)	31.68	MT	578.55	18328
66	Cement and Steel (50 Kms)	119.13	MT	622.60	74170
67	Sand, stone aggregate below 40 mm nominal size (50 Kms)	343.69	Cum	693.36	238301
68	Stone aggregate 40 mm nominal size and above (50 Kms)	28.03	Cum	703.75	19726
69	Stone Soling (50 Kms)	48.84	Cum	824.11	40250
70	By Manual Labour including loading, unloading and stacking				
71	150 mm dia D.I / G.I Pipes (1000 m)	500.00	Mtr.	19.10	9550
72	100 mm dia D.I / G.I Pipes (1000 m)	4500.00	Mtr.	15.68	70560
73	Below 100 mm G.I Pipes (500 m)	31.68	MT	395.36	12525
74	Cement (900 m)	111.23	MT	424.79	47249
75	Steel (900 m)	14.11	MT	912.50	12875
76	Sand, stone aggregate below 40 mm nominal size (1000 m)	343.69	Cum	1078.22	370573
77	Stone aggregate 40 mm nominal size and above (900 m)	28.03	Cum	1066.79	29902



48.84 Cum

1160.90

56698

Total Adv Cost

9589000

Add 3.00% of all items of works,



335700

Total Allotted Amount

9924700

Restrict for an amount of Rs: 97.87 Lacs Rupees Ninety seven lac eighty seven thousand only as per the approved DPR Cost



Rates & Qty Checked

Head Draftsman

 Technical Officer



 Executive Engineer
 Special Projects Division
 Bilbohara


Restrict for an amount of Rs: 97.87 Lacs Rupees Ninety seven lac eighty seven thousand only as per the approved DPR Cost

Rates & Qty Checked

Head Draftsman

 Technical Officer



 Executive Engineer
 Special Projects Division
 Bilbohara



Terms & Conditions

1	The work should in no case be completed beyond Rs. 97.87 Lacs (Rupees Ninety seven Lac eighty seven thousand only) as per the approved DPR COST.
2	The work shall have to be completed within a period of 90 days from the date of issuance of this allotment order falling which, penalty upto 10% of the total value of contract shall be imposed upon you.
3	The earnest money shall be deposited in the shape of CDR/FDR/BG within seven days after issuance of this allotment as per the terms and conditions of MIT/SBD.
4	Client/Paying Authority: The client/paying authority shall be the concerned Executive Engineer. Besides, the supervision of the various components of the work shall be carried out by the concerned Engineers of the Division/TP/QM consultants under the overall coordination of the concerned Superintending Engineer Hydraulic Circle/Executive Engineer/Assistant Executive Engineer.
5	Terms of Payment: Payment can be claimed on a monthly basis subject to the amount of bill being proportionate to the value of work viz a viz completion period within a variation of -5%.
6	Warranty: The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty period any malfunctioning/ defects arise, the firm /joint venture shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm/joint venture to remove the defect, the Department may get the defects removed/ repaired by any other agency and cost thereof shall be recovered from the firm / joint venture and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting.
7	Trial Run: After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department.
8	Defects Liability Period (DLP): The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months.
9	Liquidated damages (LD) In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being in force in the UT: a) Terminate the contract after 15 days notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department. and/or c) Recover the extra cost, if any, involved in allotting contract to other party. and/or d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract and/or e) Forfeit the performance security and blacklist the firm.
10	Force Majeure: Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department or bidder one against the other if such failure or commission arises from the ACT OF GOD which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency.
11	Specifications of Job: Tenderer/s must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s.
12	Bidder Dying, Becoming Insolvent Or Imprisoned: In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer-in-charge, be terminated by notice in writing posted at the site of the works, communications/ instructions.
13	Safety of Govt. Infrastructures: The bidder should ensure the safety of the water supply lines, sewer lines, telephone cables, power cables, storm water drains etc., pipe laying alignment and, if any damage occurs during execution it should be attended immediately at the cost of the bidder. Failing to attend immediately, the same will be got done by the Department at the risk and cost of the allottee.
14	Allottee's risk and insurance: All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder.
15	Work under Bidders Charge: From the commencement of the work to the completion thereof the same shall be under the bidders charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country.
16	Setting Out of Works: The bidder shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.
17	Labour: The bidder shall make his own arrangements for the engagement of all types of labour, required for the execution of the job. No workman below the age of 13 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under.
18	Storage at Site: The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipments/ materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.
19	Watch & Ward of Works: The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc.
20	Final Acceptance: The equipment/work shall be accepted by the Department only after the system has been tested and has performed satisfactorily in all respects, at site, in accordance with the provisions of the contract.
21	Cleaning Up: On completion of the works the bidder shall clear away, load into trucks or any other transport and remove from the site all constructional plant, surplus materials, dismantled or otherwise, earth and rubbish and temporary works of every kind and leave the whole of the site and works clean and in a workmanship condition, to the satisfaction of the Department.

	<p>Power and Water Supply: The bidder/firm shall make his own arrangement, at his own cost, for all lines, individual power point, etc. to the machinery and plant required by him for the erection, testing and commissioning of the equipment ordered on him. The bidder shall pay for all electrical energy consumed by him for this purpose at the prevalent electricity tariff in J&K State. Such charges shall be paid by the bidder/firm directly to the Power Corporation and the bidder's final bill shall be settled only after he gets a no outstanding certificate from the concerned Electric Division.</p> <p>The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the erection/hydro testing/water tightness Test/Curing, labour colony, Site Office etc.</p>
23	<p>an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of work shall be reckoned from the date of issue of the letter of award in favour of successful firm.</p>
24	<p>Tender quantities: The advertised quantities in the tender documents are tentative and subject to increase or decrease, depending upon actual requirement at site as per the design and other considerations. The successful bidder shall have no claim/reservation on this account and the decision of the department shall be final and binding.</p>
25	<p>Third Party Monitoring: The allotted works shall be subject to check by the third party monitoring agency (TTPQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery installed in each scheme. The TTPQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contractor during the Contract Period.</p>
26	<p>All other terms and conditions as laid down in form No.25 of PWD shall remain in force and binding on successful tenderer.</p>

Copy to the :-

- 1 Chief Engineer Km- PHE Department Srinagar for favour of information please.
- 2 District Dev. Commissioner Anantnag for favour of information please
- 3 Superintending Engineer Hyd. Circle Anantnag for favour of information
- 4 Assistant Executive Engineer PHE Sub -Division Kokerana for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals, besides the amount of work does not exceed beyond the provision of allotment/approved administrative approval accorded by the competent authority in any case for which he shall be personally responsible.
- 6 Technical Officer Divisional Office for information


 EXECUTIVE ENGINEER
 JSD PHE Division
 Bijnbehara

