- 1 6- v	- TALGOTTAL ENGINEE	R PHE, D	IVISIO	M RIJREL	IAKA
	nad Abass Bhat		115	NO A	
S/o Moha	nmad Yousuf Bhat		7	00,0	20
R/o Qain	noh Kulgam		24	7 0 6 × 2	
Regd. No	o:- PWDJK-CONT-2023-459128	O51. NO:-	OICV	BPB9344C1	
Fender ID:	2023 PHE 211454 2				
1	Construction of 0.40 lac gallons SSFP, 0.20 lac gallons R Wall ,Chain Linck Fencing around v	allons SR ,02	No Colle	ection Sump, Si	uice
- No.	1.Your tender received in response to this office: e-NIT N 06.05-2023	o.15 OF 2023-2	4 issued	under NO/PHE/1	465-85 Date
Reference	1.07 DD GA/DJJM/ 3413 DC: 04.11.22 ar	id No/DDCA/JJ	M/12613	Dated:03.02.2023	/3858-60 3
Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.  2 All kinds of soil 819.84 Cum 539.3  3 Ordinary Rock 467.16 Cum 855.6  Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed (1 meter from cutting edge)  5 All kinds of soil 1757.13 Cum 436  6 Ordinary Rock 1739.13 Cum 841.  Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material:  8 All kinds of soil 22.98 Cum 81.6  9 Ordinary Rock 2.55 Cum 146.4	Dated: 03.08.2022				
SI.No	Oc. Superintending Engineer Hyd.Circle Anantnag's Authrozation	on Letter No:SE/I	Hyd/8445	Dt: 10.11.2022	
OIA CO	Description of Work / Item(s)	Qty	Units	Estmated Rate	Amount
1	means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as		2		
2		V		. K /	
				539.35	442180.7
4	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed (1 meter from	7 407.10	Cum	855.65	399725.45
		Y	, -		
				436	766108.68
	Extra for every additional lift of 1.5 m or part thereof in excavation/banking	1739.13	Cum	841.6	1463651.8
8		22.00 +		(Chapter) 1907	1
				81.65	1876.32
- 1	Providing and laying of dry stone solling	7		146.45 616.4	373.45 36977.84





Subject:	Construction of 0.40 lac gallons SSFP, 0.20 lac g Chamber, R Wall ,Chain Linck Fencing around v Supply Main Sub Main,and distribution system	arious struc	tures ar	d laying fittin	g of RWM
11	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:				
12	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	57.75	Cum	4861.615	280758.27
13	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	208.08	Cum	6465.195	1345277.78
14	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level				
15	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	72.43	Cum	7800	564954
16	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				
17	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	98.11	Cum	9408.135	923032.13
18	Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with:  1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20 mm nominal size)	10	Cum	10404	104040



Subject:-	Construction of 0.40 lac gallons SSFP, 0.20 lac gallons Chamber, R Wall ,Chain Linck Fencing around va Supply Main Sub Main,and distribution system V	llons SR ,02 crious struct VSS Nagbal (	No Colle ures an Gratwali	ection Sump, S d laying fitting pora under []	Sluice g of RWM, IM
19	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20 mm nominal	6.09 L	Cum	9849	59980.41
20	size)  Centering and shuttering including strutting, propping etc. and removal of form for:	71	Turi Turi		-
21	Foundations, footings, bases of columns etc. for mass concrete.	457.15	Sqm	262.3	119910.45
22	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc	1119.12	Sqm	573.85	642207.01
23	Suspended floors, roofs, landings, balconies and access platforms.	42.97	Sqm	635.6	27311.73
24	Arches, domes, vaults upto 6 m span	79.97		-	2
25	Extra for arches, domes, vaults exceeding 6 m span	79.97	Sqmc_ Sqm	2086.8	166881.4 80645.75
26	Edges of slabs and breaks in floors and walls Under 20 cm wide	9.8	Rm	242.3	2374.54
27	Extra for shuttering in circular work (20% of respective centering and Shuttering items)				
28	Foundation	3.84	Sqm	F2.40	
29	Walls	71.17	_Sqm	52.46 114.77	201.45
30	12mm Cement plaster finished with a floating coat of neat cement of mix:			114.//	8168.18
31	1:3 (1 cement: 3 fine sand)	1157.57	Sqm	343.75	397914.69
32	12mm Cement plaster of mix:		29111	043.75	39/914.69
33	1:4 (1 cement: 4 coarse sand)	317.43	- Sqm	260.05	82547.67
34	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level		-9	200.03	02547.67
35	Hot rolled deformed bars	16701	la-	the same of	
36	P/ M of water proofing compound to cement concrete @ 1kg/50 kg 0f cement.	1350	kg kg	57.9	1455909.68 78165



Subject:-	Construction of 0.40 lac gallons SSFP, 0.20 lac Chamber, R Wall ,Chain Linck Fencing around Supply Main Sub Main,and distribution system	gallons SR ,0 various stru ı WSS Nagba	)2 No Co ctures : l Gratw	ollection Sump and laying fitt vali pora under	o, Sluice ing of RWM,
37	Structural steel work in built up sections, trusses and framed work, including cutting hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (Welded)	6395	kg	102.13	653121,3
38	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	6531	kg	91.025	594484.2
39	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 25x25 mm made of G.I. wire of dia 3 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge.	/	Sqm	C858.55	137368
40	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge.  Made of G.I. wire of dia 4 mm	540	Sqm	733.5	396090
41	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade.	_			
42	Two or more coats on new work	650 🥎	-	31 1 N	
43	Providing/ laying of Baramullah slab	710.05	Sqm Sft	121.95 180	79267.5
44	Providing & laying of filter media effective size of sand varies from 0.45 mm to 0.70 mm having uniformity coefficient between 1.30 to 1.75 & should be dust free & free from other organic impurities to be obtained from Ganderbal Nallah & the size of gravel should varry from 2mm to 40mm incld all carriages complete.	2796.55	Cft	250	127809 699137.5
45	Connecting and commissioning of SR and Sluice Chamber	1	Job	40000	40000



ubject:-	Construction of 0.40 lac gallons SSFP, 0.20 lac gall Chamber, R Wall ,Chain Linck Fencing around var Supply Main Sub Main,and distribution system W	I I		Lauing fitting	of RWM.
46	Filling available excavted earth (excld. rock) in trenches plinth sides of foundation etc. in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming & watering lead upto 50 m, & lift upto 1.5 m.	3106	Cum	198.7	617162.2
47	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.	1			
48	15 mm dia. G.I. pipes	1500	Mtr.	20.25	30375
49	20 mm dia. G.I. pipes	5000	Mtr.	20.25	101250
50	25 mm dia. G.I. pipes	3000	Mtr.	30.65	91950
51	40 mm dia. G.I. pipes	3000	Mtr.	40.8 🗸	122400
52	50 mm dia. G.I. pipes	2000	Mtr.	40.8	81600
53	P/f o f MS flanges to the G I pipe, including cost of flanges, welding charges and L/F charges complete. (12 mm) thick)	,2000	Mtr.	40.6 ×	81800
54	65 mm dia GI pipe	450			
55	80 mm dia G.I pipe	178	Pairs	1000	178000
56	Providing / fixing of D.I/G.I bends ,Tees, Unions, Elbows, Nipples etc.	172	Pairs	1100	189200
57	80 mm dia G.I bends / tees	5 V	No.	1200	6000
58	65 mm dia GI bends/ tees	8	No.	2 900	7200
59	50 mm dia G.I bends/ tees	18 🗸	No.	800	14400
60	40 mm dia G.I unions	18	No.	400	7200
61	50 mm dia unions	13	No.	500	6500
62	65 mm dia unions	9 .	No.	650	5850
63	25 mm dia G.I unions	45	No.	300	13500
64	20/ 15 mm GI unions	90	No. C	250	22500
65	25/20/ 15 mm tees	170	No.	240	40800
66	40/25/20 mm elbows	180	No.	200	36000
67	CARRIAGE OF MATERIALS		1.	- 1	
68	By Mechanical Transport including loading, unloading and stacking	1		-	1
69	Below 100 mm GI pipe (45 Kms)	45.28	MT	L 578.43	26191.31
70	Cement and Steel (35 Kms)	13.43	MT	490	6580.7
71	Cement and Steel (45 Kms)	156.98	MT	578.43	90801.94
72	Sand, stone aggregate below 40 mm nominal size (45 Kms)	570.88 C	Cum	650.7	371471.62
73	Stone aggregate 40 mm nominal size and above (45 Kms)	54.6	Cum	707	38602.2
74	Stone Soling (45 Kms)	60	Cum	765.64	45938.4
75	By Manual Labour including loading, unloading and stacking (5000 mtrs)				10000.4
76	Cement/ steel	22.72	MT	1887.38	



	Ŕ	even thousand on	ne cand el	ne Crore Forty Ni	The cost of work should in no case exceed beyond Rs. 149.11 Lacs Rupees One Crore Forty Nine c and eleven thousand only	1
		Division Bijbehara	kti PHE Divis	V A Shakti	Terms & Conditions	Terms
		2	G	2	Technical officer	A ad
	149,11lacs	•	the deducti	Amount Alloted after the deductions	4	
	14911507.27		the deducti	Alloted Amount after the deductions		Rates & Oty Checked
	03157316	1	f all items	Deduct @5,88% of all items		
	2141.27	730.81	7	2.93 Cum	Stone Soling / Stones	99
	1766.2	671.56	<	2.63 Cum	III TIOIIIIII SIZC AIIU	98
	18841.3	621.21		30.33 Cum		
	3788.6	1.707	1	=	ggregate below 40 mm	97
	3700	282 1	TM	13.43 N	Cement/ steel	96
			1	5	By Manual Labour including loading, unloading and stacking (500 mtrs)	95
	50834.42	2343.68	Cum	21.69 C	Stone Soling /Stones	94
	42039.83	2153.68	Cum	19.52 С	Stone aggregate 40 mm nominal size and above	93
	143284.56	1992	Cum	71.93	Sand, stone aggregate below 40 mm nominal size	92
	56716.14	817	TM	69.42	Cement/ steel	91
			$\mathcal{L}$	-	By Manual Labour including loading, unloading and stacking (2000 mtrs)	90
	30565.86	3419	Cum	8.94	Stone Soling /Stones	89
	25259.75	3141.76	Cum	8.04	Stone aggregate 40 mm nominal size and above	88
	176626.68	2906	Cum	60.78	nominal size	87
_	24348.76	1174	TM	20.74	Sand stone correct below 40	α̈́δ
			5		unloading and stacking (3000 mtrs)	85
	80895.24	4494.18	Cum	18	Stone Soling /Stones	84
	67151.2	4129.84	Cum	16.26	above	83
	306411.2	3820.28	Cum	80.73	nominal size Stone aggregate 40 mm nominal size and	3 8
	308444.5	2820.00	3	77.1	Sand, stone aggregate below 40 mm	83
1	67501 6	1630 66	T		Cement / steel	81
				7	By Manual Labour including loading,	80
G	54747.5	5569.43	Cum	9.83	Stone Soling /Stones	79
95	41711.05	5117.92	_Cum_	8.15	Stone aggregate 40 mm nominal size and above	78
2	273642.54	4734.3	Cum,	57.8	Sand, stone aggregate below 40 mm nominal size	77
	ting of RWM r JJM	id laying fitt I pora unde	tures ar Gratwal	arious struc WSS Nagbal		Subject:-
-	p, Sluice	lection Sum	2 No Col	allons SR ,0	Construction of 0.40 lac gallons SSFP, 0.20 lac gallons SR, 02 No Collection Sump, Sluice	

Subject:	Construction of 0.40 lac gallons SSFP, 0.20 lac gallons SR,02 No Collection Sump, Sluice Chamber, R Wall, Chain Linck Fencing around various structures and laying fitting of RWM, Supply Main Sub Main, and distribution system WSS Naphal Gratwall nor a under HM
2	The work shall have to be completed within a period of 120 days. from the date of issuance of this allotment order failing which penalty upto 10% of the total value of contract shall be imposed.
ω	Earnest money deposited by you vide for NO: 376-42 Dt. 9.6.>>>
•	Client/Paying Authorty:  The client/paying authorty shall be the concerned Executive Engineer. Besides, the supervision of the work and expiry of defect clause. The client/paying authority shall be the concerned Executive Engineer. Besides, the supervision of the various components of the work Superintending Exercises.  Superintending Exercises.
cı	Terms of Payment: Payment can be claimed on a monthly basis subject to the amount of bill being proportionate to the value of work viz a viz completion period within a variation of 50%.
6	Warranty:  The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty period any malfunctioning/ defects arise, the firm /joint venture shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm/joint venture to remove the defect, the Department may get the defects removed/ repaired by ny other agency and cost thereof shall be recovered from the firm / joint venture and shall be recommended for further punitive action as governed under the reference force.
7	Trial Run:  After texting and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to make a trial run of the work for a period of 03 months during which the
<b>c</b>	Defects Liability Period (DLP):  The defects Liability Period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified which to a maximum.
vo	Liquidated damages (LD) In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with a little only other remedies available to it under any law for the time being enforce in the UT:  and/or  C)Recover the amount of loss caused by damage, failure or default, as may be determined by the department.  C)Recover the extra cost if any, involved in allotting contract to other party.  and/or  d)Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract and/or  e)Forfeit the performance security and blacklist the firm.
10	Force Majeure:  Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department or bidder one against the other if such failure of commission arises from the "ACT OF GOD" which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riocs, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency.
11	Specifications of job: Tenderer/s must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code /s
12	Bidder Dying, Becoming Insolvent Or Imprisoned:  in the event of the death or insonity or insolvency or Imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer-in-charge, be terminated by notice in writing posted at the site of the works, communications/ instructions.
13	Safety of Govt. Infrastructures:  The bidder should ensure the safety of the water supply lines, sewer lines, telephone cables, power cables, storm water drains etc., pipe laying alignment and, if any damage occurs during execution it should be attended immediately at the cost of the bidder. Failing to attend immediately, the same will be got done by the Department at the risk and cost of the allotee.
14	Allottee's risk and insurance: All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder.
15	Work under Bidders Charge: From the commencement of the work to the completion thereof the same shall be under the bidders charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country.



											Sut	
26	25	24	23	22	21	20	19	18	17	16	Subject:-	
All other terms and conditions as laid down in Jorm NOLES of F.W.L. Shall remain in force and binding on successful tenderer.	Third Party Monitoring:  The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contract during the Contract Period.	Tender quantities: The advertised quantities in the tender assuments are tendarive and success of activates, accessing upon activate requirement at site as per the design and other considerations. The successful bidder shall have no claim/reservation on this account and the decision of the department shall be final and binding.	Agreement:  As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.	Power and Water Supply:  The bidder/firm shall make his own arrangement, at his own cost, for all lines, individual power points, etc. to the machinery and plant required by him for the provident of the commissioning of the equipment ordered on him. The bidder shall poy for all electrical energy consumed by him for this purpose at the erection, testing and commissioning of the equipment ordered on him. The bidder/firm directly to the Power Corporation and the bidder's final bill shall be the prevalent electricity for the gets a no outstanding certificate from the concerned Electric Division.  The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the execution/Hydro-testing/ water tightness Test/ Curing, labour colony, Site Office etc.	Geaning Up:  On completion of the works the bidder shall clear away, load into trucks or any other transport and remove from the site all constructional On completion of the works dismantled or otherwise, earth and rubbish and temporary works of every kind and leave the whole of the site plant, surplus materials, dismantled or otherwise, earth and rubbish and temporary works of every kind and leave the whole of the site plant, surplus materials, dismantled or otherwise, earth and rubbish and temporary works of every kind and leave the whole of the site and works clean and in a workmanship condition, to the satisfaction of the Department.	Final Acceptance:  The equipment/work shall be accepted by the Department only after the system has been tested and has performed satisfactorily in all respects, at site, in accordance with the provisions of the contract	Watch & Ward of Works:  The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc.	Storage at Site: The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.	Labour: The bidder shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under.	Setting Out of Works: The bidder shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.	Construction of 0.40 lac gallons SSFP, 0.20 lac gallons SR, 02 No Collection Sump, Sluice Chamber, R Wall, Chain Linck Fencing around various structures and laying fitting of RWM, Supply Main Sub Main, and distribution system WSS Nagbal Gratwali pora under JJM	

## Copy to the :-

- Chief Engineer Kmr PHE Department Srinager for favour of information please.
- District Dev.Commissioner Anantnag for favour of information please
- Superintending Engineer Hyd. Circle Anantang for favour of information
- Assistant Executive Engineer PHE Sub -Division Kokernag for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals, besides the amount of work does not exceed beyond the provision of allotment in any case for which he shall be personally responsible.
- Technical Officer Divisional Office for information
- File Concerned

