

OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (PHE) DIVISION QAZIGUND

Allotment Order No:PHQ/CC/ 103 of 2022-23 dated 11/10/2022	
No:PHQ/ 637679	DATE: 11/10/2022
NAME : Reyaz Ahmad Dar S/o Abdul Rehman Dar R/o Bonigam	
email: reyazahmad70062@gmail.com	Cell No.7006266401
REGD. NO: 26-AAY/CVPP/PDHEP/CE(I & L)/2019	A/COUNT NO:0017030100000170 JK Bank Qazigund
GSTN: 01AKOPD9719M1Z	PAN: AKOPD9719M
Name of Schemes:-Laying and fitting of pipes ,construction of 0.35 lac gallons capacity SR, sluice chamber , Fencing, Retaining wall, Gang Hut, Dome to existing old SR construction of approach path to various structures WSS Karewa Churra (JJM)	
Adminstrative Approval No.	49-DB of 2022 Dated 8/7/2022
Technical Sanction NO.(issued C.E)	447 of 09-2022 Dated 8/9/2022
Alloted Cost; Rs. 8588650/=	Rupees :- Eighty Five Lacs Eighty Eight thousands Six Hundred and Fifty only
Completion Time	90 Days
References:1. Your tender received in response to e-NIT.No.04 of 4/2022 uploaded on tender portal vide No.PHQ/360-75 dated 22-04-2022.(Tender ID: 2022_PHE_167278_4) read with CORRIGENDUM-I vide No. PHQ/CC/619-27 , Date:- 10-05-2022	

For & on behalf of Lt. Governor of J&K , contract for above noted work is here by fixed with you on your quoted percentage rates, terms & conditions and are reproduced hereunder:-

Sl. No.	Description of Work / Item(s)	Qty	Unit	Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
1.01	All kinds of soil	2295.280	Cum	436.000	1000742.08
1.02	Ordinary Rock	269.090	Cum	967.850	260438.76
2	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 mtr in width as well as 10 sqm on plan) including disposal of excavated earth upto 50 mtr and lift upto 1.50 mtr, as directed by Engineer-In-Charge.				0.00
2.01	All kinds of soil	399.530	Cum	539.350	215486.51
2.02	Ordinary rock	8.170	Cum	855.650	6990.66
3	Extra for every additional lift of 1.5 m or part there of in excavation/banking excavated or stacked material. All kinds of soil.	159.500	Cum	81.650	13023.18
4	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m in -All kinds of soil.	750.000	Sqm	21.930	16447.50
5	Laying and fitting of G.I. pipes (all classes) Including cost of pipe specials; excluding cost of pipes and Earth work.				0.00
5.01	65 mm dia. G.I. pipes	1000.000	Mtr	73.050	73050.00
5.02	50 mm dia. G.I. pipes	1350.000	Mtr	40.800	55080.00
5.03	40 mm dia. G.I. pipes	2000.000	Mtr	40.800	81600.00
5.04	25 mm dia. G.I. pipes	3000.000	Mtr	30.650	91950.00
5.05	20 mm dia. G.I. pipes	2500.000	Mtr	20.250	50625.00
5.06	15 mm dia. G.I. pipes	700.000	Mtr	20.250	14175.00
6	Installation of house connections to unconnected household including providing and fixing of necessary pipe specials, Earth work at connection and Whatever Necessary.	40.000	No	1500.000	60000.00

7	Providing and fixing MS Flanges to GI pipes including cost of cutting of threaded portion, flanges, welding, nuts, bolts, Rubber Washer and carriage etc complete job.				0.00
7.01	100mm dia GI Pipes	161.000	Joint	1500.000	241500.00
7.02	80mm dia GI Pipes	120.000	Joint	1000.000	120000.00
8	Providing and fixing sluice valve of approved quality with bolts, nuts, rubber insertions etc complete (The tail pieces, tapers etc. if required will be paid separately)				0.00
8.01	100 mm dia.	2.000	Each	8500.000	17000.00
8.02	80 mm dia	2.000	each	7500.000	15000.00
9	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete				0.00
9.01	25 to 40 mm nominal bore	65.000	Each	666.250	43306.25
9.02	50 to 80 mm nominal bore	25.000	Each	1268.750	31718.75
10	Providing and laying of dry stone soling tightly hand packed on horizontal levels	57.670	Cum	616.400	35547.79
11	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	38.080	Cum	4861.835	185138.68
12	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with. (1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	120.750	Cum	8296.640	1001819.28
13	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with. (1:3:6 (1 cement : 3 coarse sand : 3 graded stone aggregate 20 mm nominal size)	22.280	Cum	7269.185	161957.44
14	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	6.580	Cum	6978.675	45919.68

15	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	17.240	Cum	7800.760	134485.10
16	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement of mix 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	37.020	Cum	9408.135	348289.16
17	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including	33.590	Cum	9849.345	330839.50
18	Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	7.830	Cum	10404.515	81467.35
19	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in : Cement mortar 1:6 (1 cement : 6 coarse sand)	20.570	Cum	7111.313	146279.71
20	Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level	13.580	Cum	1522.198	20671.45
21	Dry random rubble masonry with hard stone in foundation and plinth: With bond stone.	5.680	Cum	2497.500	14185.80
22	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above/upto plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	9655.000	kg	91.138	879937.39
23	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, lad.fer, railings, brackets, gates and similar works	605.000	kg	106.778	64600.69
24	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	1940.000	kg	95.163	184616.22

25	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in charge. Made of G.I. wire of dia 4 mm	158.400	Sqm	843.525	133614.30
26	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification, (1 kg of water proofing material in 50 kg of	378.000	kg	57.900	21886.20
27	Centering and shuttering including strutting, propping etc. and removal of form for:				0.00
27.01	Foundations, footings, bases of columns etc. for mass concrete.	210.640	Sqm	262.300	55250.87
27.02	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	407.680	Sqm	573.850	233947.17
27.03	Suspended floors, roofs, landings, balconies and access platforms	106.410	Sqm	635.600	67634.20
27.04	Edges of slabs and breaks in floors and walls Under 20 cm wide.	10.800	Mtr	242.300	2616.84
27.05	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	172.720	Sqm	502.850	86852.25
27.06	Columns, pillars, piers, abutments, posts and st	17.100	Sqm	680.150	11630.57
27.07	Arches, domes, vaults upto 6 m span	111.820	Sqm	2086.800	233345.98
28	Extra for shuttering in circular works (20 % of respective quantity)				0.00
28.01	Foundations, footings, bases of columns etc. for mass concrete.	1.960	Sqm	52.460	102.82
28.02	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	35.460	Sqm	114.770	4069.74
28.03	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	21.280	Sqm	100.570	2140.13
28.04	Extra for arches, domes, vaults exceeding 6 m span	44.920	Sqm	1008.450	45299.57
29	12mm cement plaster finishing with floating coat of neat cement of mix 1 : 3 (1 cement : 3 fine sand)	309.930	Sqm	343.750	106538.44
30	12mm Cement plaster of mix 1 : 4 (1 cement : 4 coarse sand)	323.450	Sqm	260.050	84113.17
31	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface)excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.50 mm thick with zinc coating not less than 275 gram/m2	69.380	Sqm	954.788	66243.19
32	Providing and fixing plained edges boarding of MS coloured sheet: 0.50mm thick	30.000	Mtr	796.950	23908.50

33	Providing and fixing of MS soffit boarding of required size as per directions of Engineer in charge.	39 200	Sqm	600 000	23520 00
34	Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G.I. limpet and bitumen washers complete 0.50 mm thick with zinc coating not less than 275 gram/m ² .	30 000	Sqm	720 705	21621 15
35	Engagement of 2nd class carpenter and labour for dismantling of existing damaged truss including disposal of unserviceable and reterving of serviceable timber as per details.				0 00
35 01	2nd class carpenter	16 000	No	666 000	10656 00
35 02	Labour	25 000	No	503 000	12575 00
36	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately) Second class kail wood	0 514	Cum	92065 350	47321 59
37	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note: -Butt hinges and necessary screws shall be paid separately). First class kail wood	9 600	Sqm	2745 950	26361 12
38	Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge : . First class kail wood	8 240	Sqm	3307 800	27256 27
39	Providing hoisting and fixing trusses/purlins /rafters/posts/ post-plates or like components including cost of screws etc. complete 1st class popular wood	1 571	Cum	52000 000	81692 00
40	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade on New work (two or more coats) over and including priming coat with water thinnable cement primer	184 600	Sqm	149 100	27523 86
41	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content. With ready mixed pink or grey primer on wood work (hard and soft wood) having VOC content less than 50 grams/ liter	38 000	Sqm	59 500	2261 00

HD
A.H.G

[Handwritten signature]
1.0

[Handwritten signature]
Noor

42	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade Two or more coats on new work	350 500	Sqm	121 950	42743 46
43	Providing and fixing PVC pipes for weep holes along retaining wall	27 000	Mtr	200 000	5400 00
44	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	2257 890	Cum	198 700	448642 74
45	providing and supplying matting of approved quality in two layers as approved by Engineer incharge	143 400	Sft	100 000	14340 00
46	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. Concealed pipe including painting with anti corrosive bitumastic paint, cutting chases and making good the wall				0 00
46 01	15 mm dia. nominal bore	80 000	Mtr	431.100	34488 00
46 02	20 mm dia. nominal bore	20 000	Mtr	476.600	9532 00
47	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end)				0 00
47 01	20 mm nominal bore	1 000	each	463.650	463.65
48	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (new work)				0 00
48 01	15 mm nominal bore	2 000	each	259.500	519 00
48 02	20 mm nominal bore	2 000	each	315.700	631.40
49	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	1000 000	litre	11 250	11250 00
50	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or Strap, 10 litre low level P.V. C. flushing cistem including flush pipe (of approved make) *manually contro(led device (handle lever) conforming to IS:7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required.	1 000	Each	6325 000	6325 00
51	Providing and fixing Salem Stainless Steel A ISI 304 (18/ 8) kitchen sink as per I.S. 13983 with C.I. brackets and stainless steel plug 40 mm including painting of fittings and brackets cutting and making good the walls wherever required. 19.10A1 Kitchen sink with drain board	1 000	Each	2412 000	2412 00

51.01	Providing and fixing soil, waste and vent pipes : PVC type-B :					0.00
51.02	100 mm dia	20 000	Metre	350 000		7000 00
51.03	75 mm dia	20 000	metre	300 000		6000 00
52	Provision for Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete. (To be paid as per actual)	1.000	Job	3000 000		3000 00
53	Providing and fixing bright finished brass handles with screws etc. complete					0.00
53.01	100 mm	10 000	Each	189 200		1892 00
53.02	75 mm	30 000	Each	149.050		4471 50
54	Providing and fixing bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	1.000	Each	712.950		712.95
55	Providing and fixing of 35 ltr capacity geysers of Venus, RaCold or equivalent including fittings, and complete job	1.000	ltr	7000.000		7000.00
56	Providing and fixing chromium plated brass curtain rod having wall thickness of 1.25mm with two chromium plated brass brackets fixed with C.P. brass screws and PVC sleeves etc., wherever necessary complete : 20 mm dia	10.000	Mtr	379.250		3792.50
57	Providing and fixing heating points using 4.0 mm thick PVC Copper wire of reputed brand including all accessories	4.000	Each	1800.000		7200.00
58	Providing and fixing of lighting points inm 2.5/1.5mm PVC Copper wire ,LED conical type of handles/ SYSKA make of 8 WATT including push buttons etc complete job.	10.000	Each	650.000		6500.00
59	Providing and fixing of exhaust fan in the chemical house complete job.(HAVELLS, USHA, CROMPTON GREAVES make)	1.000	Each	2000.000		2000.00
60	Providing and fixing of CEILING fan in the operating room complete job.(HAVELLS, USHA, CROMPTON GREAVES make)	1.000	Each	2000.000		2000.00
61	Carriage of material from source to dumping site at road by mechanical transport.					0.00
61.01	Cement & steel for avg. lead of 15	113.560	MT	303.646		34482.04
61.02	Sand for avg. lead of 25	161.450	Cum	341.573		55146.96
61.03	20mm Aggregate for avg. lead of 25	235.160	Cum	341.573		80324.31
61.04	40mm Aggregate for avg. lead of 15	23.560	Cum	371.289		8747.57
61.05	Stone solling / quarry stone for avg lead of 05 km	57.670	Cum	330.418		19055.21
61.06	Bricks 10 Km	10285.000	No	0.748		7693.18
61.07	Timber 10 km	2.080	Cum	12.443		25.88
61.08	100mm dia G.I Pipes	1000.000	Mtr	7.464		7464.00
61.09	80/65/50/40/25/20 mm dia GI pipe	33.300	MT	249.654		8313.48
62	Carriage of material from road site upto actual site of work by manual labour for avg. lead of 350 mtrs.					0.00
62.01	Cement	73.810	MT	288.190		21271.30
62.02	Steel	7.558	MT	491.050		3711.36
62.03	Sand and 20mm agg.	296.550	Cum	484.104		143561.04
62.04	40mm Aggregate	17.260	Cum	523.342		9033.88

62 05	Stone mulling	23 650	Cum	569 515	13400.00
62 06	Bricks	10285 000	No	0 993	9287.30
62 07	timber	2 080	Cum	3202 175	6207.52
62 08	100 mm dia D/G Pipe	1000 000	Mtr	2 921	2921.00
62 09	80/65/50/40/25/20/ mm dia GI pipe	33 190	Mtr	491 004	16256.62
G TOTAL					858850.66
Quoted Percentage rate					5.65%
Allotted Cost					At Par
Eighty Five Lacs Eighty Eight thousand Six Hundred and Fifty Only					858850.66

 **Head Draftsman**
 **Tech. Officer**
 **Ex. Engineer PPE Div. Gazipur**

Terms & Conditions


- 1 The cost of work is restricted to Rs 858850/- (Eighty Five Lacs Eighty Eight thousand Six Hundred and Fifty Only)
- 2 Earnest money deposited by you vide CDR No. 541283 dtd. 18/05/22 in JK Bank Gazipur Rs 200000/- & FDR No. 662506 dated - 10-10-2022 of Rs 58000/- is being retained as security deposit and shall be released after as per the general terms and condition of the Contract.
- 3 The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, the quality of materials used for construction and the quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluating of the performance of the Contract during the Contract Period
- 4 Agency must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s
- 5 The rates are including the charges for submission of progress, Geo tagged photographs through the professional person before , during and after construction and progress reports in both hard and soft copies .
- 6 The date of start of work shall be reckoned within one week form the date of issue of LOI / Contract Allotment whichever is earlier.
- 7 No price escalation will be paid for completion of the work within the stipulated time or extended date of completion due to any reasons whatsoever.
- 8 In case of quantity variation OR required as per the direction of the Engineer in charge , the same has to be executed at site and nothing extra will be paid beyond the overall allotted cost.
- 9 Retention many / Security deposit shall be 10% of the contract value . The security deposit is to be recovered @ of 10% of bill amount from running account bills and shall be released after completion of the work and recommendation from the concerned Engineer in charge
- 10 Liquidated damages (LD). In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT:
 - a) Terminate the contract after 15 days' notice and/or
 - b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department.
 - and/or
 - c) Recover the extra cost, if any, involved in allotting contract to other party and/or
 - d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract and/or
 - e) Forfeit the performance security and blacklist the firm.
- 11 Adequate precautions be taken for the environment and social protection and all safety practices in vogue be strictly adhered to during the execution of work.
- 12 No mobilization advance shall be paid
- 13 The Agency shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.
- 14 The Agency shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under
- 15 The Agency shall at his own cost make arrangements for proper storage, especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.



16	The Agency shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc
17	The Agency shall in advance communicate with incharge store keeper, of Divisional Store for lifting of pipe material etc and shall make adequate measures like availability of transport and labour for easy transportation from store to site against proper receipt / Challan, if required .
18	As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award .
19	All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No.25 double /GFR 2017/Manual for procurement of Works 2019 shall remain in force and binding upon the Agency.
20	Any rules/terms and conditions, if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/guidelines stipulated in the General Finance Rules (GFR 2017) and Manual for procurement of Works 2019 Government of India.
Copy to the :-	
1	Chairman District Jal Jevan Mission (DDC) Anantnag / Kulgam for information.
2	Superintending Engineer Hydraulic Circle Anantnag for information.
3	Assistant Executive Engineer Jal Shakti (PHE) Sub-Division Dooru for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals, besides the amount of work does not exceed beyond the provision of allotment in any case for which he shall be personally responsible.
4	File concerned.


Head Draftsman


Tech. Officer


Ex. Engineer PHE Div.