

OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (PHE) DIVISION QAZIGUND

Allotment Order No: PHQ/CC/ 135 of 2022-23 dated 30/12/2022

No: PHQ/ 5876-7A DATE: 30/12/2022

NAME : Reyaz Ahmad Dar S/o Abdul Rehman Dar R/o Bonigam

email: reyazahmad70062@gmail.com

Cell No.7006266401

REGD. NO: 26-AAY/CVPP/PDHEP/CE(I & L)/2019

ACCOUNT NO:0017030100000170 JK Bank Qazigund

GSTN: 01AKOPD9719M1Z

PAN: AKOPD9719M

Name of Schemes:-Laying and fitting of pipes, Construction of Sluice chamber, construction of chain link fencing ,construction of approach Path WSS Chaki Muswani Under JJM ✓

Administrative Approval No.

58 of DB of 2022

Dated:-

20-07-2022

Technical Sanction NO.(issued C.E)

CE/PHE/DB/457 OF 09/2022 ✓

Dated:-

8/9/2022 ✓

Alloted Cost; Rs. 3146200/=

Rupees :- Thrity One Lacs forty Six thousands two Hundred only ✓

Completion Time

90 Days

References:1. Your tender received in response to E-NIT No.13 of 2022-23 ISSUED UNDER NO:PHQ/1384-99 Dated 13/06/2022 (Tender ID: 2022_PHE_173949_15) 2. This office Corrigendum No. PHQ/CC/1620-28 dated:- 24-06-2022 and Corrigendum 2nd No: PHQ/CC/ 1680-88 Dated:- 27-06-2022

For & on behalf of Lt. Governor of J&K , contract for above noted work is here by fixed with you on your quoted percentage rates, terms & conditions and are reproduced hereunder:-

Sl. No.	Description of Work / Item(s)	Qty	Unit	Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
1.01	All kinds of soil ✓	1678.030	Cum	436.000	731621.08
1.02	Ordinary rock ✓	309.720	Cum	967.850	299762.50
2	Extra for every additional lift of 1.5 m or part there of in excavation/banking excavated or stacked material. All kinds of soil. ✓	10.890	Cum	81.650	889.17
3	Laying and fitting of G.I. pipes (all classes) including cost of pipes specials complete excluding cost of pipes and Earth work.				0.00
3.01	80/65 mm dia. G.I. pipes ✓	1150.000	Mtr	73.050	84007.50
3.02	50 mm dia. G.I. pipes ✓	1000.000	Mtr	40.800	40800.00
3.03	40 mm dia. G.I. pipes ✓	1500.000	Mtr	40.800	61200.00
3.04	25 mm dia. G.I. pipes ✓	2000.000	Mtr	30.650	61300.00
3.05	20 mm dia. G.I. pipes ✓	1500.000	Mtr	20.250	30375.00
3.06	15 mm dia. G.I. pipes ✓	700.000	Mtr	20.250	14175.00
4	Provision for installation of house hold connection to unconnected househokds including providing and fixing complete of necessary pipes specials ,earthwork at connection to and whatever necessary complete.	20.000	No	1500.000	30000.00

HD
di X

To

Signature
Ravi

5	Providing and fixing MS Flanges to GI pipes including cost of cutting of threaded portion, flanges, welding, nuts, bolts, Rubber Washer and carriage etc complete job.				0.00
5.01	100mm dia GI Pipes	169.000	Pair	1500.000	253500.00
5.02	80mm dia GI Pipes	130.000	Pair	1100.000	143000.00
6	Providing/fixing DI sluice valves (with cap) complete with bolts, nuts, rubber, insertions, etc. (the tails piece if required will be paid separately) conforming To IS 14846 read with latest amendments.				0.00
6.01	150 mm dia Sluice valves	3.000	No	20243.000	60729.00
6.02	100 mm dia Sluice valves	3.000	No	13164.000	39492.00
7	Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber, insertions, etc. (the tails piece if required will be paid separately).				0.00
7.01	50 mm dia.	2.000	No	5147.150	10294.30
7.02	80mm dia.	1.000	No	6230.850	6230.85
8	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe)	39.000	Qtl	245.550	9576.45
9	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket.				0.00
9.01	150 mm dia DI pipe	36.000	Joint	144.700	5209.20
10	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m in -All kinds of soil.	550.000	Sqm	21.939	12066.45
11	Providing and laying of dry stone solling tightly hand packed on horizontal levels	14.160	Cum	616.400	8728.22
12	Demolishing cement concrete manually/by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-in charge: 15.2.1 1:3:6 or richer mix (i/c equivalent desig	15.000	Cum	1569.200	23538.00
13	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	13.620	Cum	4861.835	66218.19

HD
dix

To

[Handwritten signature]
New

14	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or facing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering 1:3:6 mix	32.020	Cum	7269.185	232759.30
15	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	1.630	Cum	7800.760	12715.24
16	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or facing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	10.420	Cum	8296.640	86450.99
17	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement of mix 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	7.020	Cum	9408.135	66045.11
18	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	0.670	Cum	9849.345	6599.06
19	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above/upto plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	575.000	kg	91.138	52404.35
20	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded	120.000	kg	106.778	12813.36

HD
X

10

[Handwritten signature]

21	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	225.000	kg	153.295	34491.38
22	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	1921.000	kg	95.163	182808.12
23	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in charge. Made of G.I. wire of dia 4 mm	156.600	Sqm	843.525	132096.02
24	Centring and shuttering including strutting, propping etc. and removal of form for:				0.00
24.01	Foundations, footings, bases of columns etc. for mass concrete.	71.930	Sm	262.300	18867.24
24.02	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	139.500	Sqm	573.850	80052.08
24.03	Suspended floors, roofs, landings, balconies and access platforms	5.760	Sqm	635.600	3661.06
24.04	Edges of slabs and breaks in floors and walls Under 20 cm wide.	10.800	Mtr	242.300	2616.84
24.05	Columns, pillars, piers, abutments, posts and struts.	16.990	Sqm	680.150	11555.75
25	12mm Cement plaster of mix 1 : 4 (1 cement : 4 coarse sand)	88.800	Sqm	286.055	25401.68
26	Painting with synthetic enamel paint of approved brand and manufacture	109.600	Sqm	181.450	19886.92
27	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	1362.420	Cum	198.700	270712.85
28	Carriage of material from source to dumping site at road by mechanical transport.including loading ,unloading and stacking complete.				0.00
28.01	Cement & steel for avg. lead of 08 Km	25.655	MT	223.135	5724.53
28.02	Sand for avg. lead of 35 Km	77.440	Cum	551.333	42695.23
28.03	20mm Aggregate for avg. lead of 30 Km	34.820	Cum	501.653	17467.56
28.04	40mm Aggregate for avg. lead of 30 Km	10.090	Cum	545.284	5501.92
28.05	Stone soling For avg lead of 10 km	19.260	Cum	330.418	6363.85
28.06	150mm dia DI/ G.I Pipes for an avg. lead of 08 Km	200.000	Mtr	9.145	1829.00
28.07	100mm dia G.I Pipes for an avg. lead of 08 Km	1050.000	Mtr	5.487	5761.35

HP
ad

To

[Handwritten signature]

28.08	80/65/50/40/25/20 mm dia GI pipe for an avg. lead of 08Km	28.531	MT	223.135	6366.26
29	Providing and fixing of 150mm dia. Sluice valves with tail pieces including all carriage complete.				0.00
29.01	150mm dia. DI/ G.I Pipes	200.000	Mtr	6.692	1338.40
29.02	100mm dia G.I Pipes	1050.000	Mtr	4.757	4994.85
29.03	80/65/50/40/25/20 mm dia GI pipe	24.630	MT	175.743	4328.55
G.TOTAL					3347021.75

Quoted Percentage rate

6.00% Below

3146200.45

Alloted Cost

Thirty One Lacs forty Six thousands and two Hundred only

Head Draftsman

Tech. Officer

Ex. Engineer PHE Div.

Qazigund

Terms & Conditions

- 1 The cost of work is restricted to Rs. 3146200 /- (Thirty One Lacs forty Six thousands and two Hundred only)
- 2 Earnest money deposited by you vide CDR No.3101963 dtd.24-06-2022 in JK Bank Qazigund RS. 80000/- is being retained as security deposit and shall be released after as per the general terms and condition of the Contract .
- 3 The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, the quality of materials used for construction and the quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluating of the performance of the Contract during the Contract Period
- 4 Agency must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s
- 5 The rates are including the charges for submission of progress, Geo tagged photographs through the professional person before , during and after construction and progress reports in both hard and soft copies .
- 6 The date of start of work shall be reckoned within one week form the date of issue of LOI / Contract Allotment whichever is earlier.
- 7 No price escalation will be paid for completion of the work within the stipulated time or extended date of completion due to any reasons whatsoever.
- 8 In case of quantity variation OR required as per the direction of the Engineer in charge , the same has to be executed at site and nothing extra will be paid beyond the overall allotted cost.
- 9 Retention many / Security deposit shall be 10% of the contract value . The security deposit is to be recovered @ of 10% of bill amount from running account bills and shall be released after completion of the work and recomandation from the concerned Engineer in charge

10	Liquidated damages (LD). In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT: a) Terminate the contract after 15 days' notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department. and/or c) Recover the extra cost, if any, involved in allotting contract to other party and/or d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract. and/or e) Forfeit the performance security and blacklist the firm.
11	Adequate precautions be taken for the environment and social protection and all safety practices in vogue be strictly adhered to during the execution of work.
12	No mobilization advance shall be paid.
13	The Agency shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.
14	The Agency shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under.
15	The Agency shall at his own cost make arrangements for proper storage, especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.
16	The Agency shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc
17	The Agency shall in advance communicate with incharge store keeper, of Divisional Store for lifting of pipe material etc and shall make adequate measures like availability of transport and labour for easy transportation from store to site against proper receipt / Challan, if required .
18	As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award .
19	All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No.25 double /GFR 2017/Manual for procurement of Works 2019 shall remain in force and binding upon the Agency.
20	Any rules/terms and conditions, if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/guidelines stipulated in the General Finance Rules (GFR 2017) and Manual for procurement of Works 2019 Government of India.
Copy to the :-	
1	Chairman District Jal Jeevan Mission (DDC) Anantnag / Kulgam for information
2	Superintending Engineer Hydraulic Circle Anantnag for information.