



Government of Jammu & Kashmir

Office of the Executive Engineer, PHE (Jal Shakti) Division Chadoora

ALLOTMENT LETTER

No: PHEDC/5655-59
Dated: 22-10-2022

M/S: O2Z Trading and Industries Pvt. Ltd.

Prop: Ovaice Ishaq Zaroo

S/o. Mohammad Ishaq Zaroo

R/o. Lake Castle Nigeen

Regd.: U74900 JK2011PTC003432

GST Tin: 01AQUPK9755A1ZQ

PAN: AQUPK9755A

Adv. Cost: Rs.132.31 lacs (One Crore Thirty Two Lacs Thirty One Thousand only)

Allotted Cost: Rs.14864683.00 (Rupees One Crore Forty Eight Lacs Sixty Four Thousand Six Hundred Eighty Three only)

Earnest Money: Rs.50000.00

Time of completion: 150 days

Head of account: Under "JIM"

Subject: Allotment for: Construction and successful testing and commissioning of 0.23MGD RSFP for WSS Kultreh Wanpora.

- Reference:**
1. E- NIT No: CE/PHE/Kmr/JSD/132 of 2021-22 Dated. 08-03-2022 issued under endorsement No. CE/PHE/Kmr/JSD/44105-56 Dated. 08-03-2022.
 2. UT level committee meeting held on 01-06-2022 under the Chairmanship of Development Commissioner Works PW (R&B).
 3. Letter of authorization No. CE/PHE/JJM/8738-82 Dated. 04-06-2022.
 4. DJJM meeting notice No. SE/Hyd/Bud/1328-45 Dt. 06-06-2022 along with meeting agenda.
 5. District JIM Committee Budgam minutes of meeting held on 07-06-2022 issued vide DDC Budgam's office No. DDCB/Plg/JJM/3187-204 Dated. 22-06-2022.
 6. L.O.I No. SE/Hyd/CC/1793-96 Dated. 23-06-2022.

For and on behalf of the Lt. Governor of Jammu & Kashmir UT the contract for above noted work is fixed with you on the following negotiated rates, terms and conditions:

S. No	Item Description	Qty.	Unit	Rate	Amount
1	Clearing grass and removal of the rubbish upto a distance of 50 m outside the periphery of the area cleared.	1589.01	m2	5.78	9184.48
2	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:	271.99	m3	612.75	166661.87
3	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. (All kinds of soil)	622.59	m3	188.75	117513.11
4	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stocked material: All kinds of soil:	86.64	m3	81.65	7074.16
5	Pump out water caused by springs, tidal or river seepage, broken water mains or drains and the like.	150.00	KL	155.55	23332.50
6	Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	190.90	m3	1320.00	251984.04
7	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centering and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	25.46	m3	4861.84	123792.17
7.a	1:2:4 (1 cement : 2 coarse sand : 4 graded stone agg. 40 mm nominal size)	11.88	m3	6434.01	76455.34
7.b	1:3:6 (1 cement : 3 coarse sand : 6 graded stone agg. 40 mm nominal size)	6.33	m3	5399.02	34191.99

**ALLOTMENT LETTER**No: PHEDC/ 5655-59
Dated: 22-10-2022

8	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	37.52	m3	7800.76	292700.12
9	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	11.31	m3	9408.14	106443.70
10	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. Note: - Cement in this item is @ 330 kg/ cum. Excess or less cement used as per design mix is content considered payable or recoverable separately. All works above plinth level upto floor V level	163.96	m3	9302.98	1525353.81
11	Extra for providing richer mixes at all floor levels. Note:- Excess/less cement over the specified cement content used is payable/recoverable separately. 5.35.1 Providing M-30 grade concrete instead of M-25 grade BMC/RMC. (Note:- Cement content considered in M-30 is @ 340	163.96	m3	111.87	18342.65
12	Add or deduct for using more or less cement in the items of design mix over and above the specified cement content therein:	241.03	Quintal	1074.37	258952.18
13	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	46.03	m3	9849.35	453404.98
14	Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more	29234.00	kg	87.18	2548620.12
15	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns etc. for mass concrete.	72.12	m2	262.30	18917.60
15A	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	990.99	m2	573.85	568679.04
15B	Suspended floors, roofs, landings, balconies and access platforms.	282.38	m2	635.60	179479.46
15C	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	206.89	m2	502.85	104036.65
15D	Columns, pillars, piers, abutments, posts and struts.	213.51	m2	680.15	145218.83
15E	Stairs (excluding landings) except spiral staircases.	63.09	m2	807.50	50947.60
15F	Extra for shuttering in circular work (20% of respective centering and Shuttering items): Foundations, footings, bases of columns for mass concrete.	24.62	m2	52.46	1291.78
15G	ii) Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	252.13	m2	114.77	28936.39
15H	iii) Suspended floors, roofs, landings, balconies and access platforms.	17.96	m2	127.12	2283.46
15I	iv) Lintels beams, plinth beams etc.	32.79	m2	100.57	3297.99

**ALLOTMENT LETTER**No: PHEDC/3655-59
Dated: 22-10-2022

Sl. No.	Description	Rate	Unit	Quantity	Amount
15	Edges of slabs and breaks in floors and walls	279.11	rm	242.30	67627.38
16	Extra for additional height in centering, shuttering where ever required with adequate bracing, propping etc. including cost of de-shuttering and de-centering at all levels, over a height of 3.5 m, for every additional height of 1 meter or part thereof (Plan area to be measured). Suspended floors, roofs, landings, beams and balconies	258.40	m2	267.60	69147.57
17	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	1564.22	kg	57.90	90568.34
18	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in : Cement mortar 1:4 (1 cement : 4 coarse sand)	25.99	m3	7476.38	194311.12
19	Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level	25.99	m3	1522.20	39561.98
20	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): First class kail wood	1.34	m3	106894.15	142810.58
21	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. First class kail wood (30 mm thick shutter)	22.67	m2	2784.10	63123.90
22	Providing and fixing fly proof wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions all complete. With Galvanized M.S. Wire gauge with wire of dia 0.63 mm	22.67	m2	925.00	20972.53
23	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. chequered plate wherever required, all complete. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	2300.00	kg	146.63	337249.00
24	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded	3833.73	kg	102.14	391577.18
25	Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS:4454 part-1 and M.S. top cover of required thickness for rolling shutters. 80 x 1.25 mm M.S. laths with 1.25 mm thick top cover	3.53	m2	3238.20	11414.66
26	Providing and fixing ball bearing for rolling shutters.	2.00	/no	483.10	966.20
27	Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete. 50 mm thick with 20 mm nominal size stone aggregate.	84.70	m2	505.00	42773.50

**ALLOTMENT LETTER**

No: PHEDC/5655-59

Dated: 22-10-2022

28	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 (1 cement : 4 coarse sand) including skirting in vertical & pointing the joints with white cement and matching pigment etc. complete. In colour such as White, Ivory, Grey, Fume, Red Brown (as directed by	85.09	m2	1210.66	103015.06
29	Flooring with marble stone of specified thickness as per sample of marble approved by Engineer-in-charge, over 20 mm (average) thick base of cement mortar 1:4 (1 cement:4 coarse sand) laid and jointed with grey cement slurry including skirting in vertical, rubbing, polishing and curing complete with: Makrana White Second quality (15mm)	78.21	m2	6175.39	483001.95
30	Extra for pre finished nosing to treads of steps of marble stone	17.80	m2	579.31	10311.72
31	Extra for marble stone flooring in treads of steps and risers using single length up to 2.00 meter.	17.80	m2	674.13	11999.51
32	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	556.19	m3	198.70	110514.16
33	Extra for levelling & neatly dressing of disposed soil completely as directed by Engineer-in-charge.	370.79	m3	59.95	22228.86
34	Supplying and filling in plinth with fine sand under floors including, watering, ramming, consolidating and dressing complete.	11.39	m3	787.40	8970.06
35	12mm Cement plaster finished with a floating coat of neat cement of mix:	1908.92	m2	343.75	656190.56
36	Applying priming coat: With ready mixed pink or grey primer of approved brand and	116.70	m2	59.50	6943.65
37	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	116.70	m2	179.80	20982.66
38	Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	954.46	m2	91.80	87619.43
39	Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc complete	300.00	m2	188.80	56640.00
40	Distempering with dry distemper of approved brand and manufacture (two or more coats) and of required shade on new work, over and including water thinnable priming coat to give an even shade	954.46	m2	115.45	110192.41
41	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade on New work (two or more coats) over and including priming coat with water thinnable cement primer.	477.23	m2	149.05	71131.13
42	Providing and applying white cement based putty of specified thickness, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	954.46	m2	172.40	164548.90
43	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.	496.00	kg	172.90	85758.40
44	Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc.complete: 125 mm	5.00	No	66.35	331.75
45	100 mm	40.00	No	52.30	2092.00

**ALLOTMENT LETTER**

No: PHEDC/5655-59

Dated: 27-10-2022

44	Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete : 150x10 mm	5.00	no	80.38	401.90
45	100x10 mm	80.00	no	57.25	4580.00
46	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface)excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.50 mm thick with zinc coating not less than 275 gram/m ²	111.54	m ²	830.25	92606.09
47	Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G.I. limpet and bitumen washers complete. 0.63 mm thick with zinc coating not less than 275 gram/m ²	38.20	rm	691.35	26409.57
48	P/F plained eaves boarding. 2nd class kail wood: 300 x 40 mm (nominal size)	44.05	rm	998.85	43999.34
49	Providing and fixing of 0.5mm Color GS Sheet Soffit boarding including Backing, supports etc complete job	33.04	m ²	600.00	19822.80
50	Providing and fixing glazing in aluminum door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminum snap beading shall be paid in basic item). With floating glass panes of 4.0 mm thickness (weight not less than 10.00 kg / sqm)	30.00	m ²	1072.17	32165.10
51	Providing & fixing of PVC under drainage laterals with specifications conforming to IS-4985 & IS-15801, 8mm thick fabricated out of approved make with nominal dia of 9mm perforations as per design of bed provided at 60 degrees along with PVC Tees and end caps grouted in concrete, the pressure rating of 10kg/sq cm. 75 mm dia	100.00	metre	1420.00	142000.00
52	Electrical Items:Supplying and fixing of 25mm dia medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.	200.00	metre	103.50	20700.00
53	Providing/carrying out wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable as required. (excl. cost of conduit)	12.00	no	824.55	9894.60
54	Providing and carrying out wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2-way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC Insulated copper conductor single core cable etc. as required. (excl cost of conduit)	12.00	no	1215.55	14586.60
55	Providing and carrying out wiring for heating points with 4.0 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, modular combined S&S 16Amp along with modular plate, suitable GI box and earthing the point with 2 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required. (excl cost of conduit)	12.00	no	1300.00	15600.00
56	Supply of 1200 mm sweep Ceiling Fans complete in all respects Confirming to relevant Indian Standards	3.00	no	2125.00	6375.00

**ALLOTMENT LETTER**No: PHEDC/5655-59
Dated: 27-10-2022

57	Supply of 200 mm nominal sweep Exhaust Fans including shutter from outside complete Confirming to relevant Indian Standards	4.00	no	1550.00	6200.00
58	Supplying/fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6A & 15/16 A modular socket outlet & 15/16 A modular switch, connections etc. as required.	3.00	no	569.25	1707.75
59	Supply and fixing of two module stepped type Electronic Fan regulator on the existing modular plate switch box including connections but excl cost modular plate as required.	3.00	no	393.30	1179.90
60	Supply of 24-Watt LED slim aluminum panel surface type complete all respects.	3.00	no	600.00	1800.00
61	Supplying and fixing 12-way double door, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)	3.00	No	2360.95	7082.85
62	Providing, fitting and testing of LED flood light IP65 30W rating to pre-wired electric points on the outside of the Filter House building.	8.00	no	1500.00	12000.00
63	Providing and laying of armoured cable 95mm, 3.5 cores for main service line of reputed make in P.V.C pipes of required dia to accommodate the service line including bends etc., from main transformer to the main panel board including copper thimbles, earth work excavation and filling for laying of cable complete.	70.00	metre	325.00	22750.00
64	Providing and fitting at site 3-phase, Voltage stabilizer of 10 KVA	1.00	no	27000.00	27000.00
65	Providing and fitting of panel board with angle iron supports and A.C. sheets for fixing of MCCB, change over switch, bus bars etc. The job includes nuts bolts and embedding of supports in cement concrete blocks complete job.	2.00	no	4250.00	8500.00
66	Providing and fitting of: 64 Amp. 4 pole Changeover of reputed make	2.00	no	5000.00	10000.00
67	64 Amp-Copper bus bar	2.00	no	3750.00	7500.00
68	63 Amp MCCB	3.00	no	2700.00	8100.00
69	16 Amp MCCB	3.00	no	1250.00	3750.00
70	3-phase indicator points	3.00	no	445.00	1335.00
71	3-phase voltmeter and Ampere meters	4.00	no	1190.00	4760.00
72	Providing, fitting, testing and commissioning of following items for Flash Mixer: Mixing device with reduction gear system	1.00	no	2500.00	2500.00
73	3-phase Electrically driven motor: 1.0 HP	2.00	no	4800.00	9600.00
74	Foundation \ Base plate	1.00	no	4548.00	4548.00
75	Starter along with necessary wiring upto motor	1.00	no	1680.00	1680.00
76	Providing, fitting, testing and commissioning of following	1.00	no	2500.00	2500.00
77	Item for Alum Dosing Unit- Mixing device with reduction gear system. 3-phase electrically driven motors: 1.0 HP	2.00	no	4800.00	9600.00
78	Foundation / Base plate	1.00	no	4548.00	4548.00
79	Starter along with necessary wiring upto motor	1.00	no	1680.00	1680.00
80	P.V.C outlet, overflow system with fittings upto point of application	1.00	no	530.00	530.00
81	150mm dia drain out let	1.00	no	1350.00	1350.00
82	50 mm dia Service water piping.	1.00	no	530.00	530.00
83	Constant dosing unit with time device	1.00	no	1500.00	1500.00
84	Manually operated hoist	1.00	no	10000.00	10000.00
85	Providing, fitting, testing and commissioning of following items for Chlorine Dosing Unit- Mixing device with reduction gear system.	1.00	no	2500.00	2500.00
86	3-phase electrically driven motors: 1.0 HP	2.00	no	4800.00	9600.00

**ALLOTMENT LETTER**No: PHEDCI/5655-89
Dated: 22-10-2022

87	Foundation / Base plate.	1.00	no	4548.00	4548.00
88	P.V.C outlet, overflow system with fittings upto point of application.	1.00	no	530.00	530.00
89	Starter along with necessary wiring upto motor	1.00	no	1680.00	1680.00
90	150 mm dia Drain out let	1.00	no	1350.00	1350.00
91	50mm dia service water piping	1.00	no	530.00	530.00
92	Constant dosing unit with time device.	1.00	no	1500.00	1500.00
93	Providing fitting, testing and commissioning of air blower standard make ISI mark capable of providing compression @ 0.35 kgs/sqcm coupled with suitable 3 phase induction electric motor complete with auxiliary pipe system upto filter beds with pressure guage, Nozzles, foundation block, base plate, air check valve, non-return valve, Starter etc 2.10 KLPM Air blower with 2.0 HP Motor.	2.00	no	67500.00	135000.00
94	Supply installation and successful testing and commissioning of mono block pumping unit standard make ISI mark coupled with 2 phase induction motor with appropriate pumping capacity so as to fill the tank within the max. of 2 hours with nominal dynamic head of 25m along with all accessories like foot valves, nonreturn valves, foundation block, base plate, suction pipe, suitable rising main with nominal dia 50mm (class-B) with heavy duty valves and other accessories required for the job. Pumping unit with 5.0 HP Motor.	2.00	no	20268.00	40536.00
95	Providing/ Fixing, installation, successful commissioning of double flanged MS pipes/specials to be fabricated from MS tube heavy quality nominal thickness 6mm, conforming to relevant Indian Standard IS-1239 and/or IS 1161 read with up to date amendments. The pipe material should be of standard quality and must withstand all the anticipated design pressure ratings. The work should be leak-proof and should be painted with	2000.00	kg	147.00	294000.00
96	P/F D.I. sluice valves Class 1 (with cap) complete with rubber insertions, bolts, nuts, extension rod, joint connector, supporting pedestal with base plate, top plate and necessary anchoring bolts etc. (the tall pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments. 80 mm dia.	6.00	no	14058.00	84348.00
97	100 mm dia.	10.00	no	17210.00	172100.00
98	150 mm dia.	8.00	no	26720.00	213760.00
99	200 mm dia.	4.00	no	42300.00	169200.00
100	250 mm dia.	1.00	no	66440.00	66440.00
101	300 mm dia.	1.00	no	83100.00	83100.00
102	P/F testing and commissioning of MS Rotating Desludging Bridge comprising of following items: Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete for the Installation Testing and Commissioning of Half Bridge with Central Drive mechanism, scrapper and churners for required dia Clarifier. Welded	3200.00	kg	102.14	326848.00
103	Central axle turn table with double bearing and guide for incoming cable	2.00	no	4800.00	9600.00
104	Peripheral drive assembly with following motors, gear box, rollers, drive trolley (60:1 reduction gear box). Pumping unit with 5.0 HP Motor.	1.00	no	24268.00	24268.00
105	Starter along with necessary wiring upto motor	1.00	no	1680.00	1680.00
106	Flocculator drive assembly with crown wheel, pinion sets, reduction gear (40:1) with motors complete job. 1.0 HP	1.00	no	7300.00	7300.00
107	Incoming cable, telescopic electric pole with rotary current collector	1.00	no	6500.00	6500.00
108	Providing and laying/fixing S&S Centrifugally Cast (Spun)/ Ductile Iron Pipes Class K-7 conforming to IS : 8328. 100mm dia	6.00	Mtr	1108.15	6648.90



Government of Jammu & Kashmir



Office of the Executive Engineer, PHE (Jal Shakti) Division Chadoora

ALLOTMENT LETTER

No: PHEDC/ 5655-59
Dated: 22-10-2022

109	150 mm dia	6.00	Mtr	1581.25	9487.50
110	200 mm dia	6.00	Mtr	1947.00	11682.00
111	250 mm dia	6.00	Mtr	2504.80	15028.80
112	300 mm dia	6.00	Mtr	3129.20	18775.20
113	P/L D.I standard specials such as tees, bends, collars, tapers, caps etc. suitable for flanged jointing as per IS : 9523 (as per site requirement). Up to 300mm dia	1.00	Qtl	7823.70	7823.70
114	Providing and fixing G.I. pipes (B medium) complete with G.I. fittings excluding trenching and refilling etc. (external work): 20 mm dia. nominal bore	50.00	Mtr	204.45	10222.50
115	25 mm dia. nominal bore	60.00	Mtr	298.15	17889.00
116	50 mm dia. nominal bore	30.00	Mtr	559.35	16780.50
117	65 mm dia. nominal bore	40.00	Mtr	711.70	28468.00
118	80 mm dia. nominal bore	40.00	Mtr	840.00	33600.00
119	100 mm dia. nominal bore	50.00	Mtr	1234.95	61747.50
120	Providing and fixing of MS flanged joints (12mm thick) to double flanged GI/DI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and all sorts of carriages complete Job. 80 mm dia. pipe	6.00	no	1100.00	6600.00
121	100 mm dia. pipe	3.00	no	1520.00	4560.00
122	150 mm dia. pipe	3.00	no	2150.00	6450.00
123	200 mm dia. Pipe	2.00	no	3480.00	6960.00
124	300 mm dia. Pipe	1.00	no	7710.00	7710.00
125	Providing & fixing of 0.63mm thick PGI sheets at construction joints including all leads and lifts complete job as directed by Engineer-in-charge	120.00	m2	800.00	96000.00
126	Supply and filling of filter media from approved source - Gravel (Graded gravel - size ranging from 2.0mm to 40.00 mm) in filter beds. Including all carriages, complete job: Filter bed	5.40	m3	7700.00	41580.00
127	Supply and filling of filter media from approved source - Sand (Coarse filter sand - in filter beds. Including all carriages, complete job. Filter bed	8.10	m3	7968.00	64540.80
128	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - SAND for average lead of 42Kms	177.50	m3	620.96	110222.26
129	Aggregate below 40mm : Aggregate from Wuyan to site at Hayatpora for an average of 35 kms	247.49	m3	551.38	136458.83
130	Aggregate 40mm and above : Aggregate from Wuyan to site at Hayatpora for an average of 35 kms	28.62	m3	598.90	17138.12
131	Cement from Chadoora to site at Hayatpora for an average of 8 kms:	150.57	tonne	194.03	29214.50
132	Bricks from Budgam to site at Hayatpora for an average of 30 kms:	12345.00	No	1.16	14361.02
133	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Steel/ CGI Sheets: Steel from Chadoora to site at Hayatpora for an average of 8 kms	39.52	tonne	194.03	7668.80
134	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Wood from chadora to site at Hayatpora for an average of 8 kms:	2.55	m3	249.45	634.80
135	Applying priming coat: With ready mixed red oxide Zinc Chromate primer of approved brand and manufacture on steel galvanized iron/steel works	400.00	m2	52.75	21100.00
136	With ready mixed red oxide Zinc Chromate primer of approved brand and manufacture on steel work (second coat)	400.00	m2	28.90	11560.00
137	Providing and applying of swellable type water stop tape, 19mm x 25mm thick	21.67	rm	547.60	11864.30



Government of Jammu & Kashmir



Office of the Executive Engineer, PHE (Jal Shakti) Division Chadoora

ALLOTMENT LETTER

No: PHEDC/ 5655-59
Dated: 22-10-2022

<p>in linear meter (expansive nature) for construction joints treatment of RCC structure such as raft slab, retaining walls, water storage tank and at the junctions of raft slab with the retaining walls etc.. After cleaning the surface, one coat of required primer for swellable water stop tape shall be applied throughout the length of the joint @3.78 litre per 240 running meter. Over the primed surface swellable type water stop tape shall be placed. The work shall be carried out all complete as per specification and the direction of the Engineer-In-Charge. The product performance shall carry guarantee for 10 years against any leakage</p>				
<p>138 Providing and fixing aluminum work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixed with dash fastener of required dia. and size including necessary filling up of gaps at junctions i.e, at top, bottom and sides with required EPDM rubber / neoprene gasket felt etc. Aluminum sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminum snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-Charge (glazing, panelling and dash fasteners to be paid for separately.) Anodized aluminum (Anodized transparent or dyed to required shade according to IS:1868, minimum anodic coating of grade AC 15)</p>	150.00	Kg	459.31	68896.50
			Total:	13763595.5
			Add 8% above on all items as per negotiation of rates	1101087.6
			Total:	14864683.1

(Rupees One Crore Forty Eight Lacs Sixty Four Thousand Six Hundred Eighty Three only)

NOTE:

The work for construction of Filtration Plant for WSS Kultreh Wanpora has been advertised at a cost of Rs.132.31 lacs, after receiving the approved design from the Worhty Chief Engineer some minor changes in quantities were made accordingly the basic amount also got changed from Rs.132.31 lacs to Rs.137.76 lacs.


(Rates & quantity checked)

Head Draftsman

Executive Engineer
PHE (Jal Shakti) Division
Chadoora

Terms Condition:

1. The cost of work shall in no case exceed to allot amount.
2. Earnest Money Rs.50000/-pledged to Financial Advisor / Chief Accounts Officer Kmr, Jal Shakti (PHE) Department Srinagar.
3. Time of completion is essence of the contract.
4. The work shall have to be started by you at site immediately and ensure its successful completion within a period of 180 days from the date of issuance of LOI/Allotment from this office strictly in accordance with the approved proposals falling which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be recommended for forfeiting.
5. An agreement shall have to be drawn by you with the department within a period of 07 days from the date of issuance of allotment, failure to execute such formal deed shall not however prevent the contract from being enforced upon you.
6. The allotted work shall be subject to check by the third party monitoring agency appointed by the department.
7. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
8. Performance security equivalent to 3% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order and valid for a period of 3 months beyond the expiry of warranty period of the contract.
9. The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the work. If during warranty period any malfunctioning / defects arise, you shall have to rectify same within a period of 15 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
11. The quantity allotted shall have to be executed on ground strictly as per the estimates that have been framed in the DPR.
12. All other terms and conditions shall be applicable as laid down in standard bid document and PWD from No. 25/33.
13. Any rule / terms and conditions if not stipulated in the bidding documents, shall be strictly dealt in accordance with the relevant rules / guidelines stipulated in General Financial Rules (GFR-2017) and manual for procurement of works 2019 G.O.I.


Executive Engineer,
Jal Shakti PHE Division
Chadoora

Copy to the:

1. Chief Engineer, Kashmir Jal Shakti PHE Department Srinagar for favour of information.
2. District Development Commissioner Budgam (Chairperson DJJM) for favour of information.
3. Superintending Engineer Hydraulic Circle Budgam (Member Secretary DJJM) for favour of information.
4. Asstt. Ex. Engineer Jal Shakti PHE Sub-Division _____ for Information and necessary action. He shall ensure execution of work as per JJM guidelines, monitoring by TPIMA, and observance of all relevant IS codes and Government Orders in vogue.