Government of Jammu & Kashmir Office of the Executive Engineer, PHE (Jal Shakti) Division Chadoora

ALLOTMENT LETTER (JJM)

M/S: Nisar Ahmad Wani

Gh Mohammad Wani S/o:

Pohroo Chadoora Regd: SE/Hyd/Bud/2009-10/AAY/54/Civil

GST Tin: 01ABHPW3235B1ZS

Pan No: ABHPW3235B

Adv.Cost: Rs.76.82 lac (Seventy Six Lacs Eighty Two Thousand only)

Allotted Cost: Rs.7061002.00 (Rupees Seventy Lacs Sixty One

Thousand Two only)

Earnest Money: Rs. 153640.00

Time of completion: 50days

Head of account: Jal Jeevan Mission (JJM)

Subject:

Allotment for: Laying and fitting of pipes for WSS HAYATPORA KISERMULLA.

Reference:

Your tender in response to this office e-NIT No: 14/PHEDC of 06/2022 (2022-23) issued vide

endorsement No: PHEDC/1446-57 Dated. 09-06-2022.

Chief Engineer, Kmr. Jal Shakti PHE Department Srinagar's No. CE/PHE/MC/DB/13745-83 2.

District Dev. Commissioner, Budgam's Authorization No. 6027-47 Dated 01.08.2022.

Superintending Eng., Hyd. Circle Budgam's No. SE/Hyd/Bud/2640-42 Dated 01-08-2022. 3.

This office L.O.I No. PHEDC/2984-90 Dated. 01-08-2022. 4. 5.

For and on behalf of the Lt Governor of Jammu & Kashmir UT the contract for above noted work is

fixed with you on the following quoted rates, terms and conditions:

fixed with you on the following quoted rates, terms and constant	Qty.	Unit	Rate	Amount
Itams of work				
and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and court as directed; All kinds of Soil	4795.20	Cum	436.00	2090707.20
Earth work in bulk excavation by mechanical means (nyolid as 10 m2 on plan) areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as	1776.07	Cum	188.75	335233.21
	532.80	Cum	646.05	344215.44
Laying in position Ductile Iron S&S PIPES (excluding cost of pipe): 150/100 IIIII	5860.00	Qtl	245.55	1438923.00
Boulding push policints to Centrifugally (Spun) Cast Iron Pipes or Ducule Iron	2834.00	No	213.00	603642.00
	84.00	No	- Committee of the Comm	12154.80
	417.00	No	89.70	37404.90
	334.00	No	80.50	26887.00
L/Fitting of GI pipes complete excluding cost of pipes, fittings & Earth Work:	3500.00	Rm	73.05	255675.00
	2000.00	Rm	40.80	81600.00
	1300.00	Rm	40.80	53040.00
	5000.00	Rm	30.65	153250.00
		Rm	20.25	40500.00
20 mm ata G.I pipes	2000.00			1
by P/F Tee, including cutting and threading the pipe etc. complete: 15 to 40 mm dia nominal bare	30.00	No	666.25	19987.50
	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and admining of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of Soil Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil Metalled Surface Laying in position Ductile Iron S&S PIPES (excluding cost of pipe): 150/100 mm dia Ductile Iron Class K - 7 Pipes Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints, cost of rubber gasket: 200mm dia pipes 150mm dia pipes 100mm dia pipes 100mm dia pipes 10mm dia G.I pipes 20 mm dia G.I pipes 20 mm dia G.I pipes 20 mm dia G.I pipes Making connection of G.I. distribution branch with G.I. main of following sizes by P/F Tee, including cutting and threading the pipe etc. complete: 15 to 40 mm	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and disposal of buttams lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of Soil Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil Metalled Surface Laying in position Ductile Iron S&S PIPES (excluding cost of pipe): 150/100 mm dia Ductile Iron Class K - 7 Pipes Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints, cost of rubber gasket: 200mm dia pipes 150mm dia pipes 150mm dia pipes 150mm dia pipes 2834.00 1776.07 2834.00 2834.00 2834.00 2834.00 2834.00 2834.00 2834.00 2834.00 270 mm dia G.I pipes 2000.00 270 mm dia G.I pipes 2000.00 270 mm dia G.I pipes 270 mm dia G.I pipes	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and disposal of surplus excavated earth as directed: All kinds of Soil disposal of surplus excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil Metalled Surface Laying in position Ductile Iron S&S PIPES (excluding cost of pipe): 150/100 mm for pipes including testing of joints, cost of rubber gasket: 200mm dia pipes Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron pipes including testing of joints, cost of rubber gasket: 200mm dia pipes 150mm dia pipes 150mm dia pipes 150mm dia pipes 150mm dia G.I pipes	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and disposal of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of Soil disposal of surplus excavated earth as directed: All kinds of Soil exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil Metalled Surface Laying in position Ductile Iran S&S PIPES (excluding cost of pipe): 150/100 mm foliouting to 15 m, expression pipes including testing of joints to Centrifugally (Spun) Cast Iran Pipes or Ductile Iran Pipes including testing of joints, cost of rubber gasket: 200mm dia pipes 150mm dia pipes 150mm dia pipes 150mm dia pipes 150mm dia G.I pipes

Drawing Branch

Scanned with CamScanner

Government of Jammu & Kashmir Office of the Executive Engineer, PHE (Jal Shakti) Division Chadoora

ALLOTMENT LETTER (JJM)

15	F0.	No: Ph	HEDC/	5240-42		
13	50 mm to 80 mm dia nominal bore	Dated	:15 -	-2028	•	
16	Wanufacture / Providing and fiving of ter ri	15.00	No	1268.75	19031.25	
17	Manufacture / Providing and fixing of MS Flanged joints including cutting of pipes, threads, cost of nuts bolts, rubber jams, testing (complete): 150mm dia.	10.00	Joints	2150.00	21500.00	
18	80mm dia	10.00	Joints	1520.00	15200.00	
		5.00	Joints	1100.00	5500.00	
19 20	Fabrication and Providing and fixing of MS Flanged bends, Tee's etc at required spots including earthwork refilling and all carriages: 100mm dia	5.00	No	12000.0	60000.00	
		5.00	No	9000.00	45000.00	
21	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	6393.90	Cum	198.70	1270467.93	
22	Carriage of various materials by Mechnical transport from different source upto the dumping site of work including loading, un-loading and stacking etc avg lead 10 Kms: 200 mm dia D.I pipe	17000.0	Mtr	14.40	244800.00	
23	150 mm dia D.I pipe					
24	100 mm dia D.I pipe	500.00	Mtr	8.89	4445.00	
25	80 mm dia D.1 pipe	2500.00	Mtr	5.33	13325.00	
26	65mm to 20mm dia GI pipe	2000.00	Mtr	2.20	4400.00	
	The state of pipe	41.23	M.T	217.09	8950.62	
				Total:	7205839.9	
	Deduct 2.01% on advertised cost as quoted by the contractor					
(Rupees Seventy Lacs Sixty One Thousand Two only) (Rates & quantity sheeked)						

(Rates & quantity checked)

lead Draftsman

Executive Engineer Jal Shakti PHE Division

Terms and conditions

1. The work shall have to be started by you at site immediately and ensure its successful completion with period of 150days from the date of issuance of LOI from this office strictly in accordance with the approproposals failing which the shall have to be executed through any other means at your risk and cost, besides,

2. Date of start of the work shall be reckoned with in 07days from the date of issue of LOI. However, date of start for laying and fitting of pipes will start within two days of issuance of pipe materials by the department.

3. An agreement shall have to be drawn up by you with the department within a period of 7 days from the date of issuance of allotment failure to execute such a formal deed shall however prevent the contract from being The allotted works shall be subject to check by third party monitoring agency appointed by the department.

Payment shall be released as per actual and measured work done not less than 20% of allotted cost. Performance security equivalent to 03% of the value of the contract is to be deposited by you in shape of

CDR/FDR/Bank Guarantee valid for a period of 03 months beyond expiry of warranty period of the contract. 7. The firm shall be bound for satisfactory performance of works for 03months after the successful commissioning

of the work. If during warranty period any malfunctioning/defect arises, you shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on your part, then department may get the defects removed/repaired any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under relevant clause of contract including black listing.

8. After testing and commissioning of works you shall have to make a trial run of the works for a period of three months during which you have to operate and maintain the executed works to the full satisfaction of the

9. Any item of work not included in the allotment but required for the completion of the work, shall be executed by the contractor, as directed by the department. Such extra item shall be paid at J&K SSR 2020 rates with allotted appreciation/depreciation of the contractor. In case such item does not figure in J&K SSR 2020, the same shall be paid as per the current market rate analysis, to be approved by the competent authority.

10. The defect liability period shall be for a period of 12 months and shall commence after the successful

11. The advertised quantities in the tender documents are tentative and subject to increase or decrease, depending upon actual requirement at site as per the design and other considerations.

12. Pre & post geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.

13. All other terms and conditions shall be applicable as laid down in standard bidding document (SBD) and PWD

14. Any rules/terms and conditions if not stipulated in the bidding document, shall be strictly deemed in accordance with the relevant rules/guidelines stipulated in General Financial Rule (GFR-2017) and manual for procurement of works 2019 G.O.I.

15. The agency shall adhere to and comply with orders and instructions of the Engineer in charge and Third Party Inspection and Monitoring Agency and any other verification agency.

16 CDR No. 3124612 delice. 16/6/rom & 160000

Executive Engineer, Jol Shakti PHE Division Chadoore

Copy to the:

Chief Engineer, Kashmir Jal Shakti PHE Department Srinagar, for favour of information.

2. Superintending Engineer Hydraulic Circle Budgam (Member Secretary DJJM) for favour of information.

for Information and necessary action. He 3. Asstt. Ex. Engineer Jal Shakti PHE Sub-Division shall ensure execution of work as per JJM guidelines, monitoring by TPIMA, and observance of all relevant IS codes and Government Orders in vogue.

4. M/S WAPCOS Ltd. Humhama for information.

5. AAO/Head Draftsman of Divisional office for information.

40

ahty

irter for

ed vide

45-83

?022.

Txed

Amour

1959.6

90.26

1.37

70