

Office of the Executive Engineer (JSD) P.H.E Division Awantipora

E-Mail ID: phedivisionawantipora@gmail.com

M/S Wani Constructions
 Prop. Bashir Ahmad Wani
 S/O: Ali Mohammad Wani
 R/O: Ladhoo Pampore
 Reg. No. : CE/PHE/I&FC/2020-21/A-59
 GST No.01AADFW6738L1ZX
 PAN No.: AADFW6738L

No.PHA/ 6084-6087
 Dated: 31-12-2022

Subject: - Allotment for Const. of Breast Wall/Retaining Wall, Chainlink Fencing , Transformer Bed/DG Set Bed, Sluice Chamber, Surface Drain/Approach Path and Earth Filling, Renovation of Operator Quarter including Raising of Bed of PST, Balance Work of Chain Link Fencing around existing OHT Premises, Surface Drain and Approach Path RCC Slab to CWS including filling Near Pressure Filter site, electrification to pump house and laying fitting WSS Banderpora New under JJM.

- Reference:-
1. Your tender in response to this office E-NIT No. 37/PHA of 2022-23 (e- tendering) issued under endorsement No.PHA/Awp/3259-69 dated:- 2508.2022, Tender ID :2022_PHE_185677__1
 2. Tech. Sanction No. CE/PHE/DB/505 of 9/2022 dated:- 09.09.2022
 3. Minutes of Meeting DJJM Pulwama held on 27/12/2022 endorsed vide No. SE/HYD/Spn/6402-10 dated:- 28/12/2022.
 5. Administrative Approval No. CE/PHE/DB/224 of 06/2021 dated:- 12.06.2022

For on behalf of lieutenant Governor of Union Territory of Jammu & Kashmir, contract for above mentioned work is hereby fixed with you at the following quoted rates, terms conditions .

Advertised Cost:-Rs 72.86 lacs

Alloted Cost:- Rs 66.387 lacs

(Rupees sixty six lacs thirty eight thousand and seven hundred)only

S.No.	Particulars of items	Unit	Qty	Alloted Rate	Amount	
					in figures	in Words
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes , cables etc, disposal of excavated earth upto 1 m, disposed earth to be levelled & neatly dressed. All kinds of soil.	Cum	120.00	397.24	47668.752	Rupees FortySeven Thousand Six Hundred SixtyEight Paise SeventyFive Only
2	Providing & Laying of stone soling (dully hand packed)including watering dressing and ramming with all carriages loading un-loading and stacking etc complete	Cum	39.00	561.60	21902.47956	Rupees TwentyOne Thousand Nine Hundred Two Paise FortyEight Only
3	Providing & laying in position cement concrete of specified grade exclud. The cost of centring and shuttering all work upto plinth level(1:4:8) coarse sand 40mm nominal size crushed stone agg.)	Cum	15.00	4429.62	66444.33636	Rupees SixtySix Thousand Four Hundred FortyFour Paise ThirtyFour Only

P/c Received & Rates accepted

Handwritten signature and initials

	P/L in position specified grade of cement concrete (1:3:6) mix excld. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size	Cum	96.00	4919.05	472228.5237	Rupees Four Lakh Seven Thousand Two Hundred TwentyEight Paise FiftyTwo Only
	Centring and shuttering incld. Strutting, propping etc & removal of form work for Founadtions, footings, bases of columns for mass concrete	Sqm	414.00	522.83	216453.5803	Rupees Two Lakh Sixteen Thousand Four Hundred FiftyThree Paise FiftyEight Only
5	Nominal reinforcement @ 0.10 qty/cum vide item no. 4A	kgs	960.00	79.43	76252.51008	Rupees SeventySix Thousand Two Hundred FiftyTwo Paise FiftyOne Only
7	12-mm thick cement plater 1:4 mix	Sqm	474.00	236.93	112305.5571	Rupees One Lakh Twelve Thousand Three Hundred Five Paise FiftySix Only
8	Carriage of materials By Mech.Transport, from source to site of work'Stone agg/Sand. for an avg lead of 20 km	Cum	188.36	366.53	69038.91628	Rupees SixtyNine Thousand ThirtyEight Paise NinetyTwo Only
9	Cement/steel for an avg lead of 20 km	MT	29.20	325.85	9514.697477	Rupees Nine Thousand Five Hundred Fourteen Paise Seventy Only
10	Stone soling for an avg. lead of 10 km	Cum	15.00	301.10	4516.50492	Rupees Four Thousand Five Hundred Sixteen Paise Fifty Only
11	Earth work in excavation by manual means in trenches for foundations, drains, pipes , cables etc, disposal of excavated earth upto 1 m, disposed earth to be levelled & neatly dressed. All kinds of soil.	Cum	12.36	397.24	4909.881456	Rupees Four Thousand Nine Hundred Nine Paise EightyEight Only
12	Providing & Laying of stone soling (dully hand packed)including watering dressing and ramming with all carriages loading un-loading and stacking etc complete	Cum	4.06	561.60	2280.104282	Rupees Two Thousand Two Hundred Eighty Paise Ten Only
13	Providing & laying in position cement concrete of specified grade excld. The cost of centring and shuttering all work upto plinth level(1:4:8) coarse sand 20mm nominal size crushed stone agg.)	Cum	3.04	4429.62	13466.05217	Rupees Thirteen Thousand Four Hundred SixtySix Paise Five Only
14	Providing & laying in position cement concrete of specified grade excld. The cost of centring and shuttering all work upto plinth level(1:3:6) coarse sand 20mm nominal size crushed stone agg.)	Cum	38.95	4919.05	191596.8854	Rupees One Lakh NinetyOne Thousand Five Hundred NinetySix Paise EightyNine Only
15	P/L in position specified grade of reinforced cement concrete (1:2:4) mix excld. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size	Cum	1.71	8973.74	15345.10016	Rupees Fifteen Thousand Three Hundred FortyFive Paise Ten Only
16	Centring and shuttering incld. Strutting, propping etc & removal of form work for Founadtions, footings, bases of columns for mass concrete	Sqm	191.40	238.98	45741.06484	Rupees FourtyFive Thousand Seven Hundred FourtyOne Paise Six Only
17	Centring and shuttering incld. Strutting, propping etc & removal of form work for Columns.	Sqm	12.24	619.68	7584.9403	Rupees Seven Thousand Five Hundred EightyFour Paise NinetyFour Only

Reinforcement cutting & completion

Struc

19

ad Xes
cup

	Reinforcement for RCC work incld straightning, cutting, bending, placing in position & binding all complete (Thermo-mechanically treated bars)	Kg	153.90	79.43	12224.23052	Rupees Twelve Thousand Two Hundred TwentyFour Paise TwentyThree Only
19	Structural Steel work in single section fixed with connecting plate including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer complete	Kg	1591.01	93.06	148058.9992	Rupees One Lakh FortyEight Thousand FiftyFive Only
20	Providing and fixing of Chain link fencing of standard mesh and thickness including nuts, bolts, steel primer of approved brand ect complete	SM	167.17	668.29	111718.3486	Rupees One Lakh Eleven Thousand Seven Hundred Eighteen Paise ThirtyFive Only
21	P/L 12-mm thick cement plaster in 1:4	SM	208.97	236.93	49511.58765	Rupees FortyNine Thousand Five Hundred Eleven Paise FiftyNine Only
22	Providing and laying of 1:2:4 mix coping with 20-mm nominal size aggregates	Cum	2.34	6358.28	14878.36431	Rupees Fourteen Thousand Eight Hundred SeventyEight Paise ThirtySix Only
23	Providing and fixing of steel gate including carriage complete	kg	350.00	93.06	32570.9139	Rupees ThirtyTwo Thousand Five Hundred Seventy Paise NinetyOne Only
24	Painting with synthetic enamel paint of approved brand and manufacture of required color to give an even shade two or more coat including priming coat	Sqm	468.00	111.11	51998.84586	Rupees FiftyOne Thousand Nine Hundred NinetyEight Paise EightyFive Only
25	Carriage of materials By Mech. Transport, from source to site of work Sand and Stone agg. for an avg lead of 20 km	Cum	62.11	366.53	22764.95588	Rupees TwentyTwo Thousand Seven Hundred SixtyFour Paise NinetySix Only
26	Cement /steel for an avg lead of 20 km	MT	13.95	325.85	4545.548966	Rupees Four Thousand Five Hundred FortyFive Paise FiftyFive Only
27	Stone soling for an avg. lead of 15 km	cum	4.06	301.10	1222.467332	Rupees One Thousand Two Hundred TwentyTwo Paise FortySeven Only
28	Earth work in excavation by manual means over areas exceeding 30 cms & upto 5 m in depth 1.5m in width as well as 10 sqm. On plan, disposal of excavated earth upto 1 m, disposed earth to be levelled & neatly dressed	Cum	13.41	491.40	6589.697937	Rupees Six Thousand Five Hundred EightyNine Paise Seventy Only
29	Providing & Laying of stone soling (dully hand packed)including watering dressing and ramming with all carriages loading un-loading and stacking etc complete	Cum	8.37	561.60	4700.609075	Rupees Four Thousand Seven Hundred Paise SixtyOne Only
30	Providing & laying in position cement concrete of specified grade exclud. The cost of centring and shuttering all work upto plinth level(1:4:8) coarse sand 40mm nominal size crushed stone agg.)	Cum	2.77	4429.62	12270.05411	Rupees Twelve Thousand Two Hundred Seventy Paise Five Only
31	P/L in position specified grade of cement concrete (1:3:6) mix exclud. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size	Cum	9.80	4919.05	48206.6618	Rupees FortyEight Thousand Two Hundred Six Paise SixtySix Only

Handwritten signature and initials in blue and red ink.

32	P/L in position specified grade of cement concrete (1:2:4) mix excld. the cost of centring, shuttering, finishing and reinforcement All work upto plinth level. With stone agg. 20mm nominal size	Cum	5.86	6358.28	37259.49354	Rupees Thirtyseven Thousand Two Hundred FiftyNine Paise FortyNine Only
33	Centring and shuttering incld. Strutting, propping etc & removal of form work for Foundations, footings, bases of columns for mass concrete	Sqm	33.02	238.98	7891.176121	Rupees Seven Thousand Eight Hundred NinetyOne Paise Seventeen Only
34	Reinforcement for RCC work incld straightning, cutting, bending, placing in position & binding all complete (Thermo-mechanically treated bars)	Kg	203.00	79.43	16124.22869	Rupees Sixteen Thousand One Hundred TwentyFour Paise TwentyThree Only
35	12-mm thick cement plater 1:4 mix	Sqm	33.02	236.93	7823.479946	Rupees Seven Thousand Eight Hundred TwentyThree Paise FortyEight Only
36	Structural steel work in welded built up section	Kg	1023.80	93.06	95274.57615	Rupees NinetyFive Thousand Two Hundred SeventyFour Paise FiftyEight Only
37	F/F of 0.63mm CGI roofing	Sqm	14.82	867.18	12851.6814	Rupees Twelve Thousand Eight Hundred FiftyOne Paise SixtyEight Only
38	Providing and fixing of ridges	RM	3.25	629.89	2047.139261	Rupees Two Thousand FourtySeven Paise Fourteen Only
39	Providing and fixing of 25x25 mm ornamental wire mesh welded built up section	Kg	67.80	133.80	9671.303373	Rupees Nine Thousand SeventyOne Paise Thirty Only
40	Carriage of materials By Mech.Transport, from source to site of work Stone agg. for an avg lead of 20 km	Cum	25.59	366.53	9379.411062	Rupees Nine Thousand Three Hundred SeventyNine Paise FourtyOne Only
41	Cement/steel for an avg lead of 20 km	MT	5.93	325.85	1932.265618	Rupees One Thousand Nine Hundred ThirtyTwo Paise TwentySeven Only
42	Stone soling for an avg. lead of 10 km	Cum	8.38	301.10	2523.220749	Rupees Two Thousand Five Hundred TwentyThree Paise TwentyTwo Only
43	Earth work in excavation by manual means over areas exceeding 30 cms & upto 5 m in depth 1.5m in width as well as 10 sqm. On plan, disposal of excavated earth upto 1 m, disposed earth to be levelled & neatly dressed	Cum	18.00	491.40	8845.23213	Rupees Eight Thousand Eight Hundred FourtyFive Paise TwentyThree Only
44	Providing & Laying of stone soling (dully hand packed)including watering dressing and ramming with all carriages loading un-loading and stacking etc complete	Cum	1.35	561.60	758.162754	Rupees Seven Hundred FiftyEight Paise Sixteen Only
45	Providing & laying in position cement concrete of specified grade excld. The cost of centring and shuttering all work upto plinth level(1:4:8) coarse sand 40mm nominal size crushed stone agg.)	Cum	1.35	4429.62	5979.990272	Rupees Five Thousand Nine Hundred SeventyNine Paise NinetyNine Only

Handwritten signature and initials in red and blue ink.

46	P/L in position specified grade of reinforced cement concrete (1:2:4) mix excld. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size Raft	Cum	1.35	6358.28	8583.67172	Rupees Eight Thousand Five Hundred Eighty Three Paise Sixty Seven Only
47	Walls	Cum	2.83	8973.74	25395.69208	Rupees Twenty Five Thousand Three Hundred Ninety Five Paise Sixty Nine Only
48	Slab	Cum	0.86	8973.74	7717.418795	Rupees Seven Thousand Seven Hundred Seventeen Paise Forty Two Only
49	Centring and shuttering incld. Strutting, propping etc & removal of form work for Foundations, footings, bases of columns for mass concrete	Sqm	1.80	238.98	430.166754	Rupees Four Hundred Thirty Paise Seventeen Only
50	Centring and shuttering incld. Strutting, propping etc & removal of form work for Walls	Sqm	37.80	522.83	19763.15298	Rupees Nineteen Thousand Seven Hundred Sixty Three Paise Fifteen Only
51	Centring and shuttering incld. Strutting, propping etc & removal of form work for Suspended floors	Sqm	4.41	579.10	2553.809656	Rupees Two Thousand Five Hundred Fifty Three Paise Eighty One Only
52	Centring and shuttering incld. Strutting, propping etc & removal of form work for Edges	RM	9.60	220.76	2119.291488	Rupees Two Thousand One Hundred Nineteen Paise Twenty Nine Only
53	Reinforcement for RCC work incld straightning, cutting, bending, placing in position & binding all complete (Thermo-mechanically treated bars)	Kg	403.20	79.43	32026.05423	Rupees Thirty Two Thousand Twenty Six Paise Five Only
54	P/L 12-mm thick cement plaster in 1:4	Sqm	37.80	236.93	8956.012779	Rupees Eight Thousand Nine Hundred Fifty Six Paise One Only
55	Providing and fixing of lid with angle iron frame 1 No (3.0"x 3.0") and 1 Nos stair	kg	100.00	93.06	9305.9754	Rupees Nine Thousand Three Hundred Five Paise Ninety Eight Only
56	Carriage of materials By Mech.Transport, from source to site of work 'Cement and steel	Cum	2.25	325.85	733.153059	Rupees Seven Hundred Thirty Three Paise Fifteen Only
57	Sand and aggr	Cum	9.64	366.53	3533.314679	Rupees Three Thousand Five Hundred Thirty Three Paise Thirty One Only
58	Soling	Cum	1.35	301.10	406.4854428	Rupees Four Hundred Six Paise Forty Nine Only
59	Earth work in excavation by manual means over areas exceeding 30 cms & upto 5 m in depth 1.5m in width as well as 10 sqm. On plan, disposal of excavated earth upto 1 m, disposed earth to be levelled & neatly dressed	Cum	99.00	397.24	39326.7204	Rupees Thirty Nine Thousand Three Hundred Twenty Six Paise Seventy Two Only
60	Providing & Laying of stone soling (dully hand packed) including watering dressing and ramming with all carriages loading un-loading and stacking etc complete	Cum	99.00	561.60	55598.60196	Rupees Fifty Five Thousand Five Hundred Ninety Eight Paise Sixty Only
61	Providing & laying in position cement concrete of specified grade excld. The cost of centring and shuttering all work upto plinth level(1:4:8) coarse sand 40mm nominal size crushed stone agg.)	Cum	68.77	4429.62	304625.1341	Rupees Three Lakh Four Thousand Six Hundred Twenty Five Paise Thirteen Only

62	P/L in position specified grade of cement concrete (1:3:6) mix exclud. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size	Cum	47.77	4919.05	234982.881	Rupees Two Lakh Thirty Four Thousand Nine Hundred Eighty Two Paise Eighty Eight Only
63	P/L in position specified grade of cement concrete (1:2:4) mix exclud. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size	Cum	40.00	5890.44	235617.7488	Rupees Two Lakh Thirty Five Thousand Six Hundred Seventeen Paise Seventy Five Only
64	Pl/ of Earth filling including digging, Carriage @ 15 km and spreading incl. watering D/d 20% for Shrinkage.	Cum	798.40	321.62	256780.0507	Rupees Two Lakh Fifty Six Thousand Seven Hundred Eighty Paise Five Only
65	Centring and shuttering incld. Strutting, propping etc & removal of form work for Foundations, footings, bases of columns for mass concrete	Sqm	218.00	238.98	52097.97354	Rupees Fifty Two Thousand Ninety Seven Paise Ninety Seven Only
66	Carriage of materials By Mech.Transport, from source to site of work 'Sand/Stone agg. for an avg lead of 20 km	Cum	211.32	366.53	77454.36286	Rupees Seventy Seven Thousand Four Hundred Fifty Four Paise Thirty Six Only
67	Cement for an avg lead of 20 km	MT	22.20	325.85	7233.776849	Rupees Seven Thousand Two Hundred Thirty Three Paise Seventy Eight Only
68	Stone soling for an avg. lead of 10 km	Cum	99.00	301.10	29808.93247	Rupees Twenty Nine Thousand Eight Hundred Eight Paise Ninety Three Only
69	Demolishing of cement concrete including disposal.	Cum	3.09	1429.70	4417.767191	Rupees Four Thousand Four Hundred Seventeen Paise Seventy Seven Only
70	Providing & Laying of stone soling (dully hand packed)including watering dressing and ramming with all carriages loading un-loading and stacking etc complete (PST)	Cum	6.00	561.60	3369.61224	Rupees Three Thousand Three Hundred Sixty Nine Paise Sixty One Only
71	Providing & laying in position cement concrete of specified grade exclud. The cost of centring and shuttering all work upto plinth level(1:4:8 coarse sand 20mm nominal size crushed stone agg.)	Cum	7.50	4429.62	33222.16818	Rupees Thirty Three Thousand Two Hundred Twenty Two Paise Seventeen Only
72	Providing Cement Concrete Flooring of mix (1:2:4) in operator Quarter	Sqm	15.55	460.11	7154.640525	Rupees Seven Thousand One Hundred Fifty Four Paise Sixty Four Only
73	P/L in position specified grade of cement concrete (1:2:4) mix exclud. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size	Sqm	6.00	5890.44	35342.66232	Rupees Thirty Five Thousand Three Hundred Forty Two Paise Sixty Six Only
74	Demolishing of Cement Plaster of Operator Quarter	Sqm	96.00	32.21	3091.90896	Rupees Three Thousand Ninety One Paise Ninety One Only
75	12 mm thick cement plaster in 1:4 mix	Sqm	96.00	236.93	22745.42928	Rupees Twenty Two Thousand Seven Hundred Forty Five Paise Fourty Three Only

Handwritten signature and initials in red and blue ink.

Providing and
blazed shutter's
wood includ
P/F 35
kail
77
78

	Providing and fixing of pannalled/pannelled or glazed shutters 35-mm thick of 2nd class kail wood including 4-mm thick glass	Sqm	4.60	3394.80	15616.09911	Rupees Fifteen Thousand Six Hundred Sixteen Paise Ten Only
77	P/F 35mm thick wire gauze shutters of 2nd class kail wood	Sqm	4.60	3327.02	15304.28425	Rupees Fifteen Thousand Three Hundred Four Paise TwentyEight Only
78	Providing and fixing of 20-mm second class kail wood in ceiling and soffit	Sqm	50.76	1560.58	79214.92075	Rupees SeventyNine Thousand Two Hundred Fourteen Paise NinetyTwo Only
79	Providing and fixing of Budloo wood in ceiling for frame work	Cum	0.30	54759.66	16427.89832	Rupees Sixteen Thousand Four Hundred TwentySeven Paise Ninety Only
80	Carriage of materials By Mech.Transport, from source to site of work 'Sand/Stone agg. for an avg lead of 20 km	Cum	17.64	366.53	6465.526031	Rupees Six Thousand Four Hundred SixtyFive Paise FiftyThree Only
81	Cement for an avg lead of 20 km	MT	3.46	325.85	1127.426482	Rupees One Thousand One Hundred TwentySeven Paise FortyThree Only
82	Stone soling for an avg. lead of 10 km	Cum	6.00	301.10	1806.601968	Rupees One Thousand Eight Hundred Six Paise Sixty Only
83	Earth work in excavation by manual means over areas exceeding 30 cms & upto 5 m in depth 1.5m in width as well as 10 sqm. On plan, disposal of excavated earth upto 1 m, disposed earth to be levelled & neatly dressed(all kinds of soils)	Cum	13.32	397.24	5291.231472	Rupees Five Thousand Two Hundred NinetyOne Paise TwentyThree Only
84	Providing & Laying of stone soling (dully hand packed)including watering dressing and ramming with all carriages loading un-loading and stacking etc complete	Cum	2.50	561.60	1404.0051	Rupees One Thousand Four Hundred Four Paise One Only
85	Providing & laying in position cement concrete of specified grade exclud. The cost of centring and shuttering all work upto plinth level(1:4:8) coarse sand 20mm nominal size crushed stone agg.)	Cum	2.50	4429.62	11074.05606	Rupees Eleven Thousand SeventyFour Paise Six Only
86	Providing & laying in position cement concrete of specified grade exclud. The cost of centring and shuttering all work upto plinth level(1:3:6) coarse sand 20mm nominal size crushed stone agg.)	Cum	13.52	4919.05	66505.51709	Rupees SixtySix Thousand Five Hundred Five Paise FiftyTwo Only
87	P/L in position specified grade of reinforced cement concrete (1:2:4) mix exclud. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size	Cum	1.41	8973.74	12652.97733	Rupees Twelve Thousand Six Hundred FiftyTwo Paise NinetyEight Only
88	Centring and shuttering incld. Strutting, propping etc & removal of form work for Founadtions, footings, bases of columns for mass concrete	Sqm	57.20	238.98	13669.74352	Rupees Thirteen Thousand Six Hundred SixtyNine Paise SeventyFour Only
89	Centring and shuttering incld. Strutting, propping etc & removal of form work for Columns	Sqm	11.10	619.68	6878.499782	Rupees Six Thousand Eight Hundred SeventyEight Paise Fifty Only

Handwritten signature and initials in red and blue ink.

90	Reinforcement for RCC work incld straightning, cutting, bending, placing in position & binding all complete (Thermo-mechanically treated bars)	Kg	126.90	79.43	10079 62868	Rupees Ten Thousand SeventyNine Paise SixtyThree Only
91	Structural Steel work in single section fixed with connecting plate including cutting, hoisting, fixing in position and applying a priming coat of approved stee steel primer complete	Kg	361.39	93.06	33631 17091	Rupees ThirtyThree Thousand Six Hundred ThirtyOne Paise Seventeen Only
92	Providing and fixing of Chain link fencing of standard mesh and thickness including nuts, bolts, steel primer of approved brand ect complete	SM	49.96	668.29	33387 19253	Rupees ThirtyThree Thousand Three Hundred EightySeven Paise Nineteen Only
93	P/L 12-mm thick cement plaster in 1:4	SM	91.70	236.93	21726 62359	Rupees TwentyOne Thousand Seven Hundred TwentySix Paise SixtyTwo Only
94	Providing and laying of 1:2:4 mix coping with 20-mm nominal size aggregates	Cum	0.70	5890.44	4123 310604	Rupees Four Thousand One Hundred TwentyThree Paise ThirtyOne Only
95	Providing and fixing of steel gate including carriage complete	kg	200.00	93.06	18611 9508	Rupees Eighteen Thousand Six Hundred Eleven Paise NinetyFive Only
96	Painting to Gate and Fencing 50.58x2x1.83	Sqm	185.12	111.11	20568 43236	Rupees Twenty Thousand Five Hundred SixtyEight Paise FortyThree Only
97	Earth filling incld. All excavating, digging by JCB, carriage loading, unloading, laying, spreading, watering etc	Cum	97.20	321.62	31261 29876	Rupees ThirtyOne Thousand Two Hundred SixtyOne Paise Thirty Only
98	Carriage of materials By Mech.Transport, from source to site of work ' Sand and Stone agg. for an avg lead of 20 km	Cum	15.41	366.53	5648 172117	Rupees Five Thousand Six Hundred FortyEight Paise Seventeen Only
99	Cement for an avg lead of 20 km	MT	3.03	325.85	986 3352487	Rupees Nine Hundred EightySix Paise ThirtyFour Only
100	Steel /Chain link from Div. Store Awantipora for an avg lead of 20 km	MT	2.44	325.85	795 0637618	Rupees Seven Hundred NinetyFive Paise Six Only
101	Stone soling for an avg. lead of 10 km	Cum	2.50	301.10	752 75082	Rupees Seven Hundred FiftyTwo Paise SeventyFive Only
102	Earth work in excavation by manual means over areas exceeding 30 cms & upto 5 m in depth 1.5m in width as well as 10 sqm. On plan, disposal of excavated earth upto 1 m, disposed earth to be levelled & neatly dressed	Cum	30.54	397.24	12131 69738	Rupees Twelve Thousand One Hundred ThirtyOne Paise Seventy Only
103	Providing & Laying of stone soling (dully hand packed)including watering dressing and ramming with all carriages loading un-loading and stacking etc complete	Cum	39.59	561.60	22233 82476	Rupees TwentyTwo Thousand Two Hundred ThirtyThree Paise EightyTwo Only
104	Providing & laying in position cement concrete of specified grade exclud. The cost of centring and shuttering all work upto plinth level(1:4:8) coarse sand 40mm nominal size crushed stone agg.)	Cum	13.62	4429.62	60331 45741	Rupees Sixty Thousand Three Hundred ThirtyOne Paise FourtySix Only
105	Dismetling of damaged RCC Slab to Chambers	Cum	3.46	2085.74	7216 645436	Rupees Seven Thousand Two Hundred Sixteen Paise SixtyFive Only

P/L in concrete, centring, reinforcement, stone

106

Handwritten signature and initials in red and blue ink.

106	P/L in position specified grade of cement concrete (1:1.5:3) mix excld. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size	Cum	5.76	8571.76	49373.3166	Rupees Forty/one Thousand Three Hundred Seventy/Three Paise Thirty/Two Only
107	Reinforcement of RCC work	Kgs	432.00	79.43	14313.62954	Rupees Thirty/Four Thousand Three Hundred Thirteen Paise Sixty/Three Only
108	P/L in position specified grade of cement concrete (1:2:4) mix excld. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size	Cum	4.00	5890.44	23561.77488	Rupees Twenty/Three Thousand Five Hundred Sixty/One Paise Seventy/Seven Only
109	Filling premises by earth incl. digging loading, carriage, spreading complete avg. lead 15 kms.	Cum	225.66	321.62	72576.38558	Rupees Seventy/Two Thousand Five Hundred Seventy/Six Paise Thirty/Nine Only
110	P/L in position specified grade of cement concrete (1:3:6) mix excld. the cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. With stone agg. 20mm nominal size	Cum	68.62	4919.05	337545.0135	Rupees Three Lakh Thirty/Seven Thousand Five Hundred Forty/Five Paise One Only
111	Centring and shuttering incld. Strutting, propping etc & removal of form work for Foundations, footings, bases of columns for mass concrete	Sqm	294.00	238.98	70260.56982	Rupees Seventy Thousand Two Hundred Sixty Paise Fifty/Seven Only
112	Centring and shuttering incld. Strutting, propping etc & removal of form work for Suspended floors	Sqm	18.46	579.10	10690.09665	Rupees Ten Thousand Six Hundred Ninety Paise Ten Only
113	12mm thick 1:4 Cement plaster	Sqm	305.00	236.93	72264.12428	Rupees Seventy/Two Thousand Two Hundred Sixty/Four Paise Twelve Only
114	Carriage of materials By Mech.Transport, from source to site of work Sand/Stone agg. for an avg lead of 20 km	Cum	31.56	366.53	11567.57378	Rupees Eleven Thousand Five Hundred Sixty/Seven Paise Fifty/Seven Only
115	Cement for an avg lead of 20 km	MT	22.66	325.85	7383.665919	Rupees Seven Thousand Three Hundred Eighty/Three Paise Sixty/Seven Only
116	Stone soling for an avg. lead of 15 km	Cum	39.59	301.10	11920.56199	Rupees Eleven Thousand Nine Hundred Twenty Paise Fifty/Six Only
117	Earth work in excavation by manual means over areas exceeding 30 cms & upto 5 m in depth 1.5m in width as well as 10 sqm. On plan, disposal of excavated earth upto 1 m, disposed earth to be levelled & neatly dressed(all types of soils)	Cum	848.01	397.24	316863.1532	Rupees Three Lakh Thirty/Six Thousand Eight Hundred Sixty/Three Paise Fifteen Only
118	Earth work in excavation by mechanical means over areas exceeding 30 cms & upto 5 m in depth 1.5m in width as well as 10 sqm. On plan, disposal of excavated earth upto 1 m, disposed earth to be levelled & neatly dressed(all types of soils)	Cum	848.01	229.64	194719.3537	Rupees One Lakh Ninety/Four Thousand Seven Hundred Thirty/Nine Paise Thirty/Five Only

119	P/F flanged joints to G.I pipes including cost of flanges, nuts, bolts, washres, laying in position complete 100-mm Ø G.I Pipe	Joints	5.00	1093.32	5466.6	Rupees Five Thousand Four Hundred Sixty Six Paise Sixty Only
120	80-mm Ø G.I Pipe	Joints	25.00	911.10	22777.5	Rupees Twenty Two Thousand Seven Hundred Seventy Seven Paise Fifty Only
121	65-mm Ø G.I Pipe	Joints	25.00	819.99	20499.75	Rupees Twenty Thousand Four Hundred Ninety Nine Paise Seventy Five Only
122	Laying and fitting of pipes excluding cost of pipes and earthwork 100-mm Ø G.I Pipe	Mtr	200.00	98.13	19625.094	Rupees Nineteen Thousand Six Hundred Twenty Five Paise Nine Only
123	80-mm Ø G.I Pipe	Mtr	2000.00	66.56	133111.71	Rupees One Lakh Thirty Three Thousand One Hundred Eleven Paise Seventy One Only
124	65-mm Ø G.I Pipe	Mtr	2000.00	66.56	133111.71	Rupees One Lakh Thirty Three Thousand One Hundred Eleven Paise Seventy One Only
125	50-mm Ø G.I Pipe	Mtr	1500.00	37.17	55759.32	Rupees Fifty Five Thousand Seven Hundred Fifty Nine Paise Thirty Two Only
126	40-mm Ø G.I Pipe	Mtr	1500.00	37.17	55759.32	Rupees Fifty Five Thousand Seven Hundred Fifty Nine Paise Thirty Two Only
127	25-mm Ø G.I Pipe	Mtr	1500.00	27.93	41887.8225	Rupees Forty One Thousand Eight Hundred Eighty Seven Paise Eighty Two Only
128	20-mm Ø G.I Pipe	Mtr	1000.00	18.45	18449.775	Rupees Eighteen Thousand Four Hundred Fourty Nine Paise Seventy Eight Only
129	15-mm Ø G.I Pipe	Mtr	1164.00	18.45	21475.5381	Rupees Twenty One Thousand Four Hundred Seventy Five Paise Fifty Four Only
130	Making connections of G.I distribution with G.I main including providing Tee, etc complete job 25 mm to 40-mm nominal bore	No	19.00	607.07	11534.25267	Rupees Eleven Thousand Five Hundred Thirty Four Paise Twenty Five Only
131	50 mm to 80-mm nominal bore	No	20.00	1155.96	23119.1625	Rupees Twenty Three Thousand One Hundred Nineteen Paise Sixteen Only
132	Backfilling available excavated earth in trenches after laying of pipes	Cum	1526.41	181.04	276334.3234	Rupees Two Lakh Seventy Six Thousand Three Hundred Thirty Four Paise Thirty Two Only
133	P/F of pipe specials etc. 100 mm dia sluice valve	No.	1.00	10933.20	10933.2	Rupees Ten Thousand Nine Hundred Thirty Three Paise Twenty Only
134	80 mm dia sluice valve	No.	10.00	9111.00	91110	Rupees Ninety One Thousand One Hundred Ten Only
135	65 mm dia sluice valve	No.	3.00	8199.90	24599.7	Rupees Twenty Four Thousand Five Hundred Ninety Nine Paise Seventy Only

Handwritten signature and initials in red and blue ink.

Five Thousand Four
Sixty Six Paise Sixty
Only
to Thousand
Seventy Seven

136	Carriage of material from departmental store by Mechanical Transport for upto dumping site of work for and avg. lead of 15 Km upto 100 mm dia. Pipe	MT	43.85	276.65	12130.94482	Rupees Twelve Thousand One Hundred Thirty Paise NinetyFour Only
137	Wiring for light with 1.5sqm Pvc insulated multistandard copper conductor single core cable of Havels/polycab /alba/HPL make in surface /recessed medium class Pvc conduit with 6 Amp one way modular series switch with plate with box recessed in walls (exc.cost of conduit)	No	50.00	655.99	32799.6	Rupees ThirtyTwo Thousand Seven Hundred NinetyNine Paise Sixty Only
138	Wiring for 16 Amp power socket point with 3x4 sq. mm(P+N+E) PVC insulated muti standard copper conductor single core cable of havels /polycab/Alba/HPLmake in surface/recessed conduct medium class PVC conduit with 6 Amp one way modular series swith with plate with box recessed with walls (exc.cost of conduit)	No	15.00	1548.87	23233.05	Rupees TwentyThree Thousand Two Hundred ThirtyThree Paise Five Only
139	Wiring for 6 Amp power socket point with 3x2.5 sq. mm(P+N+E) PVC insulated muti standard copper conductor single core cable of havels /polycab/Alba/HPL make in surface/recessed conduct medium class PVC conduit with 1x2.5sq.mmFRLS Pvc insulated multi standard coper conductor with modular series with switch plate boxes and two No 6 Amp five pin sockets(exc. cost of coduit)	No	15.00	1093.32	16399.8	Rupees Sixteen Thousand Three Hundred NinetyNine Paise Eighty Only
140	Supply and laying of Pvc Medium Grade conduit to be laid on surface with all allied accures like bends ,tees etc 25/31mm Dia	Mtr	1500.00	45.56	68332.5	Rupees SixtyEight Thousand Three Hundred ThirtyTwo Paise Fifty Only
141	Supply, installation ,testing and commissioning of 1200mm sweep heavy duty ceiling fans of crompton greaves/havels or its equivalent make complete with ceiling rose connection wire .	NO	5.00	3644.40	18222	Rupees Eighteen Thousand Two Hundred TwentyTwo Only
142	Supply and fixing of 350Watt electronic fan dimmer of roma series of Anchor.	No	5.00	519.33	2596.635	Rupees Two Thousand Five Hundred NinetySix Paise SixtyFour Only
143	Supply and fixing of MCB of havels of approved brand complete with connections 63Amp	No	10.00	1822.20	18222	Rupees Eighteen Thousand Two Hundred TwentyTwo Only
144	40Amp	No	10.00	1366.65	13666.5	Rupees Thirteen Thousand Six Hundred SixtySix Paise Fifty Only
145	32Amp	No	10.00	364.44	3644.4	Rupees Three Thousand Six Hundred FourtyFour Paise Fourty Only

[Handwritten signature]
Cy

146	P/F of head points in 3/20 Pvc indulated multistrand copper conductor of single core cable of havel/polycab /Alba/HPL make in surface /recessedconduit medium class PVC conduit	No	20.00	728.88	14577.6	Rupees Fourteen Thousand Hundred SeventySeven Paise Sixty Only
147	P/F of Service line	No	175.00	91.11	15944.25	Rupees Fifteen Thousand Nine Hundred FourtyFour Paise TwentyFive Only
148	P/fixing of 300mm Sq shutter type exaust fan of crompton ,greaves or Heavels make	No	10.00	2277.75	22777.5	Rupees TwentyTwo Thousand Seven Hundred SeventySeven Paise Fifty Only
Total:-						66.387 lacs

Rates & quantity checked by

Head Draftsman

Terms Conditions:-

- 1 The cost of work in no case exceed beyond Rs 66.387 lacs (Rupees sixty six lacs thirty eight thousand and seven hundred) only
- 2 Bid declaration security @ 2% vide CDR No.3246782 Dated:-12.09.2022_ for an amount of Rs 1,46000/- are being retained as security deposit shall be released only after successful completion of the work expiry of defective period.
- 3 Time of completion is essence of the contract.
The work shall have to be started by you at site immediately and ensure its successful completion within a period of **03 months** from the date of issuance of allotment from this office strictly in accordance with the approved proposals falling which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited. However date of start for laying and fitting of pipes will start within 07 days from the date of issuance of pipe material by the deptt.
- 5 An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- 6 The allotted works shall be subject to check by the third party monitoring agency appointed by the department.
- 7 Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis
- 8 Performance security equivalent to 3% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/bank Guarantee within one week of issuance of allotment order and valid for a period of 3 months beyond the expiry of warranty period of the contract.
- 9 The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works . If during warranty period any malfunctioning / defects arise, you shall have to rectify same within a period of 10 days of receipt of intimation . In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.

Handwritten signature/initials

The quantity allotted shall have to be executed on ground strictly as per the estimates that have been framed in the DPR for the item of "Breast Wall/Retaining Wall, Chainlink Fencing , Transformer Bed/DG Set Bed, Sluice Chamber, Surface Drain/Approach Path and Earth Filling,Renovation of Operator Quarter including Raising of Bed of PST, Balance Work of Chain Link Fencing around existing OHT Premises, Surface Drain and Approach Path RCC Slab to CWS including filling Near Pressure Filter site, electrification to pump house and laying fitting".

12 All other terms and conditions shall be applicable as laid down in standard bid document and PWD from No. 25/33.

13 Any rules / terms and conditions if not stipulated in the bidding documents , shall be strictly dealt in accordance with the relevant rules / guidelines stipulated in General Financial Rules (GFR-2017) and manual for procurement of works 2019 G.O.I.

Head Draftsman



Executive Engineer

(JSD) PHE Division Awantipora



Copy to the:-

- 1) Chief Engineer PHE Kashmir Jal Shakti Department, Kashmir Srinagar for information.
- 2) Superintending Engineer Hydraulic Circle Pulwama H.Q Shopian for information.
- 3) Assistant Executive Engineer Sub Division Awantipora for information necessary action. He will ensure the completion of work within the stipulated period strictly in accordance with approved proposals within allotted amount shall in no case exceed the allotted amount.
- 4) Assistant Accounts Officer PHE Division Awantipora for information
- 5) H/D Divisional Drawing Branch for information
- 6) Office File