

Office of the Executive Engineer (JSD) P.H.E Division Awantipora

E-Mail ID: phedivisionawantipora@gmail.com

No. PHA/Awp/ 5708-13
Dated: 13-12-2022

M/S AJS Constructions Group

M.D.: Nazir Ahmad Bhat

S/o Ab Jabbar Bhat

R/o : Mandoora Tral

Reg. No. : CE/I&FC/Srinagar/85 (Eight Five) / AAY (Civil & Sanitary) / 2017-18

GST No. 01ABKFA0554G

PAN No. ABKFA0554G

Subject:- Allotment for Construction of WSS Dadsara by way of laying / fitting , Service Reservoir , Chowkidar Quarter, chain link fencing , sluice chamber , Separate Toilet Block, Anchor Block under JJM

- Reference:-
1. Your tender in response to this office E-NIT No. 32/PHA of 2022-23 (e- tendering) issued under endorsement No. PHA/Awp/3036-46 dated:- 16.08.2022, Tender ID :2022_PHE_184323__1
 2. Tech. Sanction No. CE/PHE/DB/509 of 9/2022 dated:- 09.09.2022
 3. Chief Engineer Kmr, Jal Shakti (PHE) Deptt. Srinagar's No. CE/PHE/MC/DB/13745-83 dated:- 26-7-2022
 4. Minutes of Meeting DJJM Pulwama held on 02/11/2022 endorsed vide No. 4854-62 dated:- 04/11/2022.
 5. Superintending Engineer Hydl Circle Pulwama H.Q Shopian's Authorization No. SE/Hyd/Spn/DB/5682-83 dated:- 06.12.2022

For on behalf of lieutenant Governor of Union Territory of Jammu & Kashmir, contract for above mentioned work is hereby fixed with you at the following quoted rates, terms conditions .

Advertised Cost:- Rs 152.056lacs

Alloted Cost:- Rs 138.143lacs

(Rupees one crore thirty eight lacs fourteen thousand and three hundred) only

S.No.	Particulars of items	Unit	Qty	Alloted Rate	Amount	
					in figures	in Words
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil (1 meter from cutting edge).	cum	5725.94	396.11	2268079.19	Rupees TwentyTwo Lakh SixtyEight Thousand SeventyNine Paise Nineteen Only
2	Earthwork in excavation by mechanical means in all kinds of soil	cum	1937.75	171.48	332284.1589	Rupees Three Lakh ThirtyTwo Thousand Two Hundred EightyFour Paise Sixteen Only
2.01	Laying & fitting of G.I. pipes (Light) complete excluding cost of pipes and pipe fittings 100 mm Dia (P/F of Flanges)	joint	484	1135.63	549642.5	Rupees Five Lakh FortyNine Thousand Six Hundred FortyTwo Paise Fifty Only
2.02	80 mm Dia (P/F of Flanges)	joint	403	999.35	402738.05	Rupees Four Lakh Two Thousand Seven Hundred ThirtyEight Paise Five Only

CM
Revised & Rates accepted
M 13-12-2022

Xen
13/12/22

Subject:-Allotment for Construction of WSS Dadsara by way of laying / fitting ,Service Reservoir , Chowkidar Quarter, chain link fencing , sluice chamber ,Separate Toilet Block, Anchor Block under JJM


Subject:-Allotment
Reservoir

2.03	65 mm Dia (P/F of Flanges)	joint	403	908.50	366125.5	Rupees Three Lakh SixtySix Thousand One Hundred TwentyFive Paise Fifty Only
2.04	50 mm	RM	3400.00	37.07	126027.12	Rupees One Lakh TwentySix Thousand TwentySeven Paise Twelve Only
2.05	40 mm	RM	5400.00	37.07	200160.72	Rupees Two Lakh One Hundred Sixty Paise SeventyTwo Only
2.06	25 mm	RM	4300.00	27.85	119735.7575	Rupees One Lakh Nineteen Thousand Seven Hundred ThirtyFive Paise SeventySix Only
2.07	20 mm	RM	5000.00	18.40	91985.625	Rupees NinetyOne Thousand Nine Hundred EightyFive Paise SixtyThree Only
2.08	15 mm	RM	3000.00	18.40	55191.375	Rupees FiftyFive Thousand One Hundred NinetyOne Paise ThirtyEight Only
3	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore	each	83.00	605.29	50238.91438	Rupees Fifty Thousand Two Hundred ThirtyEight Paise NinetyOne Only
4	Filling available excavated earth (excluding rock) in tenches	cum	4616.38	180.52	833344.0704	Rupees Eight Lakh ThirtyThree Thousand Three Hundred FortyFour Paise Seven Only
5	Carriage of different materials from different sources to dumping site of work by Mechanical Transport Pipe from Avg Lead of 35Kms	MT	80.47	445.27	35831.09073	Rupees ThirtyFive Thousand Eight Hundred ThirtyOne Paise Nine Only
6	Extra Carriage of different materials from dumping site to actual site of work by manual labour 1000 Mtr	MT	80.47	898.63	72312.90682	Rupees SeventyTwo Thousand Three Hundred Twelve Paise NinetyOne Only
7	Extra carriage for 100 mm dia pipe (1000 mtr lead)	Mtr	3000.00	14.25	42752.193	Rupees FortyTwo Thousand Seven Hundred FiftyTwo Paise Nineteen Only
8	Providing & Laying of stone soling (dully hand packed)including watering dressing and ramming with all carriages loading un-loading and stacking etc complete	Cum	791.91	560.00	443469.1249	Rupees Four Lakh FortyThree Thousand Four Hundred SixtyNine Paise Twelve Only

[Handwritten signature and initials]

Subject: Allotment for Construction of WSS Dadsara by way of laying / fitting, Service Reservoir, Chowkidar Quarter, chain link fencing, sluice chamber, Separate Toilet Block, Anchor Block under JJM

9	Providing & laying in position cement concrete of specified grade excld. The cost of centring and shuttering all work upto plinth level(1:4:8 coarse sand 40mm nominal size crushed stone agg.)	Cum	80.13	4416.98	353932.3748	Rupees Three Lakh FiftyThree Thousand Nine Hundred ThirtyTwo Paise ThirtySeven Only
10	Providing & laying in position cement concrete of specified grade excld. The cost of centring and shuttering (1:1.5:3 coarse sand 20mm nominal size crushed stone agg.)	Cum	43.71	7087.35	309788.0784	Rupees Three Lakh Nine Thousand Seven Hundred EightyEight Paise Eight Only
11	Cement conc. Work in shuttering in 1:2:4 20mm stone agg. Nominal size	Cum	126.00	5873.63	740077.3368	Rupees Seven Lakh Forty Thousand SeventySeven Paise ThirtyFour Only
12	Reinforced cement conc. Work in beams, suspended floors roofs having slope upto 15 deg. Landing balconies, shelves, lintels upto floor 5 level excld. Centring, shuttering in 1:2:4 20mm stone agg. Nominal size	Cum	2.31	6340.13	14645.69161	Rupees Fourteen Thousand Six Hundred FortyFive Paise SixtyNine Only
13	Providing & laying in position cement concrete of specified grade excld. The cost of centring and shuttering all work upto plinth level(1:3:6 coarse sand 20mm nominal size crushed stone agg.)	Cum	21.09	4940.19	104188.5394	Rupees One Lakh Four Thousand One Hundred EightyEight Paise FiftyFour Only
14	Providing & laying in position cement concrete of specified grade excld. The cost of centring and shuttering (1:2:4 coarse sand 20mm nominal size crushed stone agg.)	Cum	113.59	5873.68	667191.2686	Rupees Six Lakh SixtySeven Thousand One Hundred NinetyOne Paise TwentySeven Only
15	P/L in position specified grade of reinforced cement concrete excld. The cost of centring, shuttering, finishing and reinforcement-All work upto plinth level. 1:1.5:3 graded stone agg. 20mm nominal size	Cum	50.18	8547.29	428903.0447	Rupees Four Lakh TwentyEight Thousand Nine Hundred Three Paise Four Only
16	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centring, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate	Cum	6.44	8948.13	57625.98602	Rupees FiftySeven Thousand Six Hundred TwentyFive Paise NinetyNine Only
17	Brick work with FPS bricks of class designation 75 in foundation & plinth in cement mortar 1:6 (1 cement, 6 coarse sand)	Cum	53.22	5617.94	298986.6005	Rupees Two Lakh NinetyEight Thousand Nine Hundred EightySix Paise Sixty Only
18	Extra for brick work in super structure above plinth level upto floor V Level (by manual means)	Cum	53.22	1202.54	63998.96725	Rupees SixtyThree Thousand Nine Hundred NinetyEight Paise NinetySeven Only
19	Centring and shuttering incld. Strutting, propping etc & removal of form work fo	Sqm	845.34	238.30	201444.1416	Rupees Two Lakh One Thousand Four Hundred FourtyFour Paise Fourteen Only

Xen


Subject:- Allotment for Construction of WSS Dadsara by way of laying / fitting , Service Reservoir , Chowkidar Quarter, chain link fencing , sluice chamber , Separate Toilet Block, Anchor Block under JJM

Allotment Reservoir Block, Anchor Block

Sul
2
1
2
3
4)
5)
6)

19.01	Walls any thickness	Sqm	174.82	521.34	91141.13518	Rupees Ninety Thousand One Hundred FortyOne Paise Fourteen Only
19.02	Dome	Sqm	23.56	1895.68	44662.12892	Rupees FourtyFour Thousand Six Hundred SixtyTwo Paise Thirteen Only
19.03	Extra for circular shuttering	Sqm	147.90	916.18	135502.5524	Rupees One Lakh ThirtyFive Thousand Five Hundred Two Paise FiftyFive Only
20	Reinforcement for RCC work incld straightning, cutting, bending, placing in position & binding all complete (Thermo-mechanically treated bars)	Kg	6628.60	79.20	524975.0942	Rupees Five Lakh TwentyFour Thousand Nine Hundred SeventyFive Paise Nine Only
21	Structural steel for Posts including priming coat complete	Kg	14177.32	84.35	1195916.841	Rupees Eleven Lakh NinetyFive Thousand Nine Hundred Sixteen Paise EightyFour Only
22	P/F of Chain Link fencing 50 x 50 mesh spacing including priming coat	Sqm	728.00	666.38	485128.098	Rupees Four Lakh EightyFive Thousand One Hundred TwentyEight Paise Ten Only
23	Providing & Fixing 1 mm thick MS Sheet door with frame of 40x40x6 mm angle iron and 3 mm MS gasset plate at junctions and corners all complete	Sqm	3.88	3954.66	15344.06169	Rupees Fifteen Thousand Three Hundred FortyFour Paise Six Only
24	Providing wood work in frames of doors, windows, clerestory windows & other frames, wrought framed & fixed in position 2nd class kail wood	Cum	1.12	83641.37	93678.33493	Rupees NinetyThree Thousand Six Hundred SeventyEight Paise ThirtyThree Only
25	Providing & fixing panelled or panelled & glazed shutters for doors & windows and clerestory windows including ISmarked black enamelled M.S Butt hingeswith necessary screws excluding panelling Second class Kail (imported wood)35mm thick	Sqm	21.07	2810.72	59221.81351	Rupees FiftyNine Thousand Two Hundred TwentyOne Paise EightyOne Only
26	Providing & fixing decorative plywood B/S decorative veneer (Type 1) confirming to IS 1328 BWR type	Sqm	3.74	2144.92	8022.012301	Rupees Eight Thousand TwentyTwo Paise One Only
27	Providing CGS sheet roofing fixed with polymer coated J or L hooks bolts & nuts 8mm dia with bitumen & GI limpet washers upto(a pitch of 60 degree) exclud cost of perlines, rafters & tresses 0.63mm thick with zinc coating not less than 275g/sqm	Sqm	48.66	864.71	42076.8032	Rupees FourtyTwo Thousand SeventySix Paise Eighty Only
28	Providing ridges of hips of width 60cm overall width plain GS sheets fixed with polymer coated J or L hooks bolts & nuts 8mm dia GI limpet & bitumen washers complete 0.63mm thick with zinc coating not less than 275g/sqm	Rm	27.43	628.09	17228.54916	Rupees Seventeen Thousand Two Hundred TwentyEight Paise FiftyFive Only

Ken
Handwritten signatures and initials in blue and red ink.

Toilet
 Rupees Ninety One
 Thousand One Hundred
 Only
 Four

Allotment for Construction of WSS Dadsara by way of laying / fitting ,Service Reservoir , Chowkidar Quarter, chain link fencing , sluice chamber ,Separate Toilet Block, Anchor Block under JJM

	15mm Cement Plaster on the rough side of single or half brick wall of mix 1:6(1 cement:6 fine sand)	Sqm	93.21	253.11	23592.206	Rupees TwentyThree Thousand Five Hundred NinetyTwo Paise TwentyOne Only
30	Distemping with oil bound washable distemper of approved brand & manufacture to give an even shade New work (2 or more coats)over and incld. Priming coat with cement primer	Sqm	93.21	135.41	12621.74553	Rupees Twelve Thousand Six Hundred TwentyOne Paise SeventyFive Only
31	Painting with ready mixed Synthetic enamel paint or approved brand & manufacture in all shades to give an even shade NEW steel work (Two or more coats)	Sqm	441.00	110.79	48859.08458	Rupees FortyEight Thousand Eight Hundred FiftyNine Paise Eight Only
32	Finishing walls with water proofing cement paint of approved brand and manufacture &of reqd shade to give an even shade New work (2or more coats)applied @3.84kg /10sqm	Sqm	72.49	83.40	6045.687747	Rupees Six Thousand FourtyFive Paise SixtyNine Only
33	Providing glass panes 10kg/sqm (4mm thick)windows and clerestory window shutters (Area of opening for glass panes excld portion inside shall be measured)	Sqm	9.84	852.85	8392.08705	Rupees Eight Thousand Three Hundred NinetyTwo Paise Nine Only
34	Cement Concrete flooring 1:2:4 (1 cement: 2 coarse sand: 4 graded stone agg) finished with a floating coat of neat cement incld. cement slurry but excld the cost of nosing of steps etc complete 50mm thick with 20mm n/s stone agg crushed	Sqm	20.07	458.79	9207.965475	Rupees Nine Thousand Two Hundred Seven Paise NinetySeven Only
35	Providing and Fixing glass strips in joints of cement concrete floors 40mm wide and 4mm thick	Rm	36.59	62.01	2268.767524	Rupees Two Thousand Two Hundred SixtyEight Paise SeventySeven Only
36	Cutting of road and making good the same incl. supply of extra material i.e crushed agg., moorum , Screening,red bajri and labour required. Bitumen	Cum	15.60	3057.65	47699.30256	Rupees FourtySeven Thousand Six Hundred NinetyNine Paise Thirty Only
37	WBM	Cum	44.07	1788.16	78803.99636	Rupees SeventyEight Thousand Eight Hundred Four Only
38	12mm Cement Plaster finished with a floating coat of neat cement of mix 1:4(1 cement:4 fine sand)	Sqm	462.34	259.88	120153.3665	Rupees One Lakh Twenty Thousand One Hundred FiftyThree Paise ThirtySeven Only
39	Providing & fixing of 40x5mm flat iron hold fast 40cm long including fixing to frameswith 10mm dia bolts nuts &wooden plugs and embedding in cement conc block 30x10x5cm 1:3:6mix (1cement:3coarse sand:6 graded st agg)20mm nominal size	No	32.00	148.13	4740.1896	Rupees Four Thousand Seven Hundred Fourty Paise Nineteen Only
40	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bed of dry brick ballast 40mm nominal size well rammed, consolidated and grouted with fine sand including finishing the top smooth	Sqm	3.16	496.33	1568.408235	Rupees One Thousand Five Hundred SixtyEight Paise FourtyOne Only

Xen

Subject:-Allotment for Construction of WSS Dadsara by way of laying / fitting ,Service Reservoir , Chowkidar Quarter, chain link fencing , sluice chamber , Separate Toilet Block, Anchor Block under JJM

Allotment for Construction of Reservoir , Chowkidar Quarter, Block, Anchor

41	Providing & fixing Hardware items complete 150 mm Tower Bolt	No	32.00	90.85	2907.2	Rupees Two Thousand Nine Hundred Seven Paise Twenty Only
42	150 mm Handles	No	18.00	90.85	1635.3	Rupees One Thousand Six Hundred ThirtyFive Paise Thirty Only
43	L Drop	No	3.00	454.25	1362.75	Rupees One Thousand Three Hundred SixtyTwo Paise SeventyFive Only
44	Dry rubble masonry with hard stone in foundation & plinth using quarry stone with bond stones	Cum	58.53	2268.98	132803.3262	Rupees One Lakh ThirtyTwo Thousand Eight Hundred Three Paise ThirtyThree Only
45	Providing and fixing soil waste pipes (10Ft Long) 100mm dia PVC B Class	Rm	20.00	317.98	6359.5	Rupees Six Thousand Three Hundred FiftyNine Paise Fifty Only
46	Providing and fixing vent pipes 100mm dia PVC B Class	No	3.00	363.40	1090.2	Rupees One Thousand Ninety Paise Twenty Only
47	PVC collar 100 mm	No	6.00	136.28	817.65	Rupees Eight Hundred Seventeen Paise SixtyFive Only
48	P/F of PVC floor trap with Jali	No	4.00	181.70	726.8	Rupees Seven Hundred TwentySix Paise Eighty Only
49	Providing and fixing G.I pipes B Class 20' Long complete with G.I fittings including all necessary fittings like Sockets, Tee, Reducer etc 15mm dia nominal bore	Mtr	60.00	253.38	15202.839	Rupees Fifteen Thousand Two Hundred Two Paise EightyFour Only
50	Providing & fixing water closet squatting pan (English W.C Pan) with 100 mm and PVC "P" or "S" trap 10 ltr low level P.V.C flushing cistern of app make with manually controlled device with fittings Long Pan pattern white vitreous china W.C pan 580mm	No	3.00	4846.71	14540.13368	Rupees Fourteen Thousand Five Hundred Forty Paise Thirteen Only
51	Water storage tank PVC tripple layer of approved brand with all necessary fittings	Lit	2000.00	10.22	20441.25	Rupees Twenty Thousand Four Hundred FortyOne Paise TwentyFive Only
52	Stain less steel heavy duty Bib cock long nose	No	5.00	908.50	4542.5	Rupees Four Thousand Five Hundred FortyTwo Paise Fifty Only
53	Stain less steel heavy duty angle valve	No	4.00	863.08	3452.3	Rupees Three Thousand Four Hundred FiftyTwo Paise Thirty Only

Xen
24/11
20/11

Subject:-Allotment for Construction of WSS Dadsara by way of laying / fitting ,Service Reservoir , Chowkidar Quarter, chain link fencing , sluice chamber ,Separate Toilet Block, Anchor Block under JJM

Allotment for Reservoir , Chowkidar Quarter, Chain Link Fencing, Sluice Chamber, Separate Toilet Block, Anchor Block under JJM

66	Supply & Stacking of stone screening /chippings at site excluding carriage 13.2mm nominal size Type A	cum	21.06	458.25	9650.690244	Rupees Nine Thousand Six Hundred Fifty Paise SixtyNine Only
67	Laying WBM with specified stone aggregate screening & binding material including screening sorting & consolidation with PRR of 8-10 tonne capacity	cum	710.85	458.25	325745.1643	Rupees Three Lakh TwentyFive Thousand Seven Hundred FortyFive Paise Sixteen Only
68	Supply & Stacking of Moorum at site	cum	9.85	480.14	4729.401163	Rupees Four Thousand Seven Hundred TwentyNine Paise Fourty Only
69	Dismantling of pipe including stacking of serviceable material at site	RM	2500.00	90.62	226557.1875	Rupees Two Lakh TwentySix Thousand Five Hundred FiftySeven Paise Nineteen Only
70	Carriage of Materials By MT Stone agg. from for an avg lead of 20 km	Cum	188.54	365.48	68907.68687	Rupees SixtyEight Thousand Nine Hundred Seven Paise SixtyNine Only
71	Sand from for an avg lead of 20 km	Cum	130.89	365.48	47837.73806	Rupees FourtySeven Thousand Eight Hundred ThirtySeven Paise SeventyFour Only
72	Cement from for an avg lead of 10 km	MT	140.57	226.81	31882.2635	Rupees ThirtyOne Thousand Eight Hundred EightyTwo Paise TwentySix Only
73	Bricks from for an avg lead of 25 km	/1000no	26.61	1095.04	29139.07574	Rupees TwentyNine Thousand One Hundred ThirtyNine Paise Eight Only
74	Steel from for an avg lead of 10 km	MT	3.80	226.81	861.866695	Rupees Eight Hundred SixtyOne Paise EightySeven Only
75	Stones from for an avg lead of 10 km	Cum	27.99	300.19	8402.222094	Rupees Eight Thousand Four Hundred Two Paise TwentyTwo Only
76	Soling for 10 Kms lead	Cum	74.95	300.19	22498.98342	Rupees TwentyTwo Thousand Four Hundred NinetyEight Paise NinetyEight Only
77	Extra carriage of material from dumping site to site of work by manual labour for 1000 mtrs lead Aggregates	Cum	6.03	979.56	5906.747671	Rupees Five Thousand Nine Hundred Six Paise SeventyFive Only

Handwritten signature and initials in blue ink at the bottom right of the page.

ate Toilet
Rupees Nine Thousand
Hundred Fifty Paise
Only
Lakh
and

Allotment for Construction of WSS Dadsara by way of laying / fitting ,Service Reservoir , Chowkidar Quarter, chain link fencing , sluice chamber ,Separate Toilet Block, Anchor Block under JJM

	Sand	Cum	9.93	979.56	9727.032235	#NAME?
79	Cement	MT	2.06	418.33	861.7554946	#NAME?
80	Soling	cum	1.82	1152.37	2097.305992	#NAME?
81	Steel	MT	0.42	898.63	377.4253867	#NAME?
Total:-					Rs 138.143 lacs	

Rates checked as per approved C/S

Head Draftsman

Terms Conditions:-

- 1 The cost of work in no case exceed beyond Rs 138.143lacs (Rupees one crore thirty eight lacs fourteen thousand & three hundred) only
- 2 Bid declaration security @ 2% vide CDR No.324924 Dated:-17.05.2022 for an amount of Rs 3,04,000/- are being retained as security deposit shall be released only after successful completion of the work expiry of defective period.
- 3 Time of completion is essence of the contract.
- 4 The work shall have to be started by you at site immediately and ensure its successful completion within a period of 05 months from the date of issuance of allotment from this office strictly in accordance with the approved proposals falling which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited. However date of start for laying and fitting of pipes will start within 07 days from the date of issuance of pipe material by the deptt.
- 5 An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- 6 The allotted works shall be subject to check by the third party monitoring agency appointed by the department.
- 7 Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis
- 8 Performance security equivalent to 3% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/bank Guarantee within one week of issuance of allotment order and valid for a period of 3 months beyond the expiry of warranty period of the contract.

[Handwritten signature and initials]
Sen

Subject:-Allotment for Construction of WSS Dadsara by way of laying / fitting ,Service Reservoir , Chowkidar Quarter, chain link fencing , sluice chamber ,Separate Toilet Block, Anchor Block under JJM

- 9 The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works . If during warranty period any malfunctioning / defects arise, you shall have to rectify same within a period of 10 days of receipt of intimation . In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- 11 The quantity allotted shall have to be executed on ground strictly as per the estimates that have been framed in the DPR for the item of " laying fitting ,Service Reservoir , Chowkidar Quarter, chain link fencing , sluice chamber ,Separate Toilet Block, Anchor Block ".
- 12 All other terms and conditions shall be applicable as laid down in standard bid document and PWD form No. 25/33.
- 13 Any rules / terms and conditions if not stipulated in the bidding documents , shall be strictly dealt in accordance with the relevant rules / guidelines stipulated in General Financial Rules (GFR-2017) and manual for procurement of works 2019 G.O.I.

Head Draftsman

[Handwritten signature]

Executive Engineer
(JSD) PHE Division Awantipora

[Handwritten signature]
[Handwritten initials]

Copy to the:-

- 1) Chief Engineer PHE Kashmir Jal Shakti Department, Kashmir Srinagar for information.
- 2) Superintending Engineer Hydraulic Circle Pulwama H.Q Shopian for information.
- 3) Assistant Executive Engineer Sub Division Tral for information necessary action. He will ensure the completion of work within the stipulated period strictly in accordance with approved proposals within allotted amount shall in no case exceed the allotted amount.
- 4) Assistant Accounts Officer PHE Division Awantipora for information
- 5) H/D Divisional Drawing Branch for information
- 6) Office File