Government of Jammu and Kashmir Office of the Executive Engineer, Water Supply Master Plan Division, Srinagar.

M/s Tariq Ahmad Shah, S/o: Ghulam Ahmad Shah R/o: Soibugh Budgam

Pan No.: BBTPS9053E

Regd. No.: SE/R&B/SB-BEE-49/2006-07

GST No.: 01BBTPS9053E1ZE

Subject:- Allotment for Laying & Fitting of Parallel Mains in Place of Worn out Supply

Mains, Sub Mains, Retrofitting of Existing Pipe Network at Mir Gund Aparpora & Retrofitting of SR/Tube well sites of WSS Balhama under WSS

Dated:

Allotment Order No.: 12 of 2023

Aparpora Balhama (Under JJM)

Reference: - Your tender in response to this office e-NIT No. 04/WSMP of 04/2023 issued under

endorsement No. 415-21 dated:19-04-2023 (S.No.02).

Tender ID: - 2023_PHE_210085_2

Advertised Cost: - Rs.38.19 Lacs (Rupees Thirty Eight Lac and Nineteen Thousand Only).

Allotted Amount: - Rs.3331081.00 (Rupees Thirty Three Lac Thirty One Thousand and Eighty One

Only.)

For and on behalf of the Governor of Jammu and Kashmir State, the above noted

work is hereby allotted to you on the following quoted rates, terms and conditions:-

S.No	Item of Work	Unit	Quantity	Rate	Amount
01.	Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of	Cum	523.80	205/Cum (Rupees Two Hundred Five Only Per Cum)	107379.00
	surplus excavated earth as directed, within a lead of 50 metres: 2.9.1 All kinds of soil:			*	
02.	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge i. All kinds of soil	Cum	203.33	170/Cum (Rupees One Hundred Seventy Only Per Cum)	34566.00
03.	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work. i. 15 mm and 20 mm dia. G.I. pipes	Mtr.	2000.00	18/Mtr. (Rupeea Eighteen Only Per Mtr.)	36000.00
	ii. 25 mm and 32 mm dia. G.I. pipes	Mtr.	100.00	30/Mtr. (Rupees Thirty Only Per	3000.00

lug 1 1

04.	Laying in position centrifugally (spun) iron S&S or flanged (excluding cost of pipe).		Qt1.		104.31	Rupees	00/Qtl. Two Hundred by Per Qtl.)	20862.00
05.	Providing push-on-joints to Centrifu (Spun) Cast Iron Pipes or Ductile Pipes including testing of joints including the cost of rubber gasket.	Iron			1			
06.	i. 80 mm dia		Joint	1	62.00	(Rupees Si	Joint by Only Per	9720.000
06.	Providing, fixing of M.S flanges welding including cost of cutting malboth holes made out of 10/14mm th M.S plate to the pipes of different dand including cost of nuts, bowashers etc. (Complete Job). i. 150mm dia	nick ia's lts,	Joint	1	O GRu	1850/J	Joint 1	8500.00
	ii. 100mm dia	J	oint	20	D I	ndered and fifty who into the second	int 30	00.00
	iii. 80mm dia.	Jo	oint	20	9	00/Joir	nt 180	000.00
	iv. 65mm dia	Jo	int	10	80	Per Juint	t 800	00.00
07	v. 50/40mm dia	Joi	int	10	650)/Joint	650	0.00
07.	P/F of Sluice valves / Gate Valve of approved make and manufacture like VAG, ZOLOTO, KIRLOSKAR inclearriage to actual site of work, water testing of joints, commissioning of all interconnections, complete job. i. 100mm dia	e .		04	1700	Bit Hundred and hilly Per Josept O/No.	68000.	00
	ii. 80mm dia	No.		04	12500 (Rupres Tucks Five Hundred (/No. Thousand	50000.0	0
	iii. 65/50mm dia	No.		04	7000/ (Rupes : Thousand en	No.	28000.00	
	iv. 40mm dia	No.	0	14	5000/	baccand	20000.00	
08.	Providing, fixing of M.S fittings viz bends of suitable degrees / size to be fabricated out of 8mm to 10mm thick MS. plate as per the requirement of site. This item includes cost of lead, spun yarn, R.I. cloth and lead caulking, lead beating with insertion of spun yarn etc. The fittings should be leak proof and should be painted with Anticorrosive Red Oxide Primer and incld. all carriages, leads lifts, etc. complete.	Kg.	400.	00	230/Ki Rupers Two Hunde Duty Only Per I		92000.00	

4	型,				
09.	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. i. Welded		4200,00	100/Kg. Brusseer Gree Brackfood ently For Sail	420000.00
10.	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including			711 343	
	i. 50 to 80 mm nominal bore.	No.	05	1150/No. (Rupees One Thousant One Hundred and Fifty Only For No.)	5750.00
	ii. 25 to 40 mm nominal bore	No.	10	610/No. (Rupers Sa Hundred and Test Onto Set No.)	6100.00
11.	Providing Installation testing & commissioning of Air valve including dismantalling of damaged air valve & returning of same to divisional store. This also includes welding / pipe specials needed to successfully				
	i. 50mm dia	No.	02	7000/No. (Rupues Barrer Thousand Only Per No.)	14000.00
	ii. 25mm dia	No.	02	3200/No. (Rupess Three Threesand Two Hundred Only for No.)	6400.00
12.	Providing and laying hand packed stone soling (Quarry) 75mm nominal size including ramming and dressing including all leads lifts and all carriages complete.	Cum	60.44	1000/Cum (Rupees One thousand Only Fer Cum)	60440.00
13.	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:		>		
	i. 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)	Cum	40.29	3900/Cum (Rupres Time Timessed Nine Hundred only Per Cum)	157131.00
14.	Providing and laying cement concrete in kerbs, steps and the like at or near ground level including curing, excluding the cost of centring, shuttering, and finishing.			,	
	i. 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)	Cum	69.00	6250/Cum (Rupere Bia thousand I've Hundred fifty only per Cum.)	431250.00
15.	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level.			A	

Lyth 1

		Mary State	學者		
ni line vivi na mej kontro neko	i. 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	Cum	5.34	6500/Cum (Pagent Six Thousant and Part Passionel Cirily Per Cam)	34710.0
16.	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. I. Thermo-Mechanically Treated bars of grade Fe-500D or more,	Кд.	513.00	85/Kg. (Kupasa Eighty Flor antly For	43605.00
17.	Providing and mixing water proofing material in cement plaster work in proportion recommended by the manufacturers.	Kg.	50.00	55/Kg. (Rupnes Fifty For Golfy For	2750.00
18.	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in: I. Cement mortar 1:6 (1 cement : 6 coarse sand)	Cum	4.14	7100/Cum	29394.00
19.	Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level.	Cum	4.14	Hundred Only Fer Cum 1500/Cum (Rupres One Thousand and Five Hundred Only Fer Cum)	6210.00
20.	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): I. Second class kail wood	Cum	2.00	83000/Cum (Rupees Eighty Three Thousand Only her Cum)	166000.0
21.	Providing and fixing precoated galvanized iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.		152.00	600/Sam (Rupers Sin Novidered Only Per Sign.)	91200.00

22.	Providing and fixing precoated				
	accessories0.50 mm (+0.05 %) total				
	coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240	1,7			
	mpa steel grade, 5-7 microns epoxy		v 1		
	primer on both side of the sheet and polyester top coat 15-18 microns using	3		STATE OF THE STATE	
	self drilling/ self tapping screws	Mtr.	22.80	350/Mtr.	7980.00
	complete i. Ridges plain (500 - 600mm)	111.01.	22.00	(Russess Three Hundred Sity Only For Wir)	
23.	Providing and fixing plained eaves boarding. 2nd class kail wood.				
	1. 250x32 mm (nominal size)	Mtr.	40.00	500/Mtr. (Response From Humbond Greit) From Meter 1	20000.00
24.	Providing and fixing 20mm thick wooden				
-	planks ceiling (frame work for base to be paid for separately) with M.S. screws	Sqm	24.00	1000/Sqm (Rupess One Therated Only	24000.00
1.	i. Budloo/fir wood.	-	The state of the s	Per Bgs()	
25.	Providing and fixing glazed shutters for doors, windows and clerestory windows				
	using 4mm thick float glass panes including ISI marked M.S. pressed butt				
	hinges bright finished of required size			2150/Sam	120235.00
	with necessary screws. i. Second class Kail wood (35mm	Sqm	38.17	3150/Sqm (Rupers Three Theoretical One Hundred Bilty Dolly For Name)	120235.00
26.	thick). Centering and shuttering including				
20.	strutting, propping etc. and removal of form for:				
	i. Foundations, footings, bases of columns etc. for mass	Sqm	55.41	225/Sqm (Rupees Two Hundred Twenty Pive Only Per Sign.)	12467.00
4	concrete. ii. Walls (any thickness) including attached pilasters, buttresses,	Sqm	154.56	420/Sqm (Rupers Four Hundred Twenty Only Fer Bigs.)	64915.00
	plinth and string courses etc.	Sqm	≥ 7.20	600/Sqm	
-	iii. Suspended floors, roots, landings, balconies and access platforms.	oqiii	- 7.20	(Rupees Six Hundred Only Per Sqm)	4320.00
27.	12mm Cement plaster of mix:			145/Sqm	168780.00
	i. 1:4 (1 cement: 4 coarse sand)	Sqm	1164.00	(Rupees One Hundred Forty Fire only Fer Sun.)	100700.00
28.	Finishing walls with 100% Premium acrylic emulsion paint having VOC less				
	than 50 gm/litre and UV resistance as				
	per IS 15489:2004, Alkali & fungal resistance, dirt resistance exterior paint				
	of required shade (Company Depot	0	2222		
	Tinted) with silicon additives. 13.94.1 New work (Two or more coats applied @	Sqm	2000.00	135/Sqm (Rupres One Hundred and	270000.00
	1.43 litre/10 sqm. Over & including priming coat of exterior primer applied @			Thirty Fire Only Per Squi)	
	0.90 litre/10 sqm.				
			**		
1325		SY		1	

Lyfi A

of the de

/ 020

			and the second s		170
29.	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade.				
	i. Two or more coats on new work.	Sqm	300.00	105/Sqm (Huyers Gree Plumbed for Smily the April	31500.00
30.	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc including priming coat with approved steel primer all complete. i. Fixed to steel windows by welding	Kg.	600.00	145/Kg. (Regions time Hundred and Famp from only the 14)	87000.00
31.	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer. i. M.S. tube	Kg.	550.00	155/Kg. (Rupper Our Birtherd and Fifty Flow Only Do Ig.)	85250.00
32.	Finishing with Eposy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc complete i. On steel work	Sqm	1000.00	135/Sqm	135000,00
33.	Providing & Fixing of Sign Boards at Tube Well Site & SR Site on 4mm Thick MS board (2'-6" Ht with Structural Steel 50x50x6mm Fixed above Gate 12'-0" wide) painted after priming coat with name of Schemes complete Job.	No.	04	3700/No. (Rupere Three Thorsend and Breen Hundred Goly For No.	14800,00
34.	Fixing of chain link fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. This item also includes carriage of chain link fencing from Divisional Store upto site of work.		180.00	150/Sqtm (Rupees One Mandard Fifth Only For Sqm)	27000.00
35.	for Sluice Chambers etc. including concreting, angle irons, locking arrangements, hinges etc. required for the completion of job. This item also includes carriage of lids from Divisional Store upto site of work.	No.	10	700/No. (Rupoce Bover Hundred out) No. No.)	7000.00
36.	Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven storey height made with 40 mm dia M.S. tube 1.5 m centre to centre horizontal and vertical tubes joining with cup and lock system with M.S. tubes, M.S. tube challies, M.S.				

		2			
	clamps and M.S. staircase system in the scaffoldings for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc. wherever required for inspection of work at required locations with essential safety features for the workmen etc complete as per directions and approval of Engineer-in-charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration of scaffolding.	Sqm	300.00	290/Sqm (Ragues Two Randerel and Starry Cally Fer Sign)	87000.00
37.	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	Cum	470.00	160/Cum (Rupers One Hundred Sixty Only Per Cum)	75200.00
38.	Providing and fixing ISI: 12817 marked Stainless Steel Butt Hinges (heavy weight) with Stainless Steel screws etc. complete. i. 75x50x2.50 mm	No.	64	50/No.	3200.00
39.	Providing and fixing ISI marked oxidized M.S. sliding door bolts with nuts and screws etc. complete: i. 250x16 mm	No.	08	180/No.	1440.00
40.	Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete i. 100x10 mm	r No.	64	50/No.	3200.00
41.	Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete i. 100 mm	No.	64	(Rupees Pilty only Per No.) 50 / No. (Rupees Pilty only Per	3200.00
42.	Carriage of material from various sources upto road site of work by mechanical transport. i. Pipe, Cement and Steel for an avg. lead of 10Kms.	МТ	56.00	245/MT	13720.00

Ruy 11 M

dy ten

				Total	3331081.00
v.	Bricks for an avg. lead of 25Kms.	No.	1966.50	1/No. (Pupers One only Per	1966.50
iv.	Aggregate 40mm nominal bore for an avg. lead of 5Kms.	Cum	49.00	190/Cum (Rupees One Hundred Ninety Only Per Com)	9310.00
iii.	Aggregate 20mm nominal size for an avg. lead of 5Kms.	Cum	69.00	170/Cum (Rupers One Hundred seventy Only Per Cum)	11730.00
ii.	Sand for an avg. lead of 15Kms.	Cum	70.00	220/Cum (Rupees Two Hundred Twenty Only Per Cum)	15400.00

Terms and Conditions:

Rupees Thirty Three Lac Thirty One Thousand and Eighty One Only. This letter of allotment / acceptance of the contractor will constitute a legal contract and the conditions as 1. laid down in advertised NIT / rate list printed PWD for 25 double agreement form will hold good even before the drawal of agreement between the contractor and department. 2.

The time of completion of work is 10 days which shall reckoned from the date of dispatch of this allotment. The CDR for Rs.76500/- (Rupees Seventy Six Thousand and Five Hundred Only) vide No. 717803 3.

Dated: 06-05-2023 has been retained in this office as security deposit for the work.

The payment shall be made after placement of funds to this division by the competent authority. 4. You are directed to attend the office of under signed within 8 days for drawal of necessary agreement with this 5.

Allotment issued on the rates will not be treated as bench mark for similar works. 6.

All other terms and conditions shall remain same as laid down in detailed NIT & PWD form 25 double.

No. 1300 -05 Dated: 16-5-23

gineer. Water Supply Mast Plan Division,

Copy to the:-

The Chief Engineer, Kashmir PHE De 01. ertment, Srinagar for favour of information. 02.

Superintending Engineer, Hyd. Circle, Srinagar / Ganderbal, Head Quarter Srinagar, for information. Asstt. Executive Engineer, Distt. Sub Division 2nd, for information and necessary action. 03.

04.

Asstt. Accounts Officer for information. 05.

Head Draftsman for information.

File Concerned.