Government of Jammu and Kashmir Office of the Executive Engineer, Water Supply Master Plan Division, Srinagar.

M/s Yaseen Hussain Magray S/o: Ghulam Ahmad Magray,

R/o : Hayatpora Beerwah, Budgam.

Regd. NO. : SE(R&B)SB-B-274 of 2017-18

GST No.: 01BJHPM5569BIZG

Allotment Order No. 2022 Dated: 10 -10- 22

Subject:-

Allotment for Construction of Operator Quarter for Water Supply Scheme

Aparpora Balhama under Jal Jeevan Mission.

Reference:-

Your tender in response to this office e-NIT No.19/WSMP of 08/2022 dated: 22-08-2022 issued under endorsement No.4094-4105 dated: 22-08-2022

(S. No.01).

Tender Id:-

2022_PHE_185055_1

Advertised Cost:-

Rs.22.34Lacs (Rupees Twenty Two Lacs and Thirty Four Thousand Only).

Allotted Cost:-

Rs.2300920/- (Rupees Twenty Three Lac Nine Hundred and Twenty Only).

Time of Completion: 90 Days

Head of Accounts:- Jal Jeevan Mission

For and on behalf of the Lt. Governor, UT of Jammu and Kashmir, the above

g quoted rates, terms and conditions:-

101 data on the following			quoted rates, terms and out		Amount
noted wor	rk is hereby allotted to you on the following of Item of Work	Unit	Quantity	Rate	
01. I	Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50 metres: All kinds of soil:	Cum	50,96	500/Cum (Rupees Five Hundred Only per Cum)	25480.00
02.	Providing and laying dry stone soling in foundation trenches hand packed and consolidated by hand ramming (Quarry).	Cum	12.76	1200/Cum (Rupees One Thousand and Two Hundred Only per Cum)	15312.00
03.	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: i. 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)	Cum	7.12	5000/Cum (Rupees Five Thousand Only ger Cum)	35600.00
04		Cum	47.93	7200/Cum (Rupees Seven Thousand and Two Hundred Only per Cum)	345096.00

	111 1 1				
05.	Providing and laying cement concrete in	S			
	kerbs, steps and the like at or near				, A
	ground level including curing, excluding				1 1
Par	the cost of centring, shuttering, and				ì
	finishing.		· ·		
	i. 1:2:4 (1 cement : 2 coarse sand	O	15.82	7000/Cum	110740.00
18	: 4 graded stone aggregate 20	Cum	15.62	*(Rupees Seven	
	mm nominal size)			Thousand Only per Cum)	
				37.	
06.	0				-
	strutting, propping etc. and removal of				
	form for				33495.00
-	i. Foundations, footings, bases of	Sqm	111.65	300/Sqm (Rupees Three	33493.00
	columns etc. for mass	•		Hundred Only per	* 3·
	concrete.			Sqm)	
				720/Sqm	88315.00
	ii. Suspended floors, roofs,	Sqm	122.66	(Dunees Seven	0001011
	landings, balconies and access			Hundred and Twenty Only per Sqm)	
	platforms.				
				580/Sqm	6264.00
	iii. Lintel, beams, plinth beams,	Sqm	10.80	munes Five Hundred	
	girders, bressumers and			and Eighty Only per Som)	
	cantilevers.				
07.	Steel reinforcement for R.C.C. work				
0,,	including straightening, cutting, bending,				
	placing in position and binding all				
	complete.	-		123/Kg.	501108.00
	Thermo-Mechanically Treated	Kg.	4074.05	(Bunees One Hundred	
1	bars of grade Fe-500D or more.			and Twenty Three Only per Kg.)	
08.	Brick work with common burnt clay (non-)
	modular) bricks of class designation 7.5				
	in foundation and plinth including curing				
	in : 6.1.1 Cement lime mortar.			7600/Cum	183312.00
	i Cement mortar 1:6 (1 cement	Cum	24.12		100012.00
	: 6 coarse sand)			and Six Hundred Only per Cum)	
	with common burnt				20200 00
09.	Extra for brick work with common burnt		22.26	1455/Cum	32388.00
	clay bricks/cement concrete bricks in	Cum	22.26	(Rupees One Thousand Four Hundred and Fifty Five Only per Cum)	
	superstructure above plinth level upto				
	floor five level.				
10.	Providing wood work in frames of doors,				
	windows, clerestory windows and other				
	framed and lixed iii				
	regition with hold fast lugs or with dash	ř			
	fasteners of required dia and length (note				
	fast lugs or with dash fasteners shall be				
	paid for separately	-		10100110	07040.00
	i. Second class kail wood.	Cum	0.87	101081/Cum	87940.00
	"			(Rupees One Lac One Thousand and Eighty One Only per Cum)	
	Providing and fixing panelled or panelled				
11.	and glazed shutters for doors, windows			47	1
	and clerestory windows fixing with butt				
	and delestory windows manig with butt				
	hinges of required size with necessary				
	screws, excluding panelling which will be		2	1	
	paid for separately, all complete as per				T.
	direction of Engineer-in-charge. (Note: -		-1129		1
1	Butt hinges and necessary screws shall be		1		,
	paid separately).	Sqm	6.48	3000/Sqm	19440.00
	i. Second kail wood		10	(Rupees Three Thousand Only per Sqm)	
The same of the same	and the discontinuous property and the second second	Sale at	A.A. and	1	

M

·

Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick. Particle Board 12mm thick				
1 • • • • • • • • • • • • • • • • • • •	Sqm	4.01	1800/Sqm (Rupees One Thousand and Eight Hundred Only per Sqm)	7218.00
Providing and fixing glazed shutters for doors, windows and clerestory windows using 4mm thick float glass panes including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws.		9,89	3300/Sqm	32637.00
	Sqm	9.69	(Rupees Three Thousand and Three Hundred Only per Sqm)	· · · · · · · · · · · · · · · · · · ·
14. Providing and fixing IS: 1341 marked M.S. heavy weight - Butt Hinges with necessary screws etc., complete: i. 75x60x3.10 mm	No.	26.00	40/No. (Rupees Forty Only per No.)	1040.00
Providing and fixing ISI marked oxidized M.S. sliding door bolts with nuts and screws etc. complete: 1. 250x16 mm	No.	02	205/No. (Rupees Two Hundred and Five Only per No.)	410.00
16. Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete:		22	63/No.	1386.00
i. 100x10 mm	No.	22	(Rupees Sixty Three Only per No.)	· · · · · · · · · · · · · · · · · · ·
17. Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc.				
i. 100 mm	No.	15	63/No. (Rupees Sixty Three Only per No.)	945.00
18. Providing and fixing chromium plated brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete	3	02	950 No. (Rupees Nine Hundred and Fifty Only per No.)	1900.00
19. Cement concrete flooring 1:2:4 (1cement 2 coarse sand: 4 graded stone aggregate finished with a floating coat of near cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete. i. 40mm thick with 20 mm nominal size stone aggregate.	t d of Sqn	n 41.34	550/Sqm (Rupees Five Hundred and Fifty Only per Sqm)	

BS m

1					
1	12mm Cement plaster of mix:				
20.	i. 1:6 (1 cement: 6 Coars Sand)		396.07	(Rupees Two Hundre and Seventy Only pe	106939.0
21.	15mm Cement plaster on the rough side of single or half brick wall of mix: i. 1: 6 (1 cement: 6 fine sand)		67.44	Sqm) 350/Sqm (Rupees Three Hundred and Fifty Only per Sqm)	23604.00
22.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade, one or more coats on old work.		396.07		34458.00
23.	Distempering with 1st quality acrylic distemper, having VOC (Volatile Organic Compound) content less than 50 grams/liter, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.				5967.00
	i. Two coats	Sqm	67.44	87/Sqm (Rupees Eighty Seven Only per Sqm)	5867.00
24.	Finishing with Deluxe multi surface paint system for interiors and exteriors using primer as per manufacturers' specifications: i. Painting wood work with deluxe multi surface paint of required shade. Two or more coats applied @ 0.90litre/10sqm over an under coat of primer applied @ 0.75litre/10sqm of approved brand and manufacture Supplying and fixing rolling shutters of		100.00	150/Sqm (Rupees One Hundred and Fifty Only per Sqm)	15000.00
25.	approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength confirming to IS:4454 part-1 and M.S. top cover of required thickness for rolling shutters. i. 80x0.90 mm M.S. laths with	Sqm	6.72	2800/5000	
26.	Providing and fixing ball bearing for	No.	01 +	2800/Sqm (Rupees Two Thousand and Eight Hundred Only per Sqm)	18816.00
27.	rolling shutters. Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	.,5	•	540/No. (Rupees Pive Hundred and Porty Only per No.)	540.00
W	i. Welded.	Kg.	300.00	150/Kg. (Rupees One Hundred and Fifty Only per Kg.)	45000.00

M.S.

					1
1	Providing and fixing M.S. grills of required				
28.	pattern in frames of windows etc. with	40,			
	M.S. flats, square or round bars etc.				
	including priming coat with approved				
			1		
	steel primer all complete				
	i. Fixed to openings / wooden	Kg.	200.00	250/Kg.	50000.00
	frames with rawl plugs screws	6'		(Rupees Two Hundred and Fifty Only per Kg.)	
	etc.		•	and Fitty Only per kg.	-
29.	Providing and fixing Ist quality ceramic				
29.	glazed wall tiles conforming to IS: 15622				
	(0.000	1			
	manufacturer), of approved make, in all				
	colours, shades except burgundy, bottle				22525 00
	green, black of any size as approved by			1000/0	22685.00
	Engineer- in-Charge, in skirting, risers of	Sqm	17.45	1300/Sqm	
	steps and dados over 12 mm thick bed of			Thousand and Three	
				Hundred Only per Sqm)	
	cement mortar 1:3 (1 cement : 3 coarse				
	sand) and jointing with grey cement slurry				
	@ 3.3 kg per sqm, including pointing in				
	white cement mixed with pigment of				
	matching shade complete.				
- 20	Providing and laying Ceramic glazed floor				
30.	tiles 300x300 mm (thickness to be				
1	tiles 300x300 iniii (tiletiness to				
	specified by the manufacturers) of 1st				
	quality conforming to IS: 15622 of				
	approved make, laid on 20 mm thick bed			, ,	
	of cement mortar 1: 4 (1 cement : 4				1
	coarse sand) including pointing the joints				1
	with white cement and matching pigment				
	etc. complete.		2.05	7	
	in colour such as White, Ivory,	Sqm	3.25	1119/Sqm	3637.00
	Grey, Fume Red Brown			(Rupees One Thousand One	
	,			Hundred and Ninteen Only per Sqm)	
				Omy per equi	
21	Making soak pit 2.5 m diameter 3.0 meter				
31.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			4 1	
	I common burnt clay (non			23273/Job	23273.00
	hricks of class designation 7.0	Job	01	(Rupees Twenty Three Thousand Two	
	bricks and S.W. drain pipe 100 mm			Hundred and Seventy	!
	diameter, 1.8 m long complete as per			Three Only per Job)	
	diameter, 1.0 in long complete				
	standard design.				
32.	Providing and fixing 3 layer PP-R (Poly				
	Random copolymer pipes				
	conforming to IS: 15801, UV stabilized				
	and anti-microbial fusion welded, naving				
	thermal stability for hot and cold water				
	supply including all PP-R plain and brass			4	
	threaded Polypropylene random fittings.			~	
	This includes testing of joints complete as			4	!
	per direction of Engineer-incharge.		.	cH.	
	1 2 -1-4 5-4			1	
	pipe with clamps at 1.00 meter				
	spacing including cutting chases and				
Time of the same	making good the wall etc.				
	a. PN-16 pipe, 32mm OD(SDR-7.4)			11.0	
	a. The pipe, ozimii oblobit (1.1)	Mtr.	100.00	520/Mtr.	52000.00
	John Marketter and Call Marketter			(Rupees Five Hundred and Twenty Only per	
		4		Mtr.)	1
			<u> </u>		

M M

	Provi	ding and fixing water i	The second second second second	-	The second second	
733. Providing and fixing water closet squatting						
	pan	(Indian type W.C. pan) with 100 mm				
	sand	l cast Iron P or S trap, 10 liter low				
	leve:	write P.V.C. flushing sister	0.			
	incl	duling flush pipe (of approved male)				
	With	manually controlled device thand				1 .
	Teve	conforming to IS: 7231 with all				
	fitti	ngs and fixtures complete, including				
	cut	ting and making good the walls and				,
	floo	ors wherever required.				
		White vitrous shire O			<i>/</i> -	
		Winte victeous china Orissa	No.	01	5500 (No	5500.00
		pattern W.C. pan of size	140,	01	5500/No. (Rupees Five	3300.00
		580x440 mm with integral type foot rests.			Thousand and Five Hundred Only per No.)	1
34.	Pr	oviding and fixing Stainless Steel A ISI				
	30	04 (18/8) kitchen sink as per I.S. 13983				i
	w	ith C.I. brackets and stainless steel plug				1
	4	0 mm, including painting of fittings and				
	b	rackets, cutting and making good the				
	"	valls wherever required :				
1	\ '	i. Kitchen sink without drain				,
		board				ř.
1	1	a. 610x510mm bowl depth	No.	01	4346/No.	4346.00
		200mm	1101		(Rupees Four Thousand Three	
					Hundred and Forty Six Only per No.)	
3	5.	Providing and fixing P.V.C. waste pipe for			our only per may	
		sink or wash basin including P.V.C waste				
1		fittings complete:				
1		i. Semi rigid pipe	No.	. 50.00	450/No. (Rupees Four Hundred and Fifty Only per No.)	22500.00
		a. 40 mm dia.	110.			22000.00
-	36.	Providing and fixing mirror of superior			and Fifty Only per No.j	1
- 1	00.	glass (of approved quality) and of required		7		
		shape and size with plastic moulded				
\		frame of approved make and shade with 6			1,	
1		mm thick hard board backing.				
		i. Rectangular shape 453x357	No.	01	1140/No.	1140.00
1		mm			(Rupees One Thousand One Hundred and Forty	
1.					Only per No.)	
-	0.77	Providing and fixing PVC waste pipe for				19000.00
1	37.	Sanitary fitting including PVC waste	Mtr.	60.00	300/Mtr. (Rupees Three	18000.00
		fittings complete. 100mm.		00.00	Hundred Only per Mtr.)	
	38.					
		hole cover with frame.	No.	05	800/No.	4000.00
					(Rupees Eight Hundred Only per No.)	1
	39	Providing and placing on terrace (at all floor levels) polyethylene water storage				1
		tank ISI: 12701 marked, with cover and			4)	
		suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the		1000.00	9/Ltr.	9000.00
				1000.00	(Rupees Nine Onlysper Ltr.)	
	base support for tank.					10.0
	4	O. Providing and fixing of water gyser ISI				
		mark 50Ltr. Capacity including bolting wilh wall, all accessories / fittings with			21000773	1
	· 3	electric fittings complete job. (Make shall	Job	01	21000/Job (Rupees Twenty One	21000.00
		be decided by Engineer Incharge).			Thousand Only per Job)	,
		2	-L			1

B) h

	1 Carlo Carlo			The state of the s	
	Providing and fixing Stainless steel soap				400.00
41.	complete ich (Mol-s -1 : 1	No.	00	200/No. (Rupces Two Hundred	400.00
	decided by Engineer Incharge).	140.	02		
				Only per No.)	
42.	Providing and fixing Stainless steel long				
, -	body tap conforming to IS Standards.			2000/No.	10000.00
	(Make shall be decided by Engineer	No.	05	(Rupees Two Thousand Only per	
	Incharge).			No.)	9
					•
43.	Providing and fixing Stainless Wall mixer				
	with Angle Cock and all accessories			•	
	complete job conforming to ISI Standard.	No.	02	5000/No.	10000.00
	(Make shall be decided by Engineer			(Rupees Five Thousand Only per	10000.00
	Incharge).			No.)	
					650.00
44.			0.1	650/No.	
1	towel rod complete job. (Make shall be	No.	01	and Fifty Only per No.)	2.6
1	decided by Engineer Incharge).				1 -
45	. Providing and fixing Stainless floor drain			, ' t	
1	trap / jali with cockroach trap all			000 /No	
1	accessories complete job conforming to IS	No.	02	900/No. (Rupees Nine Hundred	1800.00
1	standards. (Make shall be decided by		1	Only per No.)	3 3
1	Engineer Incharge).				
1	6. Providing and fixing Stainless wall shelf			,	
1 4	with all accessories complete job		02		
1	conforming to IS standard. (Make shall	No.	02	800/No. (Rupees Eight Hundred Only per No.)	1600.00
1	be decided by Engineer Incharge).				
-	- YY - bu way of				
1	47. Electrification of Pump House by way of				
1	providing and fixing of:				!
1	i. Lighting point in 1.0Sqmm multistrand / bulk head type			1500/Point	
1	PVC insulated copper		10		15000.00
1	conductor to be laid / carried	Point		1500/Point	
1	in DVC Channel /Conduit. The			Thousand and Five Hundred Only per	
1	ich includes providing / IIXIIIg			Point)	
1	of 5Amp switch angle / button holder, 9W LED lamp with				
	macessary fixtures.				
	Unsting points in 2.55q IIIII				*
	multistrand / bulk head type			occo /Daint	8000.00
	h h h h h h h h h h h h h h h h h h h	Deint	04	2000/Point (Rupees Two	1.
	conductor to be laid / carried in PVC Channel / Conduit. The	Point	0.	Thousand Only per Point)	1
	job includes providing / fixing				-
	of 164mp SS Combine.				
	- iding and fixing of Ceiling Ian Isi			5000/No.	
	handard make will complete	NT-	02	(Rupees Five	10000.00
	wiring etc. complete job. (Make shan be			No.)	
	decided by Engineer Incharge). 49. 5 Pin Socket points with complete wiring			1000/No.	5000.00
	49. 5 Pin Socket points with complete warms	No.	05	(Rupees One Thousand Dnly per No.)	ì
	complete job.	-	+	110.1	
	50. Distribution board SP&N (Ragal Grey)	,		43	1
	with one number incoming and 8 way outgoing, fitted with mini MCB series 6A		•	*	
	outgoing, fitted with min Med series of 10 No's of lighting points and 2/3 pir.	n			
	socket points and fans, 10Amp 2 No. for	r			
	flood lights, 16A 4 No. for heating points	,		F ₁	÷
	63A MCB mains including all the fittings	s		10000 / 7-1-	10000.00
	necessary for making the electrification	n l	01	10000/Job (Rupees Ten	1
	safe and workable reputed make. (Make	e OOS	01	Thousand Only per Job)	
	shall be decided by Engineer Incharge).	.			1
				a delta	× 11

M S

F							170pf
-	51.	-	g old plaster or skirting, raking and cleaning the surface for	w €7			
		plaster inc	luding disposal of rubbish to	Sqm	150.00	37/Sqm (Rupees Thirty Seven Only per Sqm)	5550.00
		the dumpi lead. (old C	ng ground within 50 meters ()HT).				25000.00
			fing material for slab / OHT	Kg.	500.00	50/Kg. (Rupees Fifty Only per Kg.)	25000.00
		polished, machine counters, locations,	and fixing gang saw cut, mirror premoulded and prepolished, ut for kitchen platforms, vanity window sills, facias and similar of required size, approved our and texture laid over 20 mm		4		
	*	thick base 4 coarse s cement, n epoxy too curing, me	cement mortar 1:4 (1 cement : sand), joints treated with white nixed with matching pigment, uch ups, including rubbing, bulding and polishing to edges gh gloss finish etc. complete at				
		all levels i.	Granite of any colour or shade a. (Area of slab over 0.5 sqm) 16mm	Sqm	2.78	3000/Sqm (Rupees Three Thousand Only per Sqm)	8340.00
	54.	Carriage o	f material from various sources I site of work by mechanical				
		transport.		MT	432.92	247/MT (Rupees Two Hundred and Forty Seven Only per MT)	106931.00
		ii.	Bricks for an avg. lead of 25Kms.	No.	11459	1.22/No. (Rupees One and Paisa Twenty Two Only per No.)	13980.00
		iii.	Coarse aggregate 40mm nominal size for an avg. lead of	Cum	6.41	215/Cum (Rupees Two Hundred and Fifteen Only per Cum)	1378.00
		iv.	5Kms. Coarse aggregate 20mm nominal bore for an avg. lead of 5Kms.	Cum	64.40	199/Cum (Rupees One Hundred and Ninty Nine Only per Cum)	12816.00
		v.	Sand for an avg. lead of 15Kms.	Cum	34.36	345/Cum (Rupees Three Hundred and Forty Five Only per Cum)	11854.00
		vi.	Stone Soling for an avg. lead of 5Kms.	Cum	12.76	200/Cum (Rupees Two Hundred Only per Cum)	2552.00 2300920.00
					10001		

Rupees Twenty Three Lac Nine Hundred and Twenty Only.

Terms and Conditions:

1. This letter of allotment / acceptance of the contractor will constitute a legal contract and the conditions as laid down in advertised NIT / rate list printed PWD for 25 double agreement form will hold good even before the drawal of agreement between the contractor and department.

2. The time of completion of work is 20 days which shall reckoned from the date of dispatch of this allotment.

3. The FDR for Rs.44680/- (Rupees Forty Four Thousand Six Hundred and Eighty Only) vide No.2976830 dated: 15-09-2022 has been retained in this office as security deposit for the work.

4. The payment shall be made after placement of funds to this division by the competent authority.

5. You are directed to attend the office of under signed within 8 days for drawal of necessary agreement with this department.

6. Allotment issued on the basis of total cost of work and not on the basis of individual item rates, which will not be treated as any bench mark for rates.

7. All other terms and conditions shall remain same as laid down in detailed NIT & PWD form 25 double.

No. 333-10 May Dated: 0 - 10-2 2

Copy to the:

The Chief Engineer, Kashmir PHE Department, Srinagar for favour of information.

Superintending Engineer, Hyd. Circle, Srinagar / Ganderbal, Head Quarter Srinagar, for information.

Asstt. Executive Engineer, Distt. Sub Division 2nd, for information and necessary action.

Asstt. Accounts Officer for information.

Ele Concerned

01. 02: 03. 04. 05. 06.

File Concerned.

Master Plan Division,