Union Territory of Jammu & Kashmir

Office of the Executive Engineer (R&B) Spl. Sub Division Gurez Allotment Order No. /4 /EE/SSDG/2023-24

Dt:= 0 / / 0 R /2023

The Assistant Executive Engineer (PHE) Sub Division Gurez

Head of Account:-

Subject: Laying and fitting of GI pipes including Construction of protection works/ head works at head site, Intake Chamber near head site, 0.03 lac gallon SR, Sluice Chamber, supporting pillars for RWM at spots, cattle trough for Retrofitting of WSS Mazgund Tulail for 100% coverage of FHTCs "Under JJM)

Reference:- This office e-NIT No:- 10/EE/SSDG of 2023-24 S.No.(01) issued under No. E/SSDG/324-33 dated:- 20/ 04/2023. & L.O.I No.EE/SSDG/2514-16 Dt.07-07-2023 and Authorization for issuance of allotment, Member Secretary DJJM Superintending Engineer Hyd. Circle Bla./Bpr H.Q pore letter No. No.SE/Hyd/3885-98 Dt.06-07-2023. For and on behalf of the Lt Governor of UT Jammu & Kashmir, the Executive Engineer Spl. Sub Division Gurez hereby fixes the contract for above named work in favour M/S.GH Rasool Raina & Sons (Alias Lone) S/o:-Habib-tillah Raina (Alias Lone) R/O Gundpora Rampora Bandipora Regd. No:-SE(R&B)SB-B-467 of 2016-17GSTIN No:01ATQPL3704R1ZB on the rates as per Annexure (A) forming part of this allotment letter.

The contract shall be Governed by the terms and conditions of the tender notice referred to above and also by the terms and condition of the detailed tender notice which is in vogue in this Division

The contractor should be directed to attend the Divisional office along with his valid registration card duly renewed for making necessary entry therein within a week's time & drawl of necessary agreement with the Department. The tender submitted by the contractor, floated tender notice and this allotment order shall constitute a legal contract document even before drawl of formal agreement deed & in the event of contractor's fallure to do so he shall be responsible for the resultant consequences.

The performance security deposited by the contractor in shape of the CDR bearing No. No.3144012 dated 17/07/2023 worth Rs. 80700/ issued by the J&K Main Branch Bandipora is retained in this office till successful of defect liability period.

The date of start of work shall be reckoned after 3 days from the date of issue of letter of intent! allotment order

The time of completion of work shall be (60) days.

The cost on allotted rates works out of Rs.2688568 / (Twenty Six Lakh Eighty Eight Thousand Five Hundred Sixty Eight Rupees only)(Excld. Cost of pipes) against the advertised cost of Rs.27.21 Lacs.

Note:-)

I)The work shall have to be executed strictly as per the items advertised and proposals, in no case should thereby deviation in any item/ items of work or to execute any item beyond the rate list or exceed the quantities.

II)In case the contractor fails to execute the work the CDR/earnest money deposited by the contractor will be forfeited in first instance, besides the contractor will be recommended for black listing or debarred from contracts in P.W.D especially in this division for at least one year

III) In case of any delay caused in execution of works penalty upto 10% shall be imposed upon the ontractor or the Department shall be at the liberty to terminate the contract in or full(as the case may be) and the contract shall be completed through some other available sources at the risk and cost of the defaulting agency after serving not more than two notices which should be strictly noted.

IV) The control of the budget allocation which include the cost of key construction material shall be sole responsibility of the concerned Assistant Executive Engineer and shall not exceed under any circumstances except from the proper approvals from the competent authority and the AEE concerned will make it sure that no liability is created on this account is ensured V) The AEE concerned will make it sure that Geo-tagged photographs showing before execution, during execution and after execution of work is enclosed with every claim.

VI). The rates shall include the charges on account of Geo-tagged Photographs etc.

VII) Service tax plus surcharges as required under rules framed by Govt. should be deducted from the bills of the contractor. In case Govt. increases the rates of service tax, the contractor has to pay the same at his own cost. No claim whatsoever will be entertained on this account.

VIII) The defect liability will be (18) months from the date of actual completion of the Work.

IX) The Department shall not be responsible for any site dispute which may occur during the execution of work

No.EE/SSDG/ 3650-62.

Dated: 9/- 7-2023: Head B

Special Sub Division Gurez

Copy to the:

1. Superintending Engineer (Hyd) Circle Baramulla H.Q Sopore for favour of information

2 M/S.GH Rasool Raina & Sons (Alias Lone) S/o:-Habib-ullah Raina (Alias Lone) R/O Gundpora Rampora Bandipora for information & n/a

3). Head Draftsman Drawing Branch Divisional Office for information.

4). Head Assistant Divisional Office for Information,

(Contd..on..page..2nd)

(Page...2nd) Name of the Work: for Laying and fitting of GI pipes including Construction of protection works/ head works at head site, intake Chamber near head site, 0.03 Jac gallon SR, Sluice Chamber, supporting pillars for RWM at spots, cattle trough for Retrofitting of WSS Mazgund Tulail for 100%

coverage of FIITCs "Under JJM)

SI. No.	Item Description	Qty	Units	Rate Quoted By The Bidder (L1) Rate in Rs. P	Pacentag a Questad by Tondort ME
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (Not exceeding 1.5 mtr in width) and for shafts, wells, cesspits and the like not exceeding 10sqm on plan, depth upto 1.5mtr. including disposal of excavated earth upto 1 mtr from cutting edge, disposed earth is to be levelled and neatly dressed in: All kinds of soil	1274.3 5	Cum	436.00 (Four Hundred Thirty Six Rupees)	
1.01	Ordinary rock	546.15	Cum	967.00 (Nine Hundred Sixty Seven Rupees)	all Items of work
2.00	laying and fitting of GI pipes in tenches as per IS: 1239 of 2004 and ammendments pipe (Light grade) 65mm dia pipe (Light grade)	3900.0 0	RM	73.05 (Seventy Three Rupees and Five Paise)	
2.01	50mm dla pipe (Light grade)	350.00	RM	40.80 (Forty Rupees and Eighty Paise)	
2.02	40mm dia pipe (Light grade)	552.00	RM	40.80 (Forty Rupees and Eighty Paise)	rates
2.03	25mm dla pipe (Light grade)	840.00	RM	30.65 (Thirty Rupees and Sixty Five Paise)	below on the advertised rates for
2.04	20mm dla pipe (Light grade)	950.00	RM	20.25 (Twenty Rupees and Twenty Five Paise)	on the a
2.05	15mm dla pipe (Light grade)	1090.0 0	RM	20.25 (Twenty Rupees and Twenty Five Paise)	
3	Making connection of G.I distribution branch with G.I main of following sizes by providing & fixing of Tee including cutting & threading the pipe etc. Complete: 15mm dia nominal bore FHTC,s to household including cost of water meter and bibcocks.	22.00	No	1500.00 (One Thousand Five Hundred Rupees)	Int Two Zero percent)
4	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. Layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering lead upto 50m and lift upto 1.5m.	1531.6 9	Cum	198.70 (One Hundred Ninety Eight Rupees and Seventy Paise)	1.20% (One Point Tw
5	Providing/fixing of regulating devices including all carriages complete: 65mm dia Sluice valve	3.00	No	8000.00 (Eight Thousand Rupees)	.20%
5.01	50mm dia Sluice valve	3.00	No	5000.00 (Five Thousand Rupees)	7
6	P/fixing of MS control valve chamber size 0.60x0.60x0.60 fabricated out of5mm thick MSplate including hire charges of DG set, generator, welder and all carriages complete job. (2No)	2.00	No	10000.00 (Ten Thousand Rupees)	
7	Providing and laying of stone soling (hand packed).	6.82	Cum	616.40 (Six Hundred Sixteen Rupees and Forty Paise)	

(Contd..on..page..3rd)

Head Draftsman

Executive Engineer
Special Sub Division Gurez

(Page..3rd)Name of the Work: for Laying and fitting of GI pipes including Construction of protection works/ head works at head site, Intake Chamber near head site, 0.03 lac gallon SR, Sluice Chamber, supporting pillars for RWM at spots, cattle trough for Retrofitting of WSS Mazgund Tulail for 100%

coverage of FHTCs "Under JJM) Providing and laying in position cement concrete of 4910.94 (Four specified grade including curing but excluding the cost of Cum 6.15 Thousand Nine centring and shuttering. All work upto plinth level with: 8 Hundred Ten Rupees 1:4:8 (1 cement : 4 coarse sand : 8 graded stone and Ninety Four Paise) aggregate 40 mm nominal size) Providing/laying in position specified grade of 7979.55 (Seven reinforced cement concrete including curing but Thousand Nine excluding cost of centering, shuttering, finishing & **Hundred Seventy Nine** 8.11 9 Cum reinforcement. All works upto plinth level 1:11/2:3 (1 Rupees and Fifty Five cement: 11/2 coarse sand: 3 graded stone aggregate 20 Paise) of work mm nominal size) : Base/Raft 9503.16 (Nine Walls 16.89 Thousand Five Cum 9.01 rates for all Items **Hundred Three Rupees** and Sixteen Paise) 9948.83 (Nine Slab/Ring beam Thousand Nine 1.86 Hundred Forty Eight Cum 9.02 Rupees and Eighty advertised Three Paise) 10509.61 (Ten Dome 1.15 _ Thousand Five Cum 9.03 **Hundred Nine Rupees** below on the and Sixty One Paise) Providing/laying in position specified grade of 7049.16 (Seven reinforced cement concrete including curing but 3.12 Thousand Forty Nine excluding the cost of centering, shuttering, finishing & Cum 10 Rupees and Sixteen reinforcement. All works upto plinth level 1:2:4 (1 percent) Paise) cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) 93.23 (Ninety Three Mild Steel reinforcement for R.C.C. work including 2910.5 Rupees and Twenty Kgs straightening, cutting, bending, placing in position and 11 Three Paise) -1.20% (One Point Two Z binding wire. 3000.00 (Three Providing and fixing of MS main hole cover of 0.75 x 0.75 4.00 No Thousand Rupees) 12 size fixed with 50x60 MM ISA 262.30 (Two Hundred Centering and shuttering including strutting, propping Sixty Two Rupees and 31.80 Sqm etc. and removal of form work in: Bases/Raft 13 Thirty Paise) 573.85 (Five Hundred Walls Seventy Three Rupees 132.94 Sqm 13.01 and Eighty Five Paise) 635.60 (Six Hundred Slab Thirty Five Rupees and 3.89 Sqm 13.02 Sixty Paise) 502.85 (Five Hundred Ring beam Two Rupees and 4.77 Sqm 13.03 Eighty Five Paise) 2086.80 (Two Domes Thousand Eighty Six 7.55 Sqm Rupees and Eighty 13.04 Paise)

(Contd..on..page..4th)

Head Draftsman .

Executive Engineer Special Sub Division Gurez

(Page..4th)Name of the Work: for Laying and fitting of GI pipes including Construction of protection works/ head works at head site, Intake Chamber near head site, 0.03 lac gallon SR, Sluice Chamber, supporting pillars for RWM at spots, cattle trough for Retrofitting of WSS Mazgund Tulail for 100% coverage of FHTCs "Under JJM)

	coverage of FHTCs "Unde	er JJM)			_
14	Providing and mixing of water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specifications.	163.13	Kgs	66.58 (Sixty Six Rupees and Fifty Eight Paise)	
15	12 mm thick cement plaster in 1:4 mix (1 cement:4 coarse sand)	8.10	Sqm	260.00 (Two Hundred Sixty Rupees)	
16	Providing and fixing of mild steel round holding down bolts with nuts and washers and plates complete.	12.00	Kgs	93.23 (Ninety Three Rupees and Twenty Three Paise)	1
20	Carriage of different materials from source to Road site of by MT. Incl. loading and unloading & stacking. Steel/Cement 25 Km	11.48	м.т	349.39 (Three Hundred Forty Nine Rupees and Thirty Nine Paise)	fwork
20.01	Sand 15 Km	11.48	M.T	297.02 (Two Hundred Ninety Seven Rupees and Two Paise)	Items of
20.02	Aggregate 15 Km	15.09	Cum	322.86 (Three Hundred Twenty Two Rupees and Eighty Six Paise)	rates for all
20.03	Stone/Soling 15 Km	37.37	Cum	327.56 (Three Hundred Twenty Seven Rupees and Fifty Six Paise)	ש
20.04	Pipes 25 Km	6.82	Cum	349.39 (Three Hundred Forty Nine Rupees and Thirty Nine Paise)	the advertise
21	Carriages of materials by H/L from road site upto actual site of work.Cement 1500 Mtr	5.74	M.T	555.50 (Five Hundred Fifty Five Rupees and Fifty Paise)	below on
21.01	Steel 1500 Mtr	5.74	M.T	1193.32 (One Thousand One Hundred Ninety Three Rupees and Thirty Two Paise)	ero percent)
21.02	Sand 1500 Mtr	11.48	Cum	1334.98 (One Thousand Three Hundred Thirty Four Rupees and Ninety Eight Paise)	Point Two Z
21.03	Aggregate 1500 Mtr	15.09	Cum	1443.16 (One Thousand Four Hundred Forty Three Rupees and Sixteen Paise)	-1.20% (One
21.04	Stone soling 1500 Mtr	37.37	Cum	1570.48 (One Thousand Five Hundred Seventy Rupees and Forty Eight Paise)	
21.05	Pipes 1500 Mtr	6.82	M.T	700.50 (Seven Hundred Rupees and Fifty Paise)	

(Rates &Quantities checked)

Head Braftsman

Executive Engineer Special Sub Division Gurez