

Government of Jammu Kashmir
Office of the Executive Engineer P.H.E Division Awantipora

Name: Gh Mohd Wani
S/O: Ali Mohd Wani
R/O: Padgampora
Reg. No. : 26/RTIC/2001-02
GST No. 01AANPW3311K1ZP
PAN No.:AANPW311-K

No.PHA/ 6806-6814
Dated: 9-2-2023

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS Larkipora.

- Reference:-
- 1) Your tender in response to Chief Engineer Jal Shakti (PHE) Department's E-Nit No. 04 of 2022-23 Dated: 01.08.2022 issued vide endorsement no: CE/PHE/JJM/14594-14620 Dated: 01.08.2022
 - 2) Accord Vide No:-SE/HYD/SPN/52 of 01/2020-21 Dated: 27/01/2021 endorsed vide No. SE/Hyd/Spn/4245-56 dated:- 27.1.2021
 - 3) Chief Engineer Kmr, Jal Shakti (PHE) Deptt. Srinagar's Technical Sanction No: CE/PHE/DB/628 of 09/2022 Dated: 15.09.2022 issued under endorsement No: CE/PHE/DB/22659-63 Dated: 15.09.2022 for an amount of Rs 114.11 lacs.
 - 4) Chief Engineer Kmr, Jal Shakti (PHE) Deptt. Srinagar's No. CE/PHE/K/E & T /JJM /26637-52 dated:- 19.10.2022
 - 5) Minutes of Meeting DJJM Pulwama held on 27.12.2022 endorsed vide No. SE/Hyd/Spn/6402-10 dated:- 28.12.2022

For on behalf of lieutenant Governor of Union Territory of Jammu & Kashmir, contract for above mentioned work is hereby fixed with you at the following quoted rates, terms conditions .

Advertised Cost:- 38.22 lacs (Before approved design)

Alloted Cost:- Rs 58.407 lacs

(Rupees fifty eight lacs forty thousand and seven hundred only)

S.No	Particulars of Items	Units	Quantity	Estimated Rate	Amount	
					In figures	In words
1	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.	Cum	199.000	188.750	37561.25	Rupees ThirtySeven Thousand Five Hundred SixtyOne Paise TwentyFive Only
2	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material :				0.00	0
	All kinds of soil :	Cum	199.000	81.650	16248.35	Rupees Sixteen Thousand Two Hundred FourtyEight Paise ThirtyFive Only
3	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.				0.00	0

Received & Rates accepted

Handwritten signatures and initials in blue and red ink.

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS Larkipora.

ent for Construct
Staging height
Larkipora.

	All kinds of soil :	Cum	199.000	539.350	107330.65	Rupees One Lakh Thousand Three Thirty Paise Sixty
4	Pumping out water caused by springs, tidal or river seepage, broken water mains or drains and the like.	1KL	200.000	155.550	31110.00	Rupees ThirtyOne One Hundred Ten Only
5	Close timbering in trenches including strutting, shoring and packing cavities (wherever required) complete. (Measurements to be taken of the face area timbered). 2.14.2 Depth exceeding 1.5 m but not exceeding 3 m	SqMtr		247.750	0.00	
6	Boring, providing and installing bored cast-in-situ reinforced cement concrete pile of specified grade concrete mix, diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured from top of shoe to the bottom of pile cap) 21.2.1 By percussion drilling using Direct mud circulation (DMC) or Bailer and chisel technique by tripod and mechanical Winch Machine all complete.				0.00	
	450 mm dia piles					
	M-25				0.00	
	M-30	Mtr		1871.485	0.00	
	M-35	Mtr		1889.250	0.00	
	500 mm dia piles					
	M-25				0.00	
	M-30	Mtr		2185.205	0.00	
	M-35	Mtr		2207.150	0.00	
	600 mm dia piles					
	M-25				0.00	
	M-30	Mtr		2977.205	0.00	
	M-35	Mtr		3008.830	0.00	
	M-35	Mtr		3040.400	0.00	
	750 mm dia piles					
	M-25				0.00	
	M-30	Mtr		4572.315	0.00	
	M-30	Mtr		4621.705	0.00	
	M-35	Mtr		4671.040	0.00	

Handwritten signatures and initials in blue and red ink.

Rupees One Lakh
Thousand Three Hundred
Thirty Paise SixtyFive Only
Rupees ThirtyOne Thousand
Hundred Ten Only

ment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type
in staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS
Kipora.

	Optical load testing of piles in accordance with IS 2911 (part IV) including installation of loading platform by kentledge/Anchor pile method and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & the direction of Engineer-in-Charge. 21.6.1 Single pile upto 50 tonne safe capacity	PER TEST			0.00	0
	Initial test (Test Load 2.5 times the safe capacity)	PER TEST		53517.500	0.00	0
	Routine test (Test Load 1.5 times the safe capacity)	PER TEST		20069.050	0.00	0
8	Demolishing R.C.C. work manually/by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge. (Chipping of Pile Heads)	Cum		2289.250	0.00	0
9	Providing and laying hand packed stone soling (Quarry) 75mm nominal size including ramming and dressing including all leads lifts and all carriages complete.	Cum	55.460 ✓	1320.000 ✓	73207.20 ✓	Rupees SeventyThree Thousand Two Hundred Seven Paise Twenty Only
10	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:				0.00	0
	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	Cum	10.750 ✓	4861.835 ✓	52264.73 ✓	Rupees FiftyTwo Thousand Two Hundred SixtyFour Paise SeventyThree Only
11	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level				0.00	0
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	81.360 ✓	7800.760 ✓	634669.83 ✓	Rupees Six Lakh ThirtyFour Thousand Six Hundred SixtyNine Paise EightyThree Only
12	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				0.00	0
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum		9408.135	0.00	0
13	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with:				0.00	0

Handwritten signatures and initials in red ink.

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS Larkipora.

ment for Construction/Te...
n staging height of 20.00 m...
Larkipora

	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	12.270 ✓	9849.345 ✓	120851.46 ✓	Rupees One Lakh Thousand Eight FiftyOne Paise Four Only
14	Providing and laying upto floor v level reinforced cement concrete in kerbs, steps and the like including curing but excluding the cost of centering, shuttering, finishing and reinforcement with;				0.00	
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum		9036.390	0.00	
15	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with;				0.00	
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	11.090 ✓	10404.515 ✓	115386.07 ✓	Rupees One Lakh Fifteen Thousand Three Hundred EightySix Paise Seven Only
16	Reinforced cement concrete work in chimneys, shafts upto floor five level including curing complete but excluding the cost of centering, shuttering, finishing and reinforcement with;				0.00	
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	55.480 ✓	9600.635 ✓	532643.23 ✓	Rupees Five Lakh ThirtyTwo Thousand Six Hundred FortyThree Paise TwentyThree Only
17	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. Note: - Cement in this item is @ 330 kg/ cum. Excess or less cement used as per design mix is content considered payable or recoverable separately.				0.00	
	All works upto plinth level	Cum	8.940 ✓	7911.255 ✓	70726.62 ✓	Rupees Seventy Thousand Seven Hundred TwentySix Paise SixtyTwo Only
	All works above plinth level upto floor V level	Cum	10.310 ✓	9302.975 ✓	95913.67 ✓	Rupees NinetyFive Thousand Nine Hundred Thirteen Paise SixtySeven Only

Handwritten signatures and initials in red ink at the bottom right of the page.

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS Larkipora.

ment for C
n staging height
Larkipora
for providi
less
is
5.35.1
gr

	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	12.270 ✓	9849.345 ✓	120851.46 ✓	Rupees One Lakh Thousand Eight FiftyOne Paise Four Only
					0.00	
14	Providing and laying upto floor v level reinforced cement concrete in kerbs, steps and the like including curing but excluding the cost of centering, shuttering, finishing and reinforcement with:					
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum		9036.390	0.00	
					0.00	
15	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with:					
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	11.090 ✓	10404.515 ✓	115386.07 ✓	Rupees One Lakh Fifteen Thousand Three Hundred EightySix Paise Seven Only
16	Reinforced cement concrete work in chimneys, shafts upto floor five level including curing complete but excluding the cost of centering, shuttering, finishing and reinforcement with:				0.00	
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	55.480 ✓	9600.635 ✓	532643.23 ✓	Rupees Five Lakh ThirtyTwo Thousand Six Hundred FortyThree Paise TwentyThree Only
					0.00	
17	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-incharge. Note: - Cement in this item is @ 330 kg/ cum. Excess or less cement used as per design mix is content considered payable or recoverable separately.					
	All works upto plinth level	Cum	8.940 ✓	7911.255 ✓	70726.62 ✓	Rupees Seventy Thousand Seven Hundred TwentySix Paise SixtyTwo Only
	All works above plinth level upto floor V level	Cum	10.310 ✓	9302.975 ✓	95913.67 ✓	Rupees NinetyFive Thousand Nine Hundred Thirteen Paise SixtySeven Only

[Handwritten signatures and marks]

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS Larkipora.

Allotment for Construction with staging height Larkipora
CEMENT PLASTER
Cost of repair

	Edges of slabs and breaks in floors and walls	Mtr		242.300	0.00	
	Extra for additional height in centering, shuttering where ever required with adequate bracing, propping etc. including cost of de-shuttering and de-centering at all levels, over a height of 3.5 m, for every additional height of 1 meter or part thereof (Plan area to be measured).				0.00	
	Suspended floors, roofs, landings, beams and balconies (plan area to be measured)	SqMtr		267.600	0.00	
22	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	kg	175.190	57.900	10143.50	Rupees Ten Thousand One Hundred FortyThree Paise Fifty Only
	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunk and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material. Beyond 120 cm girth upto and including 240 cm girth.	Each	35.000	7090.800	248178.00	
	Felling trees of the girth (measured at a height of 1 m above ground level) including cutting of trunk and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material. Beyond 60 cm girth upto and including 120 cm girth.	Each	13.000	1530.800	19900.40	
23	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1 m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared.	sqm	176.000	11.360	1999.36	Rupees One Thousand Nine Hundred NinetyNine Paise ThirtySix Only
24	Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete upto plinth level.				0.00	0
	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg		87.175	0.00	0
25	Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete above plinth level.				0.00	0
	Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	19032.300	87.175	1659140.75	Rupees Sixteen Lakh FiftyNine Thousand One Hundred Fourty Paise SeventyFive Only

[Handwritten signatures and initials in red and black ink]

Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS

Larkipora.

	CEMENT PLASTER WITH A FLOATING COAT OF NEAT CEMENT 12mm Cement plaster finished with a floating coat of neat cement of mix:				0.00	0
	1 : 3 (1 cement : 3 fine sand)	sqm	78.070	343.750	26836.56	Rupees TwentySix Thousand Eight Hundred ThirtySix Paise FiftySix Only
	1 : 4 (1 cement : 4 fine sand)	sqm		325.450	0.00	0
	6 mm cement plaster to ceiling of mix 1 : 3 (1 cement : 3 fine sand)	sqm		221.500	0.00	0
27	Extra for plastering exterior walls of the height more than 10m from ground level for every additional height of 3m or part thereof.	sqm		65.050	0.00	0
	Extra for plastering				0.00	0
	Spherical Ceiling	sqm		128.200	0.00	0
	Grained ceiling	sqm		139.100	0.00	0
	Flewing Soffits	sqm		84.550	0.00	0
28	EXTERIOR FINISHING Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	sqm	450.770	91.800	41380.69	Rupees FourtyOne Thousand Three Hundred Eighty Paise SixtyNine Only
29	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	Cum	278.600	198.700	55357.82	Rupees FiftyFive Thousand Three Hundred FiftySeven Paise EightyTwo Only
30	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6mm angle iron and 3mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.				0.00	0
	Using M.S. angles 40x40x6mm for diagonal braces.	sqm	2.160	4352.950	9402.37	Rupees Nine Thousand Four
	Using flats 30x6mm for diagonal braces and central cross piece.	sqm		4189.600	0.00	0
31	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. chequered plate wherever required, all complete.				0.00	0
	In stringers, treads, landings etc. of stair cases, including use of	Kg		114.675	0.00	0
	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	Kg	822.410	146.630	120589.98	Rupees One Lakh Twenty Thousand Five Hundred EightyNine Paise NinetyEight Only
32	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.				0.00	0

Handwritten notes and signatures:
 X
 17
 13
 17
 13

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS Larkipora.

ment for Construct
staging height
Larkipora.
ding and F
ble rang
ding of
its inc
Cont
la

		Kg	81.360	172.900	14067.14	Rupees Four
	M.S. tube	Kg		166.050	0.00	
	E.R.W. tubes	Kg		174.250	0.00	
	G.I. pipes				0.00	
33	Providing and fixing G.I. pipes (B medium) complete with G.I. fittings excluding trenching and refilling etc. (external work) for rising main and delivery main of OHT.					
	15 mm dia. nominal bore	mtr		163.550	0.00	
	20 mm dia. nominal bore	mtr		204.450	0.00	
	25 mm dia. nominal bore	mtr		298.150	0.00	
	32 mm dia. nominal bore	mtr		360.900	0.00	
	40 mm dia. nominal bore	mtr		418.800	0.00	
	50 mm dia. nominal bore	mtr		559.350	0.00	
	65 mm dia. nominal bore	mtr		711.700	0.00	
	80 mm dia. nominal bore	mtr		840.000	0.00	
	100 mm dia. nominal bore	mtr	144.000	1234.950	177832.80	Rupees One Lakh SeventySeven Thousand Eight Hundred ThirtyTwo Paise Eighty Only
	150 mm dia. nominal bore	mtr		2167.650	0.00	
34	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments.				0.00	
	80 mm dia. Class 1	Each		14058.000	0.00	
	100 mm dia. Class 1	Each	2.000	17210.000	34420.00	Rupees ThirtyFour Thousand Four Hundred Twenty Only
	125 mm dia. Class 1	Each		21000.000	0.00	
	150 mm dia. Class 1	Each		26720.000	0.00	
	200 mm dia. Class 1	Each		42300.000	0.00	
	250 mm dia. Class 1	Each		66440.000	0.00	
	300 mm dia. Class 1	Each		83100.000	0.00	
	350 mm dia. Class 1	Each		181060.000	0.00	
35	Providing & fixing of MS fittings viz bends of suitable degree, tees, collars etc to be fabricated from 6mm Nominal Size MS plate as per the requirement of site including cost of welding. The work should be leakproof and should be painted with anti corrosive red oxide primer. Complete Job.	Kg	55.000	147.820	8130.10	Rupees Eight Thousand One Hundred Thirty Paise Ten Only
36	Providing, fabricating & installation/laying of MS fittings for flanged C.I. standard specials such as tees, bends, collars, tapers, caps etc. suitable for flanged jointing as per IS : 1538 (as per site requirement)				0.00	
	Up to 300 mm dia.	Quintal		7823.700	0.00	
	Over 300 mm dia.	Quintal		8225.100	0.00	

Handwritten signatures and initials in red ink.

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity, with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS Larkipora.

ment to
1 staging h
Larkipora.
nd 20 km per addi
age of materi
ading, unloading

		Cum	189.750	0.00	
		Cum	171.050 ✓	206.276 ✓	35283.42 ✓
	4 km				Rupees Three Two Hundred Paise Fourty
	5 km	Cum		74.580	0.00
	Beyond 5 km upto 10 km per km @ 14.91/add km	Cum		24.280	0.00
	Beyond 10 km upto 20 km per km @ 12.14/add km	Cum		9.936	0.00
	Beyond 20 km per additional km	Cum			0.00
43	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate 40mm and above :				
	3 km	Cum		187.600	0.00
	4 km	Cum		206.253	0.00
	5 Km	Cum	9.680 ✓	224.204 ✓	2170.29 ✓
	Beyond 5 km upto 10 km per km	Cum		16.215	0.00
	Beyond 10 km upto 20 km per km	Cum		13.202	0.00
	Beyond 20 km per additional km	Cum		10.764	0.00
44	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Stone Soling :				
	3 km	Cum		203.056	0.00
	4 km	Cum		223.238	0.00
	5 Km	Cum		242.673	0.00
	Beyond 5 km upto 10 km per km	Cum		17.549	0.00
	Beyond 10 km upto 20 km per km	Cum		14.283	0.00
	Beyond 20 km per additional km	Cum		11.696	0.00
45	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Steel/ CGI Sheets:				
	3 km	Tonne		153.422	0.00
	4 km	Tonne		168.671	0.00
	5 Km	Tonne	9.670 ✓	183.356 ✓	1773.05 ✓
	Beyond 5 km upto 10 km per km @ 13.26/add km	Tonne		26.520	0.00
	Beyond 10 km upto 20 km per km	Tonne		10.799	0.00
	Beyond 20 km per additional km	Tonne		8.832	0.00
46	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Earth:				
	1 km				
	4 km	Cum		215.740	0.00
	5 Km	Cum		237.188	0.00
	Beyond 5 km upto 10 km per km	Cum		257.842	0.00
	Beyond 10 km upto 20 km per km	Cum		18.642	0.00
		Cum		15.180	0.00

~~41 km~~
2
Ten
Agdi @ 1/10
Cup

ment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type
 with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises W55

	at Kulpura.					
	and 20 km per additional km	Cum		12.423	0.00	0
					0.00	0
	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Cement/Steel					
	3 km	Tonne		153.422	0.00	0
	4 km	Tonne		168.671	0.00	0
	5 km	Tonne	45.620	183.356	8364.70	Rupees Eight Thousand Three Hundred Sixty Four Paise Seventy Only
	Beyond 5 km upto 10 km per km	Tonne		13.260	0.00	0
	Beyond 10 km upto 20 km per km	Tonne		10.792	0.00	0
	Beyond 20 km per additional km	Tonne		8.832	0.00	0
48	Carriage of materials by manual means including loading, unloading, stacking of materials- (Sand)					
	Ist 50m	Cum		209.898	0.00	0
	Beyond Ist 50m	Cum		45.701	0.00	0
49	Carriage of materials by manual means including loading, unloading, stacking of materials- Aggregate Below 40mm					
	Ist 50m	Cum		209.898	0.00	0
	Beyond Ist 50m	Cum		45.701	0.00	0
50	Carriage of materials by manual means including loading, unloading, stacking of materials- Aggregate 40mm and Above					
	Ist 50m	Cum		226.918	0.00	0
	Beyond Ist 50m	Cum		49.404	0.00	0
51	Carriage of materials by manual means including loading, unloading, stacking of materials- Stone Soling					
	Ist 50m	Cum		246.940	0.00	0
	Beyond Ist 50m	Cum		53.763	0.00	0
52	Carriage of materials by manual means including loading, unloading, stacking of materials- Steel/CGI Sheets					
	Ist 50m	Tonne		261.096	0.00	0
	Beyond Ist 50m	Tonne		38.318	0.00	0
53	Carriage of materials by manual means including loading, unloading, stacking of materials- Earth				0.00	0
	Ist 50m	Cum		209.898	0.00	0
	Beyond Ist 50m	Cum		45.701	0.00	0
54	Carriage of materials by manual means including loading, unloading, stacking of materials- Cement				0.00	0
	Ist 50m	Tonne		121.567	0.00	0
	Beyond Ist 50m	Tonne		17.837	0.00	0

[Handwritten signature and initials]
 2

Subject:- Allotment for Construction/Testing/Commissioning of 0.15 Lac Gallons capacity OHT of Shell Type with staging height of 20.00 mtrs including construction of sluice chamber at OHT premises WSS Larkipora.

55	Supply, installation, testing and commissioning of Advanced Maintenance Free environment friendly Earthing system consisting of 1 no. of 3mtr length, 17.2 mm dia UL certified earth electrode made of high tensile low carbon steel circular rods, molecularly bonded copper on outer surface (minimum copper bonding thickness-250 microns) with GI terminals to connect incoming strips. (Environment friendly backfill compound duly certified as per ANSI/NSF standard 60/Toxic content certificate as safe for use near potable ground water resources strictly as per specification enclosed. Make-SHREE ELECTRODES/OBO BETTERMANN/ERICO(2 Nos UPS and 4 Nos Main L.T Panel/2 Nos Fire Fighting Panel)	No	1.000	15800.000	15800.00	Rupees Eight Hundred
	Earth pit chamber (300mm x 300mm) with CI cover for the above.				0.00	
55.1	Providing and Fixing 25 mm x 5 mm Copper Strip in 40 mm dia. G.I Pipe FRL Earth Electrode including connection with Brass nut bolt, spring, washer, excavation and refilling etc. as required.	RM	30.000	1224.000	36720.00	Rupees ThirtySix Thousand Seven Hundred Twenty On
55.2	Supply, installation, testing and commissioning of lightening conductor made of 25 mm dia 300 mm long copper tube having single prong at top with base plate.	Each	1.000	1500.000	1500.00	Rupees One Thousand Five Hundred Only
Total:-					5408111.73	
Add 8% above on all items as approved/ recommended percentage rate above the estimated rate by Chief Engineer vide No. CE/PHE/K/E&T/JJM/26637-52 dated:- 19.10.2022					432648.94	
Grand Total:					5840760.67	
Rates & quantity checked					Rs 58.407 lacs	

ance security equ
DR bank Guar
ity of warra
works. I
riod of
emov
fu

Head Draftsman

Terms/Conditions:-

- 1 The cost of work in no case exceed beyond Rs 58.407 lacs lacs (Rupees fifty eight lacs forty thousand and seven hundred only)
- 2 Bid declaration security @ 2% vide FDR No.636583 Dated:-23.08.2022 for an amount of Rs 78,000/- are being retained as security deposit shall be released only after successful completion of the work expiry of defective period.
- 3 Time of completion is essence of the contract.
- 4 The work shall have to be started by you at site immediately and ensure its successful completion within a period of 180 days from the date of issuance of LOI/Allotment from this office strictly in accordance with the approved proposals falling which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be recommended for forfeiting.
- 5 An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- 6 The allotted works shall be subject to check by the third party monitoring agency appointed by the department.
- 7 Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis

(Signature)

Rs. Fifteen Thousand Only


... performance security equivalent to 3% of the value of the contract shall have to be deposited by you in shape of FDR/bank Guarantee within one week of issuance of allotment order and valid for a period of 3 months beyond expiry of warranty period of the contract.

The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.

- 11 The quantity allotted shall have to be executed on ground strictly as per the estimates that have been framed in the DPR.
- 12 All other terms and conditions shall be applicable as laid down in standard bid document and PWD from No. 25/33.
- 13 Any rules / terms and conditions if not stipulated in the bidding documents, shall be strictly dealt in accordance with the relevant rules / guidelines stipulated in General Financial Rules (GFR-2017) and manual for procurement of works 2019 G.O.I.

Head Draftsman


Executive Engineer
 (JSD) PHE Division Awantipora


Copy to the:-

- 1).Mission Director , Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar for favour of information
- 2).Chief Engineer PHE Kashmir Jal Shakti Department, Kashmir Srinagar for favour information.
- 3).District Development Commissioner Pulwama (Chairperson DJJM) for favour of information.
- 4).Superintending Engineer Hydraulic Circle Pulwama H.Q Shopian (Member Secretary DJJM) for favour of information.
- 5).District Social Welfare Officer Pulwama (Member DJJM) for favour of information.
- 6).Assistant Executive Engineer Sub Division Awantipora for information . He will ensure the completion of work within the stipulated period strictly in accordance with approved proposals within allotted amount shall in no case exceed the allotted amount.
- 7).Assistant Accounts Officer PHE Division Awantipora for information
- 8).H/D Divisional Drawing Branch for information
- 9).Office File