

OFFICE OF THE EXECUTIVE ENGINEER PHE DIVISION BARAMULLA

Email: kmrphebla@gmail.com (FAX) 01952234575 (Tel) 01952234244


Allotment Order No. 16 of 2023 dated 16-3-2023

Name of the agency/ contractor	Abdul Rashid Malla
Address	Khanpora Baramulla
Registration No.	SE/Hyd/Sopore/99/AAY/2004-05
Contact/ Email	malla.abrashid@yahoo.com
Name of work	Laying fitting of pipes, constt of PST ,0.02 MGD SSFP,0.10 lac gallon SR , chain link fencing around various structures,R wall , sluice chamber of WSS Dalri Dogripopra under JJM
References	This office ENIT 71 of 2022 (S.No. 03)
Accord of administrative approval No. & date	164/ SE/HYD/DB/JJM of 2022-23 dated 31.01.2023
Advertised Cost	Rs. 112.46 lacs
Allotted Cost	Rs. 11696009/- (Rupees One Crore Sixteen Lacs Ninety Six Thousand & Nine Only)
Time of completion	120 days

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under :

Conditions:

01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of **120** days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.



09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
13. Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I).

Flanges involved (if any) shall only be used in case of extreme exigencies, like rocky terrain, gorge & where trench is not possible.

(Encl: Annexure "A")

No. 11732-44
Dt. 16-3-2023


Executive Engineer
Jal Shakti Department
PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 15537-49 Dated: 03.03.2023.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division Watergam, for information.
- 13/- File Concerned.

Comp. by: ShahidFarooq (Correspondence)

Annexure "A"

Work:

Laying of pipes, constt of PST ,0.02 MGD SSFP,0.10 lac gallon SR , chain link fencing around various structures,R wall , sluice chamber
Balri Dogripopra under JJM


	Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
1.1	For all kinds of soil (80% of above qty)	2165.650	Cum	436.000	944223.400
1.2	ordinary rock (5% of above qty)	318.900	Cum	967.850	308647.365
2	Laying & fitting of G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (external work)				0.000
2.1	15mm dia G.I pipes	400.000	Mtr	20.250	8100.000
2.2	20mm dia GI pipes	1000.000	Mtr	20.250	20250.000
2.3	25mm dia G.I pipes	1200.000	Mtr	30.650	36780.000
2.4	40mm dia G.I pipes	800.0000	Mtr	40.800	32640.000
2.5	50mm dia GI pipes	700.000	Mtr	40.800	28560.000
2.6	80mm dia GI pipes	1100.000	Mtr	73.500	80850.000
3	Laying in position centrifugally cast (spun) iron S&S or flanged pipes(excluding cost of pipe)K7 100mmdia,150 mm, 200 mm dia DI pipes	1284.100	Quintal	245.550	315310.755
4	Providing push-on-joints to Centrifugally (Spun) Cast Iron S&S including testing of joints and including the cost of rubber Gasket 100 MM DI	1182.000	NO	89.700	106025.400
5	Providing push-on-joints to Centrifugally (Spun) Cast Iron S&S including testing of joints and including the cost of rubber Gasket 150 MM DI	36.0000	No	144.700	5209.200
6	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	1763.546	Cum	198.700	350416.590
7	Making connections of GI distribution branch with GI mains of following size by providing and fixing tee , including cutting and threrading the pipe etc. complete				0.000
7.1	25 to 40mmØ	10.000	NO	666.250	6662.500
7.2	40 to 80mmØ	5.000	NO	1268.750	6343.750
8	Providing & laying of DI specials of class K-12 suitable for push on jointing as per IS: 9523 upto 600mm dia	50.000	kgs	170.000	8500.000
9	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tall pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments.				0.000
9.1	150mmØ sluice valve	10.000	No	20243.000	202430.000
9.2	200mmØ sluice valve	8.0000	No	31698.000	253584.000
9.3	100mmØ sluice valve	10.000	No	13164.000	131640.000
10	Providing and fixing Gun metal gate valves with CI Wheel of approved quality all necessary accessories,complete job				0.000
10.1	25mmØ Gate valve	4.0000	No	543.850	2175.400
10.2	40mmØ gate valve	4.000	No	704.700	2818.800
10.3	50mmØ Gate valve	4.000	No	942.750	3771.000


	Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
	Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includes fixing of angle iron frame legs in cement concrete 1:2:4 mix with locking arrangements complete.	6.0000	Job	7000.000	42000.000
	Providing & fixing of MS bends of required dia and Tee's including carriage of welding machine upto site of work and fixing at site including cost of rubber gaskets/washers/nuts & bolts etc as complete job.	519.130	Kg	210.000	109017.300
3	Providing and fixing of MS flanged joints (12mm thick) to double flanged GI/DI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and all sorts of carriages. Complete Job.				0.000
3.1	100 mm dia	10.000	joint	1520.000	15200.000
3.2	150 mm dia	10.000	joint	2150.000	21500.000
3.3	200mm dia	10.0000	joint	3480.000	34800.000
3.4	80mm Dia GI	85.000	joint	1100.000	93500.000
14	providing and fixing DI tail piece male /female to DI/CI pipes on one side socketed and one side Flanged including all sorts of carriages upto site of work.				0.000
14.1	100mmØ DI	11.000	No	4000.000	44000.000
14.2	150mmØ DI	10.000	No	4500.000	45000.000
14.3	200mmØ DI	4.0000	No	5500.000	22000.000
15	Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	54.751	cum	1320.000	72271.320
16	Providing & Laying in position cement concrete of specified grade excluding the cost of centering and shuttering all work upto plinth level 1:4:8mix	46.707	Cum	4861.830	227081.494
17	Providing & Laying in position cement concrete of specified grade excluding the cost of centering and shuttering all work upto plinth level 1:2:4 mix (1 Cement:2 sand: 4 Graded stone aggregate)	43.200	Cum	6465.190	279296.208
18	Providing & Laying in position cement concrete of specified grade in retaining ,return walls (any thickness) excluding the cost of centering and shuttering in 1:2:4 mix (1 Cement:2 sand: 4 Graded stone aggregate)	51.000	Cum	8296.400	423116.400
19	Providing & Laying in position Reinforced cement concrete of specified grade excluding the cost of centering and shuttering all work upto plinth level 1:2:4 mix (1 Cement:2 sand: 4 Graded stone aggregate)	15.800	Cum	6978.400	110258.720
20	Reinforced cement concrete work in walls (any thickness) including attached pilasters,buttress, plinth ans string, courses, columns, fillets etc upto floor v-level excluding cost of centering, shuttering, and reinforcement in 1:1.5:3 mix(1 cement :1.5 sand: 3 graded stone aggregates) M20				0.000
20.1	Raft	63.517	cum	7800.760	495480.873
20.2	Walls	116.5990	Cum	9408.000	1096963.392
20.3	Slabs	16.9990	Cum	9849.000	167423.151
21	Providing and laying in position R.C.C 1:2:4 mix in domes,arches etc	2.305	cum	10404.510	23982.396
22	Reinforcement for RCC works including straightening, cutting, bending and placing in position all complete (TMT)	16980.2000	Kg	87.170	1480164.034
23	From work: Centering and shuttering including strutting, propping etc and removal of same for				0.000
23.1	Foundation	42.453	Sqm	262.300	11135.422
23.2	Walls	1146.5050	sqm	573.850	657921.894
23.3	Suspended Floors	100.860	Sqm	635.600	64106.616
23.4	Beams	15.958	Sqm	502.850	8024.480

Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
Dome	23.046	Sqm	502.850	11588.681
Extra for Centering and shuttering in circular work				0.000
Foundation	4.0530	Sqm	52.460	212.620
Walls	51.365	sqm	229.540	11790.322
Beams	3.658	Sqm	100.570	367.885
Dome	23.046	Sqm	417.360	9618.479
12 mm thick cement plaster 1:4 mix	702.110	Sqm	260.050	182583.706
6 Providing incorporation(During Concreting)G.P Sheet strip water seal 1.25mm nominal thick,at Construction joints,including Joimting of ends and to form a continous Basis strip area(excluding laps) to be measured	130.200	sqm	500.000	65100.000
27 Extra for providing/Mixing of water proofing material Impermo or equivalent in cement concrete	1444.0000	kg	80.000	115520.000
28 Providing and fixing in position in RCC wall M.S barrel(10mm thick) with flanges on both sides for washout/outlet purpose(200mm dai)	4.000	No	5000.000	20000.000
29 Connection of filter Beds with The clear water Chamber Complete with washout Connection	2.0000	No	15000.000	30000.000
30 Providing and fixing hand rail by weilding etc to steel ladders railing balcony railing and stair case railing including applying priming coat of approved steel primer.	1702.000	kg	104.250	177433.500
31 Providing and fixing of M.S lid of required size including the frame work of angles iron on clear water Chamber,complete Job	1.000	Job	3000.000	3000.000
32 Supply and filling of filter media from approved source - Gravel (Graded gravel - size ranging from 2.0mm to 40.00 mm) in filter beds. Including all carriages, complete job	83.2000	cum	7700.000	640640.000
33 12 mm thick cement plaster finished with a floating coat of mix 1:3	69.094	Sqm	343.750	23751.063
34 Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturers specifications including appropriate priming coat preperation of surfaces, etc complete.	130.950	Sqm	188.800	24723.360
35 Providing & fixing Hand rail 32mm dia & 50x50x6mm angle iron of approved size by welding etc. to steel ladder railing and staircase railing.	1.0000	job	10000.000	10000.000
36 Providing & fixing/Fabricationg of MS platform made of 5mm thick Ms plate & 50x50x6mm angle iron frame incld. All sorts of bracings and supports.	1.000	job	8000.000	8000.000
37 Providing & fixing PVC pipes of 100mm dia for weep holes	9.200	Rm	400.000	3680.000
38 Structural steel work in single sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (Riveted and bolted)	3083.800	kgs	91.020	280687.476
39 Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts,bolts and washers as required complete as per the direction of Engineer-incharge.	219.600	sqm	733.500	161076.600
40 Applying priming coat with ready mixed red oxide of approved brand and manufacture on steel galvanized iron/steel works	219.6000	sqm	52.750	11583.900
41 Painting two or more coats of sythetic enamel paint of approved brand and manufacture.	219.600	sqm	80.100	17589.960
42 Providing & fixing of grill gate fitted on circular 100mm dia pipe/poles of required design including fixing of nut bolts & other related itmes all work as complete job.(Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	325.000	kgs	96.150	31248.750

	Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
	Providing and fixing of MS lid of size 1m x 1m of 50x50x6mm angle section with 3mm thick MS lid including all locking arrangements handles etc all work as complete job.	1.000	Job	8000.000	8000.000
	Providing and fixing of MS ladder of required height made of 50x50x6mm angle section with 40x40x5mm thick treads etc all work as complete job.	1.000	job	8000.000	8000.000
	Carraige of materials from actual site upto dumping site of work by mechanical transport including loading unloading and stacking				0.000
45.1	150mm DI for an avg lead of 35kms	200.000	Mtr	20.040	4008.000
45.2	100mm DI for an avg lead of 35kms	6500.000	Mtr	12.020	78130.000
45.3	below 100mm dai Gi Pipe for an avg lead of 35kms	17.490	M.Ton	490.110	8572.024
45.4	Cement and Steel avg lead of 35kms	132.640	M.Ton	490.110	65008.190
45.5	Sand /aggregate avg lead 35kms	501.432	Cum	551.330	276454.505
45.6	Stone soling avg lead avg lead 15kms	54.754	Cum	401.830	22001.800
46	Carraige of pipes from duming site upto actual site of work by manual labours for an avg lead 500mtrs				0.000
46.1	150mm dia DI	200.0000	Mtr	13.480	2696.000
46.2	100mm dia DI	6500.0000	Mtr	9.520	61880.000
46.3	below 10mm dai Gi Pipe	17.490	M.Ton	355.690	6221.018
46.4	Cement	88.192	M.Ton	282.090	24878.081
46.5	steel	17.5440	M.Ton	605.950	10630.787
46.6	Sand /aggregate	317.5920	Cum	621.200	197288.150
46.7	Stone soling	39.704	Cum	730.800	29015.683
47	P/F and laying of flat stones/ Baramulla stones of required length, width and thickness over the laterals, drain/ under drainage. The job includes all sorts of carriage by mechanical transport and manual labour. Complete Job	102.000	Cum	2000.000	204000.000
Total					11246162
Quoted Rate @ Above 4%					449846
Total Allotted Amount					11696009
(Rupees Rupees One Crore Sixteen Lacs Ninety Six Thousand & Nine Only)					

Rates & Qty checked by:


Head Draftsman


Executive Engineer
PHE Division Baramulla