

12

**OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE DIVISION BARAMULLA**

Email: kmrphebla@gmail.com (FAX) 01952234575 (Tel) 01952234244



No. 8310-22  
dt. 18/11/2022

M/s. SAW Infrastructures Pvt.Ltd  
Prop: Waleed Khalid Jan  
R/o. Khaniyar Srinagar  
Regd No. 4324/A/2018

**Sub:** Laying fitting of pipes, 0.50 lac glns SR, sluice chamber, chain line, fencing and chowkidar quarter for WSS Fresthar under JJM.

**Ref:** 1/- Constitution of District Jal Jeevan Mission, Administrative Council Decision No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

2/- UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).

3/- Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

4/- Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.

5/- District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No. SE/Hyd/DB/10018-30 dated 10.11.2022.

6/- Your tender received in response to this office ENIT No: 51 of 2022 (S.No. 04).

1/- Amount of work advertised: 11421000.00

2/- Allotted cost of work: 11763719.00

(Rupees One Crore Seventeen Lacs Sixty Three Thousand Seven Hundred Nineteen Only)

3/- Time of completion: ( 90 days)


For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" to this allotment, on the terms and conditions given here under :


**Conditions:**

01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of **90** days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
13. Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

**(Encl: Annexure "A")**

  
**Technical Officer to**  
 Executive Engineer  
 PHE Division Baramulla

  
**Executive Engineer**  
**Jal Shakti Department**  
**PHE Division Baramulla**

**Copy to the :-**

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 2105-14 Dated: 04-06-2022.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division Baramulla, for information.
- 13/- File Concerned.

Comp. by: ShahidFaroq (Correspondence)

**Annexure "A"**

**Name of work:**

Laying fitting of pipes, 0.50 lac glns SR, sluice chamber, chain link fencing and chowkidar quarter for WSS Fresthar under JJM

| Sl.No | Description of Work / Item(s)  | No.of Qty | Units | Rate     | Total Amount |
|-------|--|-----------|-------|----------|--------------|
| 1.00  | Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed                     |           |       | 0.000    | 0            |
| 1.10  | All Kinds of soil.   | 3242.040  | Cum   | 436.000  | 1413529      |
| 1.20  | Ordinary Rock  | 810.630   | Cum   | 967.850  | 784568       |
| 2.00  | Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m <sup>2</sup> on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil :   | 154.600   | Cum   | 539.350  | 83384        |
| 3.00  | Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m <sup>2</sup> on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge  | 574.2900  | Cum   | 188.750  | 108397       |
| 4.00  | Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.  | 38.290    | cum   | 1320.000 | 50543        |
| 5.00  | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)  | 22.000    | cum   | 4861.835 | 106960       |
| 6.00  | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)  | 54.0000   | Cum   | 5437.740 | 293638       |
| 7.00  | Random Rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 Cement : 6 coarse sand : 12 graded stone aggregate 20mm nominal size) upto plinth level and curing complete with: Cement mortar 1:6 (1 Cement : 6 coarse sand)   | 2.450     | Cum   | 4400.500 | 10781        |
| 8.00  | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)   | 2.640     | Cum   | 6978.675 | 18424        |
| 9.00  | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)   | 39.510    | cum   | 7800.760 | 308208       |
| 10.00 | Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | 44.730    | cum   | 9408.135 | 420826       |




*(Handwritten signatures and initials)*

|       |  |          |     |           |        |
|-------|--|----------|-----|-----------|--------|
| 11.00 | Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | 11.4000  | cum | 9849.345  | 112283 |
| 12.00 | Boulder filling in rooms including handpacking, supply and carriage of all sorts   | 15.680   | Cum | 650.000   | 10192  |
| 13.00 | Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)   | 6.850    | cum | 10404.515 | 71271  |
| 14.00 | Providing and incorporating G.I Sheet strap 150mm wide and 2.5mm thick during concreting.  | 85.290   | Mtr | 300.070   | 25587  |
| 15.00 | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)  | 72.890   | Cum | 6465.195  | 471248 |
| 16.00 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.  | 9420.100 | Kg  | 87.175    | 821197 |
| 17.00 | Centering and shuttering including strutting, propping etc. and removal of form work for:  |          |     |           | 0      |
| 17.10 | Foundations, footings, bases for columns   | 52.160   | sqm | 262.300   | 13682  |
| 17.20 | Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.   | 689.2000 | sqm | 573.850   | 395497 |
| 17.30 | Lintel, beams, plinth beams, girders, bressumers and cantilevers.  | 28.900   | sqm | 502.850   | 14532  |
| 17.40 | Suspended floors, roofs, landings, balconies and access platforms.   | 51.210   | sqm | 635.600   | 32549  |
| 17.50 | Columns, pillars, piers, abutments, posts and struts.  | 5.6000   | sqm | 680.150   | 3809   |
| 17.60 | Arches, domes, vaults upto 6 m span  | 70.960   | sqm | 2086.800  | 148079 |
| 18.00 | Extra for shuttering in circular work:   |          |     |           | 0      |
| 18.10 | Foundations, footings, bases of columns etc.   | 11.200   | sqm | 52.460    | 588    |
| 18.20 | Wells etc.,  | 395.640  | sqm | 114.770   | 45408  |
| 18.30 | Suspended Floors   | 4.520    | sqm | 127.120   | 575    |
| 18.40 | Lintel beams etc.,   | 28.900   | sqm | 100.570   | 2906   |
| 18.50 | Centering and shuttering including strutting, propping etc. and removal of form for:<br>Extra for arches, domes, vaults exceeding 6 m span.  | 70.9600  | sqm | 1008.450  | 71560  |
| 19.00 | Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in :<br>Cement mortar 1:6 ( 1 cement : 6 coarse sand)  | 21.160   | Cum | 6183.750  | 130848 |
| 20.00 | Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level   | 15.130   | Cum | 1323.650  | 20027  |
| 21.00 | Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G.I. limpet and bitumen washers complete.<br>0.50 mm thick with zinc coating not less than 275 gram/m2  | 7.4000   | Mtr | 626.700   | 4638   |
| 22.00 | Providing corrugated G.S sheets roofing fixed with ploymer coatd J or L hooks, nuts & bolts 8mm dia  | 112.620  | sqm | 830.000   | 93503  |
| 23.00 | Providing fixing fabricating of MS plateform made of 5mm thick MS plate in 50x50x6mm angle iron frame incl. all sorts of bracings etc., and supporting channel section as directed by Engineer Incharge. all work as complete job.   | 1.000    | Job | 8000.000  | 8000   |

Handwritten signature/initials.

Handwritten signature/initials.

|       |   |          |     |           |       |
|-------|---|----------|-----|-----------|-------|
| 4.00  | Providing and fixing of MS ladder of required height made of 50x50x6mm angle section with 40x40x5mm thick treads etc all work as complete job.  | 1.000    | Job | 8000.000  | 8000  |
| 25.00 | Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately):<br>KD/ Silver wood   | 0.570    | cum | 55000.000 | 31350 |
| 26.00 | 12mm Cement plaster of mix:<br>1 : 6 ( 1 cement : 6 fine sand)  | 120.0000 | sqm | 241.750   | 29010 |
| 26.10 | 12mm Cement plaster finished with a floating coat of neat cement of mix:<br>1 : 3 ( 1 cement : 3 fine sand)   | 113.190  | sqm | 343.750   | 38909 |
| 26.20 | Providing and mixing of water proofing Chemicals. Vide item no.5,6 & 7 @ 1kg/bag  | 493.000  | Kg  | 60.000    | 29580 |
| 26.30 | Providing & fixing of plain Eaves boarding of 300mm wide CGI sheet  | 34.300   | Mtr | 700.000   | 24010 |
| 27.00 | Providing and fixing glazed shutters for doors, windows and clerestory windows using 4mm thick float glass panes including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws.<br>KD/ Silver wood   | 10.340   | sqm | 2500.000  | 25850 |
| 28.00 | Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge :<br>KD/ Silver wood                                       | 10.340   | sqm | 2000.000  | 20680 |
| 29.00 | P/F of paneled or paneled doors, windows & celestory windows (area of opening for paneling insert excluding portion inside groves or rebates to be measured) paneling for paneled or panelled and glazed shutters 25 to 40mm thick. KD/ Silver wood   | 5.0100   | sqm | 2500.000  | 12525 |
| 30.00 | Providing & fixing White vitreous china water closet squatting pan(Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge.<br>Orissa pattern W.C Pan of size 580x440 mm | 1.000    | No  | 3690.250  | 3690  |
| 31.00 | Providing and fixing Salem Stainless Steel A ISI 304 (18/8) kitchen sink as per I.S. 13983 with C.I. brackets and stainless steel plug 40 mm including painting of fittings and brackets, cutting and making good the walls wherever required:<br>Kitchen sink with drain board 510x1040mm bowl depth 250mm   | 1.0000   | No  | 7259.750  | 7260  |
| 32.00 | Providing & fixing PVC soil waste and vent pipe.  |          |     |           | 0     |
| 32.10 | 100mm   | 30.000   | Mtr | 250.000   | 7500  |
| 32.20 | 75mm  | 20.0000  | Mtr | 200.000   | 4000  |
| 33.00 | Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fitting arrangement of approved quality and colour.<br>450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms.   | 1.000    | No  | 802.700   | 803   |
| 34.00 | Providing & fixing GI pipes complete with GI fittings and clamps including cutting and making good the walls etc. (Internal works).   |          |     |           | 0     |

  
 To  



|       |  |          |       |           |       |
|-------|--|----------|-------|-----------|-------|
| 34.10 | 15mm dia nominal bore. (light weight)  | 20.0000  | Mtr   | 278.900   | 5578  |
| 34.20 | 20mm dia nominal bore. (light weight)  | 10.0000  | Mtr   | 336.200   | 3362  |
| 35.00 | Providing & fixing GI pipes complete with GI fittings including trenching and refilling etc. (External works).<br>15mm dia nominal bore. (light weight)  | 35.0000  | Mtr   | 133.750   | 4681  |
| 36.00 | Providing & fixing on Terrace ( at all floor levels) polyethylene water storage tank ISI 12701 marked indicating the BIS license no. with cover and suitable locking arrangement and making necessary holes for inlet, outlet and over flow pipes but without fittings and the base support for tank ( Syntex,Electroplast,Star,Lotus or equivalent having valid ISI license | 500.0000 | Litre | 6.700     | 3350  |
| 37.00 | Providing & fixing CP brass Bib cock of approved qality confirming to Is-8931.<br>15mm dia nominal bore.   | 6.0000   | No    | 318.850   | 1913  |
| 38.00 | Providing & fixing CP brass angle valve for basin mixer and gyser points of approved make confirming to Is-8931.<br>15mm dia nominal bore.   | 4.0000   | No    | 536.100   | 2144  |
| 39.00 | Providing & fixing of 50 litre capacity gyser of approved quality (venus make or equivalent).  | 1.0000   | No    | 19000.000 | 19000 |
| 40.00 | Providing & fixing Lighting points in 1.5 sqmm multistrand PVC wire to be laid in conduits including providing & fixing of 5-A switches complete.  | 20.0000  | No    | 1200.000  | 24000 |
| 41.00 | Providing & fixing heating points in 2.5 sqmm multistrand PVC copper wire to be laid in conduits including providing & fixing of 16 A switches complete.   | 3.0000   | No    | 1500.000  | 4500  |
| 42.00 | Providing & fixing of 1200mm sweep ceiling fans complete with accessories including dimmer of ISI mark complete.   | 2.0000   | No    | 3500.000  | 7000  |
| 43.00 | Providing & fixing of Exhaust fan in 1.5 sqmm stand wire to be laid in conduits complete.  | 2.0000   | No    | 2500.000  | 5000  |
| 44.00 | Providing & fixing of 16-A MCB of Indocap complete.  | 5.0000   | No    | 600.000   | 3000  |
| 45.00 | Providing & fixing MCB distribution box 10 way main double door system.  | 1.0000   | No    | 5500.000  | 5500  |
| 46.00 | Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete.<br>50 mm thick with 20mm nominal size stone aggregate.  | 119.3000 | sqm   | 555.500   | 66271 |
| 47.00 | Providing and fixing aluminium handles for door stopper ISI marked anodised ( anodi coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade with necessary screws etc complete  |          |       |           | 0     |
| 47.10 | 125mm size   | 3.0000   | Nos   | 54.250    | 163   |
| 47.20 | 100mm size   | 10.0000  | Nos   | 48.450    | 485   |
| 48.00 | Providing & fixing aluminium hanging floor door stopper ISI marked anodized ( Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete  | 3.0000   | No    | 35.200    | 106   |
| 49.00 | 15mm thick cement plaster finished without floating coat of neat cement of mix 1: 6 mix (1 cement : 6 fine Sand).  | 150.330  | sqm   | 163.650   | 24602 |
| 50.00 | Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturers specifications including appropriate priming coat preparation of surfaces, etc complete.   | 150.3300 | sqm   | 128.950   | 19385 |
| 51.00 | Providing 40x5mm flat iron hold fasts 40cm long incl. fixing to frame with 10mm dia bolts, nuts, and wooden plugs and embeddings in cement concrete block 30x10x15cm (1:3:6) mix 20mm nominal size.  | 32.0000  | No    | 113.800   | 3642  |

8  
To  
Raj  
Kumar  
R



|       |  |           |     |          |        |
|-------|--|-----------|-----|----------|--------|
| 52.00 | Providing & fixing aluminium sliding door bolt ISI marked annodized (Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete   | 3.0000    | No  | 125.100  | 375    |
| 53.00 | Providing & fixing aluminium tower bolt ISI marked annodized (Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete  |           |     |          | 0      |
| 53.10 | 150x10mm   | 6.000     | No  | 63.900   | 383    |
| 53.20 | 100x10mm   | 20.000    | No  | 47.600   | 952    |
| 54.00 | Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.  | 100.0000  | kg  | 91.025   | 9103   |
| 55.00 | Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge.<br>Made of G.I. wire of dia 4 mm  | 274.500   | sqm | 733.500  | 201346 |
| 56.00 | Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.<br>Riveted and bolted  | 3179.750  | kg  | 105.765  | 336306 |
| 57.00 | Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) over 75mm bed of dry brick ballast 40mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth and curing complete  | 24.7500   | sqm | 496.650  | 12292  |
| 58.00 | Providing & fixing MS grill of required pattern in frames of windows etc. with Ms flat, square or round bars etc. including priming coat with approved steel primer. All complete.   | 300.000   | Kg  | 120.000  | 36000  |
| 59.00 | Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS:<br>15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 ( 1 cement : 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. In all colours, shades, except White, Ivory, Fume Red Brown | 23.470    | sqm | 1115.800 | 26188  |
| 60.00 | Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc complete<br>On steel work  | 848.790   | sqm | 188.800  | 160252 |
| 61.00 | Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work.  |           |     |          | 0      |
| 61.10 | 15 mm dia. nominal bore  | 1500.0000 | Mtr | 20.250   | 30375  |
| 61.20 | 20 mm dia. nominal bore  | 2000.000  | Mtr | 20.250   | 40500  |
| 61.30 | 25 mm dia. nominal bore  | 2500.000  | Mtr | 30.650   | 76625  |
| 61.40 | 40 mm dia. nominal bore  | 2000.000  | Mtr | 40.800   | 81600  |
| 61.50 | 50 mm dia. nominal bore  | 2020.000  | Mtr | 40.800   | 82416  |
| 62.00 | Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe)  | 28.900    | Qtl | 245.550  | 7096   |
| 63.00 | Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket.  |           |     |          | 0      |
| 63.10 | 150 mm dia pipes   | 7.000     | No  | 144.700  | 1013   |
| 63.20 | 200 mm dia pipes   | 5.0000    | No  | 213.000  | 1065   |


*[Handwritten signature]*  
T


*[Handwritten signature]*  
Rahul

|  |   |           |       |           |                 |
|--|---|-----------|-------|-----------|-----------------|
| 64.00  | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.             | 4008.530  | cum   | 198.700   | 796495          |
| 65.00  | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete   |           |       |           | 0               |
| 65.10  | 25 to 40 mm nominal bore  | 4.0000    | No    | 666.250   | 2665            |
| 65.20  | 50 to 80 mm nominal bore  | 5.000     | No    | 1268.750  | 6344            |
| 66.00  | Manufacturing providing fixing of MS Bends/ Tees including carriage of welding machine upto site of work incl. cost of nuts, bolts, rubber washers etc., complete job.  | 170.000   | Kg    | 210.000   | 35700           |
| 67.00  | Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments.                                       |           |       |           | 0               |
| 67.10  | 100 mm dia.   | 6.000     | No    | 13164.000 | 78984           |
| 67.20  | 150 mm dia.   | 7.000     | No    | 20243.000 | 141701          |
| 67.30  | 200 mm dia.   | 5.000     | No    | 31698.000 | 158490          |
| 68.00  | Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end)   |           |       |           | 0               |
| 68.10  | 25 mm nominal bore  | 8.000     | No    | 543.850   | 4351            |
| 68.20  | 40 mm nominal bore  | 8.000     | No    | 704.700   | 5638            |
| 68.30  | 50 mm nominal bore  | 3.0000    | No    | 942.750   | 2828            |
| 68.40  | 65 mm nominal bore  | 3.000     | No    | 1568.850  | 4707            |
| 69.00  | Providing and fixing of MS flanged joints (12mm thick) to double flanged GI/DI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and all sorts of carriages. Complete Job. |           |       |           | 0               |
| 69.10  | 65mm dia G.I  | 833.000   | Pair  | 1000.000  | 833000          |
| 69.20  | 80mm dia G.I  | 417.000   | Pair  | 1100.000  | 458700          |
| 69.30  | 100mm dia G.I   | 700.0000  | Pair  | 1520.000  | 1064000         |
| 70.00  | carriage of material from source to site of work by Mechanical Transport including loading unloading and stacking etc.  |           |       |           | 0               |
| 70.10  | Pipes (below 100mm dia) for 5Km   | 71.390    | M.ton | 183.356   | 13090           |
| 70.20  | 150mm dia DI for 5 Km   | 24.000    | Mtr   | 7.510     | 180             |
| 70.30  | 200mm dia DI for 5 Km   | 24.000    | Mtr   | 12.213    | 293             |
| 70.40  | Cement /Steel max lead 8 Km   | 113.260   | M.ton | 183.2     | 20767           |
| 70.50  | Sand max lead 10 Km   | 99.8300   | cum   | 280.8     | 28038           |
| 70.60  | aggregate max lead 10 Km  | 175.690   | cum   | 280.853   | 49343           |
| 70.70  | Sand / aggregate max lead 10 Km   | 156.6600  | cum   | 280.853   | 43998           |
| 70.80  | Stones max lead 10 Km   | 13.700    | cum   | 330.418   | 4527            |
| 70.90  | Bricks for 75 Kms   | 10157.000 | No    | 1.898     | 19278           |
| <b>Total</b>   |   |           |       |           | <b>11421086</b> |
| <b>Quoted Rate @ above 3%</b>  |   |           |       |           | <b>342633</b>   |
| <b>Total Allotted Amount</b>   |   |           |       |           | <b>11763719</b> |
| Rupees One Crore Seventeen Lacs Sixty Three Thousand Seven Hundred Nineteen Only |   |           |       |           |                 |

Rates & Qty checked by:

  
Head Draftsman  


  
Technical Officer

  
Executive Engineer  
PHE Division Baramulla

