

OFFICE OF THE EXECUTIVE ENGINEER

PHE DIVISION BARAMULLA

Email: kmrpheb1a@gmail.com (FAX) 01952234575 (Tel) 01952234244

Allotment Order No. 15 of 2023 dated 10-04-2023

Name of the agency/ contractor	Pyramid Infratech (Prop: Syed Hanan Kamli)
Address	Hawal Srinagar
Registration No.	CVPP/PDHEP/CE/I&L/2019/559
Contact/ Email	pyramidinf@gmail.com
Name of work	Retrofitting of W.S.Scheme Hajibal by way of Laying and fitting of Main /Submain /Distribution System at various spots, Constt. of 0.20 lac gallons S.R, PST and 0.02 MGD Slow Sand Filtration Plant under JJM.
References	This office ENIT 82 of 2023 (S.No. 01)
Accord of administrative approval No. & date	147/SE/HYD/DB/JJM of 2022-23 Dated: 31-01-2023
Advertised Cost	Rs. 6662766/-
Allotted Cost	Rs. 6929276/- (Sixty Nine Lacs Twenty Nine Thousand Two Hundred Seventy Six Only)
Time of completion	90 days

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under :

Conditions:


01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of 90 days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
13. Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I).

Flanges involved (if any) shall only be used in case of extreme exigencies, like rocky terrain, gorge & where trench is not possible.

(Encl: Annexure "A")

No. 505-17
Dt. 11-04-2023


Executive Engineer
Jal Shakti Department
PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 06-20 Dated: 01.04.2023.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division Baramulla, for information.
- 13/- File Concerned.

Comp. by: ShahidFarooq (Correspondence)

Annexure "A"

Name of work:

Retrofitting of W.S.Scheme Hajibal by way of Laying and fitting of Main /Submain /Distribution System at various spots, Constt. of 0.20 lac gallons S.R, PST and 0.02 MGD Slow Sand Filtration Plant under JJM.

Sl.No	Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
1.1	All kinds of soil.	603.0000	Cum	436.000	262908.000
2	Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50 metres: 2.9.1 All kinds of soil :	156.080	Cum	539.350	84181.748
3	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil :	304.190	Cum	188.750	57415.863
4	Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	44.270	cum	1320.000	58436.400
5	Providing & Laying in position cement concrete of 1:4:8 (1 cement :4 coarse sand : 8 graded stone aggregate 40mm nominal size)excloding the cost of centring and shuttering all work upto plinth Level.	25.850	cum	4861.835	125678.435
6	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	77.850	cum	7800.760	607289.166
7	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	116.080	Cum	9408.135	1092096.311
8	Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	4.100	Cum	10404.515	42658.512
9	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	14.750	cum	9849.345	145277.839

No	Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
	Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete. 50 mm thick with 20mm nominal size stone aggregate.	10.080	sqm	555.500	5599.440
11	Centering and shuttering including strutting, propping etc. and removal of form work for:				0.000
11.1	Foundations, footings, bases for columns	43.700	sqm	262.300	11462.510
11.2	Retaining walls, return walls, walls (any thickness) including attached pilasters buttresses, plinth and string course fillets, kerbs and steps etc.	810.650	sqm	573.850	465191.503
11.3	Arches, domes, vaults upto 6 m span	39.360	sqm	2086.800	82136.448
11.4	Suspended floors, roofs, landings, balconies and access platforms.	77.510	sqm	635.600	49265.356
12	12mm Cement plaster of mix: 1 : 4 (1 cement : 4 fine sand) 1 : 4 (1 cement : 4 fine sand)	959.040	sqm	260.050	249398.352
13	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	12173.000	Kg	87.175	1061181.275
14	Providing and incorporating during concreting G.P strip water seal 0.63 mm nominal thick at construction joint as per proper specification and instruction of Engineer Incharge complete job.	74.400	sqm	650.000	48360.000
15	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	1302.000	kg	57.900	75385.800
16	Providing/ fixing in position in RCC wall MS berrel 10mm thick with flanges, nuts, bolts, rubber washers (1.83 M long) including all carriages upto site of work complete	12.000	No	5000.000	60000.000
17	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer. M.S. tube	2304.000	kg	172.900	398361.600
18	Providing fixing of MS lid cover 4mm thick fixed in angle iron frame of 0.75x0.75m with priming coat of red oxide and two coats of synthetic enamel paint with locking arrangement and all carriages upto site of work.	3.000	C.Job	4500.000	13500.000
19	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	110.800	Kg	91.025	10085.570
20	Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions etc. complete (The tail pieces, tapers etc. if required will be paid separately).				0.000
20.1	50mm dia	1.0000	No	5147.150	5147.150
20.2	80mm dia	1.000	No	6230.850	6230.850
20.3	100mm dia	2.000	No	8184.250	16368.500
21	Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includes fixing of angle iron frame legs in cement concrete 1:2:4 mix with locking arrangements complete.	3.000	C.Job	7000.000	21000.000
22	Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work.				0.000
22.1	15 mm dia. nominal bore	700.000	Mtr	20.250	14175.000
22.2	20 mm dia. nominal bore	✓1000.000	Mtr	20.250	20250.000
22.3	25 mm dia. nominal bore	✓1000.000	Mtr	30.650	30650.000
22.4	40 mm dia. nominal bore	✓300.000	Mtr	40.800	12240.000

No	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
5	50 mm dia. nominal bore	780.000	Mtr	40.800	28560.000
22.6	80 mm dia. nominal bore	1000.000	Mtr	73.050	73050.000
23	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	580.860	cum	198.700	115416.882
24	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete				0.000
24.1	25 to 40 mm nominal bore	2.000	No	666.250	1332.500
24.2	50 to 80 mm nominal bore	2.000	No	1268.750	2537.500
25	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments.				0.000
25.1	200mm dia	7.000	No	35123.000	245861.000
25.2	100 mm dia.	2.000	No	14594.000	29188.000
26	Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carriages complete.				0.000
26.1	25 mm nominal bore	2.000	No	543.850	1087.700
26.2	40 mm nominal bore	2.000	No	704.700	1409.400
26.3	50 mm nominal bore	2.000	No	942.750	1885.500
27	Providing laying of baramulla stone slab inside the filter beds including all carriages upto site of work	51.080	sqm	750.000	38310.000
28	Supplying providing and laying of Filter Media [Sand & Gravel] as per the specification and as per direction of Incharge Engineer from Ganderbal including all carriages complete	69.850	cum	6500.000	454025.000
29	carriage of material from source to dumping site of work by Mechanical Transport including loading unloading and stacking etc.				0.000
29.1	Pipies below 100mm dia for 15 Kms	14.530	M.ton	303.646	4411.976
29.2	Cement /Steel avg. lead 15 KMs	107.670	M.ton	315.951	34018.444
29.3	Sand avg lead 18 Kms	120.080	cum	365.804	43925.744
29.4	40mm Stone aggregate for 10 Kms	23.260	Cum	576.231	13403.133
29.5	20mm Stone aggregate for 10 Kms	192.450	Cum	310.684	59791.136
30	carriage of material from dumping to site of work by Manual Means including loading unloading and stacking etc. avg 1000 Mtrs				0.000
30.1	Pipies below 100mm dia	14.530	M.ton	504.900	7336.197
30.2	Cement	95.497	M.ton	504.900	48216.435
30.3	Steel	12.173	M.ton	860.120	10470.241
30.4	Sand	120.080	cum	937.580	112584.606
30.5	40mm Stone aggregate	23.260	Cum	1013.560	23575.406
30.6	20mm Stone aggregate	192.450	Cum	937.580	180437.271
Total					6662766
Quoted Rate @ Above 4%					266511
Total Allotted Amount					6929276
(Rupees Sixty Nine Lacs Twenty Nine Thousand Two Hundred Seventy Six Only)					

Rates & Qty checked by:

Head Draftsman


Executive Engineer
PHE Division Baramulla
