

OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE DIVISION BARAMULLA

Email: kmrphelja@gmail.com (FAX) 01952234575 (Tel) 01952234244

No. 7638-50

D. 25-10-2022



M/s. Buhroo Mechanical Pvt. Ltd
R/o. Azad Gunj Baramulla
Regd No.

Sub: Retrofitting of W.S.Scheme Jaisheeri by way of Laying and fitting of Main /Submain /Distribution System at various spots, Constt. of ChainLink Fencing and Renovation of Clear Water Sump Cum Pump House (for providing 100percent FHIC) under JJM.

- Ref:**
- 1/- Constitution of District Jal Jeevan Mission, Administrative Council Decision No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.
 - 2/- UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).
 - 3/- Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.
 - 4/- Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.
 - 5/- District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No. SE/Hyd/DB/8904-16 dated 06.10.2022
 - 6/- Your tender received in response to this office ENIT No: 46 of 08/2022 (S.No 03).

- 1/- Amount of work advertised: 2156000.00
- 2/- Allotted cost of work: 2113246.00
(Rupees Twenty One Lakh Thirteen Thousand Two Hundred and Fourty Six Only)
- 3/- Time of completion: (30 days)

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" & this allotment, on the terms and conditions given here under :

Conditions:


01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of 30 days from the date of issuance of allotment from this office strictly in accordance with the approved proposals falling which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a form and shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of

- 13
- recommended for further punitive action as governed under the relevant clause of the contract including black listing.
08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
 09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
 10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
 11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
 12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
 13. Any rules/ terms and conditions if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.



Technical Officer to
Executive Engineer
PHE Division Baramulla

(Encl: Annexure "A")



Executive Engineer
Jal Shakti Department
PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar/Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 2105-14 Dated: 04-06-2022.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division Baramulla, for information.
- 13/- File Concerned.

Comp. by: ShahidFaroq (Correspondence)

Annexure "A"

Name of work:

Retrofitting of W.S.Scheme Jalsheeri by way of Laying and fitting of Main /Submain /Distribution System at various spots, Constt. of ChainLink Fencing and Renovation of Clear Water Sump Cum Pump House (for providing 100percent FHTC) under JJM

| Sl.No | Description of Work / Item(s) | No.of Qty | Units | Allotted Rate | Amount |
|-------|---|------------|-------|---------------|---------------|
| 1 | Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: | | | | |
| 1.1 | All Kinds of Soil: | ✓ 1061.590 | Cum | ✓ 427.280 | ✓ 453596.1752 |
| 2 | Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. | | | 0.000 | 0 |
| 2.1 | 15 mm dia. nominal bore | ✓ 2486.000 | Mtr | ✓ 19.845 | ✓ 49334.67 |
| 2.2 | 20 mm dia. nominal bore | ✓ 1000.000 | Mtr | ✓ 19.845 | ✓ 19845 |
| 2.3 | 25 mm dia. nominal bore | ✓ 2000.000 | Mtr | ✓ 30.037 | ✓ 60074 |
| 2.4 | 40 mm dia. nominal bore | ✓ 500.000 | Mtr | ✓ 39.984 | ✓ 19992 |
| 2.5 | 50 mm dia. nominal bore | ✓ 500.000 | Mtr | ✓ 39.984 | ✓ 19992 |
| 3 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. | ✓ 923.840 | cum | ✓ 194.726 | ✓ 179895.6678 |
| 4 | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete | | | 0.000 | 0 |
| 4.1 | 25 to 40 mm nominal bore | ✓ 10.000 | No | ✓ 652.925 | ✓ 6529.25 |
| 4.2 | 50 to 80 mm nominal bore | ✓ 5.000 | No | ✓ 1243.375 | ✓ 6216.875 |
| 5 | Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). | | | 0.000 | 0 |
| 5.1 | 100mm dia | 2.000 | No | ✓ 450.893 | ✓ 9011.786 |
| 6 | Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carriages complete. | | | 0.000 | 0 |
| 6.1 | 25 mm nominal bore | ✓ 5.000 | No | ✓ 532.973 | ✓ 2664.865 |
| 6.2 | 40 mm nominal bore | ✓ 3.000 | No | ✓ 690.606 | ✓ 2071.818 |
| 6.3 | 50 mm nominal bore | ✓ 4.000 | No | ✓ 923.895 | ✓ 3695.58 |
| 7 | Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete. | | | 0.000 | 0 |
| 7.1 | 50 mm dia. | ✓ 4.000 | No | ✓ 5044.207 | ✓ 20176.828 |
| 8 | Providing and fixing of MS flanged joints (12mm thick) to double flanged GI/DI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and all sorts of carriages. Complete Job. | | | 0.000 | 0 |
| 8.1 | 100mm dia pipe | ✓ 140.000 | Pair | ✓ 1489.600 | ✓ 208544 |
| 9 | Providing fixing successful testing commissioning of 100mm dia NRV including cost of nuts, bolts, washers with all sorts of carriages | ✓ 2.000 | No | ✓ 11760.000 | ✓ 23520 |
| 10 | Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete. | ✓ 5.400 | cum | ✓ 1293.600 | ✓ 6985.44 |


| No | Description of Work / Item(s) | No. of Qty | Units | Allotted Rate | Amount |
|------|---|---------------|-------|----------------|------------------|
| 11 | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) | ✓ 35.100 | Cum | ✓ 5328.985 | ✓ 187047.3805 |
| 12 | Centering and shuttering including strutting, propping etc. and removal of form work for: Foundations, footings, bases for columns | ✓ 180.000 | Sqm | ✓ 257.054 | ✓ 46269.72 |
| 13 | Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. | | | 0.000 | 0 |
| 14 | Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm | ✓ 271.500 | Sqm | ✓ 718.830 | ✓ 195162.345 |
| 15 | Applying priming coat: With ready mixed red oxide Zinc Chromate primer of approved brand and manufacture on steel galvanized iron/steel works | ✓ 135.750 | Sqm | ✓ 51.695 | ✓ 7017.59625 |
| 16 | Painting with ready mixed synthetic enamel paint of approved brand of two or more coats. | | | 0.000 | 0 |
| 17 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade (two or more coats on new work). | ✓ 135.750 | Sqm | ✓ 119.511 | ✓ 16223.61825 |
| 18 | Demolishing brick work manually/by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge: In cement mortar | ✓ 5.600 | Cum | ✓ 1300.019 | ✓ 7280.1064 |
| 19 | Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in : Cement mortar 1:4 (1 cement : 6 coarse sand) | | | 0.000 | 0 |
| 19.1 | Including cost of Bricks | ✓ 2.190 | Cum | ✓ 6060.124 | ✓ 13271.67156 |
| 19.2 | Excluding cost of Bricks | ✓ 0.550 | Cum | ✓ 2450.000 | ✓ 1347.5 |
| 20 | Development of lawn including filling ditches and supply of extra earth including levelling dressing complete job | ✓ 67.000 | Cum | ✓ 735.000 | ✓ 49245 |
| 21 | 12mm Cement plaster of mix: 1 : 4 (1 cement : 4 coarse sand) | ✓ 29.000 | Sqm | ✓ 254.849 | ✓ 7390.621 |
| 22 | Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works. | | | 0.000 | 0 |
| 23 | Steel work welded in built up sections Trusses/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. | ✓ 3999.190 | kg | ✓ 100.092 | ✓ 400288.1252 |
| 24 | Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): K.D Wood. | ✓ 0.130 | Cum | ✓ 53900.000 | ✓ 7007 |

| No | Description of Work / Item(s) | No. of Qty | Units | Allotted Rate | Amount |
|---|---|------------|---------|---------------|-------------------|
| 25 | Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick. K.D Wood. | | | 0.000 | 0 |
| 25.1 | doors/ windows etc | ✓ 12.420 | Sqm ✓ | 2450.000 | 30429 |
| 26 | Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge : KD/ Silver wood | ✓ 4.200 | Sqm ✓ | 1960.000 | 8232 |
| 27 | carriage of material from source to dumping site of work by Mechanical Transport including loading unloading and stacking etc. | | | 0.000 | 0 |
| 27.1 | Pipes (below 100mm dia) for 10 Kms | ✓ 10.731 | M.Ton ✓ | 212.748 | 2283.000934 |
| 27.2 | Cement avg. lead 05 KMs | ✓ 15.260 | M.Ton ✓ | 179.689 | 2742.052309 |
| 27.3 | Stone aggregate for 5 Kms | ✓ 32.000 | Cum ✓ | 175.783 | 5625.0432 |
| 27.4 | Sand avg lead 5Kms | ✓ 17.370 | Cum ✓ | 202.150 | 3511.353838 |
| 27.5 | Bricks avg lead 90 Kms | ✓ 1040.250 | Nos ✓ | 2.863 | 2977.798845 |
| 28 | carriage of material from road / dumping site to the actual site of work by Manual means including loading unloading and stacking for avg. lead 400 Mtrs. | | | 0.000 | 0 |
| 28.1 | Cement | ✓ 7.720 | M.Ton ✓ | 241.494 | 1864.330283 |
| 28.2 | Steel | ✓ 3.990 | Cum ✓ | 241.494 | 963.5593044 |
| 28.3 | Sand/ aggregate | ✓ 48.000 | Cum ✓ | 519.209 | 24922.0272 |
| Total | | | | | 2113246.81 |
| (Rupees Twenty One Lakh Thirteen Thousand Two Hundred and Forty Six Only) | | | | | |


Rates & Qty checked by:



Head Draftsman



Technical Officer



Executive Engineer
PHE Division Baramulla