## EXECUTIVE ENGINEER (JAL SHAKTI DEPARTMENT) DIVISION BARAMULLA

Email: kmrphebla@gmail.com (FAX) 01952-234575 (Tel) 01952234244

M/S: Ghulam Hassan Bhat

S/o: Ab. Ahad Bhat

R/o: Ferozpora Rafiabad Baramulla

No: PHE/Bla/ 2458-76

Dated: 7 - 6 - 0 22

Subject: Retrofitting of WSS Hadipora (Laiser Hadipora) by way of Laying and fitting of Main/ Sub main / Distribution System at various spots and construction of 0.20 lac gallons Service Reservoir (for providing 100% FHTC) under JJM.

Ref:

- (i) Constitution of District Jal Jeevan Mission, Administrative Council Decision No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD)
- (ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K,
- meeting convened on 04-09-2021. (iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-
- (iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033
- (v) UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).
- (vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022. (vii)Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla)
- authorization issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-
- (viii) District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No: SE/Hyd/2105-14 dated: 04-06-2022.
- (ix) Your tender received in response to this office ENIT No: 24 of 05/2022 (S. No: 05) Tender ID: 2022\_PHE\_170159\_5.

01. Amount of work advertised: 18,65,000 lacs 02. Allotted cost of work: 18,09,064.00 (Rupees: Eighteen lac nine thousand & sixty four only)

Time of completion: (45 days)

For and on behalf of I.t. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under :

#### Conditions:

- Time of completion is essence of the contract.
- The work shall have to be started by you at site immediately & ensure its successful 01. completion within a period of 45 days from the date of issuance of allotment from this office 02. strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
- An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not 03. however prevent the contract from being enforced upon you.
- The allotted works shall be subject to Check by the third party monitoring agency appointed by 04.
- Payment shall be released as per actual / measured work done not less than 20% of the 05. allotted cost on a monthly basis.

- O6. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- 07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warfanty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

O8. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.

09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.

10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.

Date of start of the work shall be reckoned within **07 days** from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance, of pipe material by the department.

12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.

13. Any rules/ terms and conditions if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017) and manual for procurement of works 2019 G.O.I.

(Encl: Annexure "A")
To (2458 - 70 DT- 7-6-22)

Technical Officer to
Executive Engineer
PHE Division Baramulla

Executive Engineer

Copy to the :-

- 01. Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- 02. Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 03. District Development Commissioner Baramulia (Chairperson DJJM) for favour information.
- 04. Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 2105-14 Dated: 04-06-2022.
- 05. Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 06. Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 07. Divisional Forest Officer Baramulla (Member DJJM) for information.
- 08. Chief Planning Officer Baramulla (Member DJJM) for information.
- 09. Chief Medical Officer Baramulla (Member DJJM) for information.
- 10. District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11. District Information Officer Baramulla (Member DJJM) for information.
- 12. Distt. Nodal Officer Baramulla, TPIA JJM Kashmir, for information.
- 13. Asstt. Ex. Engineer PHE Sub Division Walayom for information & n/a.

### eProcurement System Government of Jammu And Kashmir

#### Annexure "A"

#### Name of Work:

Retrofitting of W.S.Scheme Hadipora by way of :- Laying and fitting of Main /Submain /Distribution System at various spots and Construction of 0.20 lac gallons Service Reservoir (for providing 100% FHTC) under JJM.


# Contract No: e-NIT No 24 of 05/2022 S.No 05 Tender ID: 2022\_PHE\_170159\_5

SCHEDULE OF WORK / ITEM(S)							
SI. No	Description of Work / Item(s)	Qty.	Unit	Rate	Quoted Rate @ - 3.00%	Amount	
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as						
	directed:	602.86	Cum	436	422.92	254961.6	
1.1	All kinds of soil.  Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.		Cum	539.35	523.1695	81656.3	
2	All kinds of soil.  Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	9.04	cum	1320	1280.4	11574.82	
3	Providing & Laying in position cement concrete of 1:4:8 (1 cement :4 coarse sand : 8 graded stone aggrigate 40mm nominal size)exclding the cost of centring and shuttering all controls all the cost of centring and shuttering all controls all the cost of centring and shuttering all costs all the costs of centring and shuttering all costs all the costs of centring and shuttering.	9.4	cum	4861.835	4715.98	44330.21	
4	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level.  1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	14.95	cum	7800.76	7566.737	113122.7	
5	Reinforced cement concrete work in-walls (any thickness including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.  1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	1 17.54	cum	9408.135	9125.891	160068.1	
6	Reinforced cement concrete work in arches, archribs, domes vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with:  1:1½:3 (1 cement : 1½ coarse sand : 3 graded stones are nominal size)	g t 3.93	Cum	10404.52	10092.38	39663.05	
7	Reinforced cement concrete work in beams, suspender floors, roofs having slope upto 15°, landings, balconies shelves, chajjas, lintels, bands, plain window sills, staircase shelves, chajjas, lintels, bands, plain window sills, staircase upto five level including curing but	es ut 0.44	cum	9849.345	9553.865	4203.7	



#### Contract No: e-NIT No 24 of 05/2022 S.No 05 Tender ID: 2022\_PHE\_170159\_5 SCHEDULE OF WORK / ITEM(S)

	SCHEDULE OF WORK	/ ITEM(	S)		· · ·	
SI.	Description of Work / Item(s)	Qty.	Unit	Rate Myllof7	Quoted Rate @ - 3,00%	Amount
8	Centering and shuttering including strutting, propping etc. and removal of form work for:				0	0
•			-am	262.3	254.431	2091.423
8.1	Foundations, footings, bases for columns	8.22	sqm	202.5		7116
8.2	Retaining walls, return walls, walls (any thickness) including attached pilasters buttresses, plinth and string course fillets, kerbs and steps	176.11	sqm	573.85	556.6345	98028.9
	etr	39.36	sqm	2086.8	2024.196	79672.35
8.3	Arches, domes, vaults upto 6 m span	41.7150	1		616.532	1997.564
8.4	Suspended floors, roofs, landings, balconies and access	3.24	sqm	635.6	010.552	
9	platforms.  12mm Cement plaster of mix:	187.57	sqm	260.05	252.2485	47314.25
10	1:4(1 cement: 4 coarse sand)  Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Thermo-Mechanically Treated bars of grade	2891	Kg	87.175	84.55975	244462.2
11	Fe-500D or more.  Providing and fixing of MS lid cover of size 0.70x0.70m with angle iron frame 45x45x5mm and 25x25x5mm and 4mm thick lid cover with priming coat and all carriages upto site of	2	No	4500	4365	8730
12	work.  Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all	110.8	Кд	91.025	88.29425	9783.003
13					10.7197	0024.25
13.	and Earth work.  1 15 mm dia. nominal bore	500	Mtr	20.25	19.6425	9821.25
	2 20 mm dia. nominal bore	206	Mtr	20.25	19.6425	4046.355
	3 25 mm dia. nominal bore	180	Mtr	30.65	29.7305	5351.49
13.		150	Mtr	40.8	39.576	5936.4
13.		150	Mtr	40.8	39.576	5936.4
$\overline{}$		5050	Mtr	73.05	70.8585	357835.4
13.	Filling available excavated earth (excluding rock) in trenches plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	542.57	cum	198.7	192.739	104574.4
1	Making connection of G.I. distribution branch with G.I. mai of following sizes by providing and fixing Tee, includin cutting and threading the pipe etc. complete	9				
15		1	No	666.25	646.2625	+
	2 S0 to 80 mm nominal bore	1	No	1268.75	1230.688	1230.688
	Providing and fixing C.I. double acting air valve of approve 00 quality with bolts, nuts, rubber insertions and other	ed er				
10	accessories complete.  10   50 mm dia.	3	No	5147.15	4992.736	14978.21
17.	Providing and fixing of MS surface boxes (0.75x0.75x0.75) 6mm thick plate for sluice valves. The job includs fixing angle iron frame legs in cement concreate 1:2:4 mix will locking arrangements complete.	th 1	Job	7000	6790	6790
1	carriage of material from source to dumping site of work I Mechnical Transport including loading unloading and stacking etc.	by ng				



#### Contract No: e-NIT No 24 of 05/2022 S.No 05 Tender ID: 2022\_PHE\_170159\_5

-	Telluci ID: ZVZZ_I III					
	SCHEDULE OF WORK	/ ITEM	(S)			
El. No	Description of Work / Item(s)	Qty.	Unit	Rate	Quoted Rate @ - 3.00%	Amount
18.1 P	Pipes (below 100mm dia) for 10 Km	36.47	M.ton	249.654	242.1644	8831.735
_	Cement /Steel avg. lead 12 KMs	21.15	M.ton	271.251	263.1135	5564.85
_	10mm Stone aggregate for 35 Kms	8.46	Cum	599.277	581.2987	4917.787
_	20mm Stone aggregate for 35 Kms	33.17	Cum	551.333	534.793	17739.08
	Sand avg. lead 10 Kms	18.83	cum	280.853	272.4274	5129.808
_	Stone Soling 12 Kms	9.04	Cum	358.984	348.2145	3147.859
19	carriage of material from road / dumping site to the actual site of work by Manual means including loading unloading					
	and stacking for avg. lead 300 Mtrs. Pipes (below 100mm dia)	36.47	M.ton	265.719	257.7474	9400.049
_	Cement	18.26	M.ton	210.749	204.4265	3732.828
	Steel	2.89	M.ton	452.686	439.1054	1269.015
	40mm Stone aggregate	8.46	Cum	473.938	459.7199	3889.23
	Sand/ 20mm Stone aggregate	52	Cum	438.403	425.2509	22113.05
		9.04	Cum	515.752	500.2794	4522.526
19.0	Stone Soling Total					1809065
(Rupees Eighteen Lacs Nine Thousand & Sixty Five Only)						

Rates and Quantity Checked By

Head Drafts Man

Executive Engineer

**PHE Division Baramulla**