

OFFICE OF THE EXECUTIVE ENGINEER PHE DIVISION BARAMULLA

Email: kmrphebla@gmail.com (FAX) 01952234575 (Tel) 01952234244


Allotment Order No. 13 of 2023 dated 16-3-2023

Name of the agency/ contractor	Shabir Ahmad Reshi
Address	Daresh Kadal Srinagar
Registration No.	CE/IFC/Sgr/04/AA/Civil & San/2019-20
Contact/ Email	reshi.shabir@gmail.com
Name of work	Laying Fitting of Pipes, Service Reservoir, Chainlink Fencing, Chowkidar Quarter and various other allied works for WSS Nowgam Shogpora under JJM
References	This office ENIT 70 of 2023 (S.No. 20)
Accord of administrative approval No. & date	CE/PHE/DB/JJM/256 of 09/2022 dated 05.09.2022
Advertised Cost	Rs. 114.85 lacs
Allotted Cost	Rs. 11357396/- (Rupees One Crore Thirteen Lacs Fifty Seven Thousand Three Hundred Ninety Six Only)
Time of completion	120 days

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under :

Conditions:

01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of **120** days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.




09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
13. Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I).

Flanges involved (if any) shall only be used in case of extreme exigencies, like rocky terrain, gorge & where trench is not possible.

(Encl: Annexure "A")

No. 11705-17
Dt. 16/3/2023


Executive Engineer
Jal Shakti Department
PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 15537-49 Dated: 03.03.2023.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division Watergam, for information.
- 13/- File Concerned.

Comp. by: ShahidFarooq (Correspondence)

Annexure "A"

e of work:

ing Fitting of Pipes, Service Reservoir, Chainlink Fencing, Chowkidar Quarter and various other allied works for WSS Nowgam Shogpora
der JJM

Sl.No	Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
		3352.0500	Cum	436.000	1461493.800
1.1	For all kinds of soil (80% of above qty)	200.070	Cum	987.850	193637.750
1.2	ordinary rock (5% of above qty)	779.140	Cum	188.750	
2.01	Earth work in excavation by mechanical means over areas (exceeding 30cms and upto 1.5 mtr in width as well as 10sqm on Plan) including disposal of excavation earth upto 1mtr for cutting edge, disposal earth to be levelled and neatly dressed in all kinds of soil Ordinary rock				147062.675
2.1	Extra for every additional lift of 1.5 mtr or part thereof	272.699	Cum	82.000	22361.318
3	Laying & fitting of G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (external work)				0.000
3.01	15mm dia G.I pipes	2500.000	Mtr	20.250	50625.000
3.1	20mm dia GI pipes	3000.000	Mtr	20.250	60750.000
3.2	25mm dia G.I pipes	3000.000	Mtr	30.650	91950.000
3.3	40mm dia G.I pipes	2500.000	Mtr	40.800	102000.000
3.4	50mm dia GI pipes	3000.000	Mtr	40.800	122400.000
3.5	65mm dia. G.I pipes	1500.000	Mtr	73.050	109575.000
4	Laying in position centrifugally cast (spun) iron S&S or flanged pipes(excluding cost of pipe)K7 100mmdia,150 mm, 200 mm dia,300mmdia	1350.930	Quintal	245.550	331720.862
5	Providing push-on-joints to Centrifugally (Spun) Cast Iron S&S including testing of joints and including the cost of rubber Gasket 150 MM dia. DI	927.000	No	144.700	134136.900
6	Providing push-on-joints to Centrifugally (Spun) Cast Iron S&S including testing of joints and including the cost of rubber Gasket 200 MM dia. DI	15.000	No	213.000	3195.000
7	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	4084.546	Cum	198.700	811599.290
8	Making connections of GI distribution branch with GI mains of following size by providing and fixing tee , including cutting and threrading the pipe etc. complete				0.000
8.1	25 to 40mmØ	10.000	No	666.250	6662.500
8.2	40 to 80mmØ	15.000	No	1268.750	19031.250
9	Providing & laying of DI specials of class K-12 suitable for push on jointing as per IS: 9523 upto 600mm dia	500.000	kgs	170.000	85000.000
10	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments.				0.000
10.1	150mmØ sluice valve	11.0000	No	20243.000	222673.000
10.2	200mmØ sluice valve	9.000	No	31698.000	285282.000
10.3	100mmØ sluice valve	8.000	No	13164.000	105312.000
10.4	80mmØ sluice valve	4.000	No	10815.000	43260.000

[Handwritten signatures and initials]



	Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
1	providing and fixing C.I double acting air valve of approved quality with bolts ,nuts,rubber insertions etc.complete job				0.000
11.1	80mmØ Double acting	4.000	No	6230.850	24923.400
12	Providing and fixing Gun metal gate valves with CI Wheel of approved quality all necessary accessories,complete job				0.000
12.1	25mmØ Gate valve	8.0000	No	543.850	4350.800
12.2	40mmØ gate valve	8.000	No	704.700	5637.600
12.3	50mmØ Gate valve	8.000	No	942.750	7542.000
12.4	65mmØ gate valve	8.000	No	1568.850	12550.800
13	Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includes fixing of angle iron frame legs in cement concrete 1:2:4 mix with locking arrangements complete.	6.000	Job	7000.000	42000.000
14	Providing & fixing of 6mm MS bends of required dia and Tee's including carriage of welding machine upto site of work and fixing at site including cost of rubber gaskets/washers/nuts & bolts etc as complete job.	100.000	Kg	210.000	21000.000
15	Providing fixing of 12mm thick flanges to GI pipe including cost or rubber washers, nuts, bolts etc all work as complete job including carriage of welding machine & Gen set involving welding at site as per the ground Profile complete job.				0.000
15.1	80mm Dia GI	795.000	Pair	1100.000	874500.000
16	Providing and laying stone soling	40.123	cum	1320.000	52962.360
17	Providing & Laying in position cement concrete of specified grade excluding the cost of centering and shuttering all work upto plinth level 1:4:8mix	25.791	Cum	4861.835	125391.586
18	Providing & Laying in position cement concrete of specified grade excluding the cost of centering and shuttering all work upto plinth level 1:2:4 mix (1 Cement:2 sand: 4 Graded stone aggregate)	90.899	Cum	6465.195	587679.760
19	Reinforced cement concrete work in walls (any thickness) including attached pilasters,buttress, plinth ans string, curses, columns, fillets etc upto floor v-level excluding cost of centering, shuttering, and reinforcement in 1:1.5:3 mix(1 cement :1.5 sand: 3 graded stone aggregates) M20				0.000
19.1	Raft	39.369	cum	7800.760	307108.120
19.2	Walls	45.315	Cum	9408.135	426329.638
19.3	Slabs	13.970	Cum	9849.345	137595.350
20	Providing and laying in position R.C.C 1:2:4 mix in domes,arches etc	8.721	cum	10404.515	90737.775
21	Reinforcement for RCC works including straightening, cutting, bending and placing in position all complete (TMT)	7396.320	Kg	87.175	644774.196
22	From work: Centering and shuttering including strutting, proping etc and removal of same for				0.000
22.1	Foundation	56.280	Sqm	262.300	14762.244
22.2	Walls	649.223	sqm	573.850	372556.619
22.3	Suspended Floors	52.735	Sqm	635.600	33518.366
22.4	Beams	33.615	Sqm	502.850	16903.303
22.5	Dome	70.965	Sqm	2086.800	148089.762
23	Extra for Centering and shuttering in circular work				0.000
23.1	Foundation	11.110	Sqm	52.460	582.831
23.2	Walls	198.8630	sqm	114.800	22829.472
23.3	Suspended Floors	5.321	Sqm	127.100	676.299
23.4	Beams	33.615	Sqm	100.570	3380.661

[Handwritten signatures and initials in blue ink]

	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
	Dome	70.965	Sqm	1008.500	71568.203
	12 mm thick cement plaster 1:4 mix	527.8000	Sqm	280.050	137254.390
25	Providing incorporation (During concreting) G.P Sheet strip water seal 1.25mm nominal thick, at construction joints, including jointing of ends and to form a continuous Basis strip area (excluding laps) to be measured	199.510	sqm	500.000	99755.000
26	Extra for providing/Mixing of water proofing material Impemo or equivalent in cement concrete	626.400	kg	80.000	50112.000
27	12 mm thick cement plaster finished with a floating coat of mix 1:3	249.840	Sqm	343.750	85882.500
28	Brick work with common burnt clay F.P.S (non modular) bricks of glass designatin 75 in foundation and plinth in Cement mortar 1:6 (1 cement:6 fine sand)	15.137	Cum	6501.200	98408.664
29	Extra for brick work in superstructure above plinth level upto floor V level. (By manual means)	15.137	Cum	1323.650	20036.090
30	Cement concrete flooring (1:2:4) mix 50mm thick in floors.	109.469	Sqm	505.000	55281.845
31	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or withdash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately) wnd class KD/Silver Wood	3.240	Cum	55000.000	178200.000
32	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface) excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.63 mm thick with zinc coating not less than 275 gram/m2	112.620	Sqm	830.250	93502.755
33	Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G.I. limpet and bitumen washers complete. 0.63 mm thick with zinc coating not less than 275 gram/m2	7.400	Mtr	626.700	4637.580
34	P/F of plain Eaves boarding of budloo wood 40mm thick and 300mm wide	34.300	Mtr	700.000	24010.000
35	providing /Fixing of panelled and glazed shutters for doors windows and clerestory windows incl ISI marked MS pressed butt hinges 2nd class kail wood	163.800	Sqm	3300.000	540540.000
36	Providing and fixing 35mm thick wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge : KD/Silver wood	10.340	Sqm	2000.000	20680.000
37	Providing 40x5mm flat iron hold fasts 40cm long incl. fixing to frame with 10mm dia bolts, nuts and wooden plugs and embeddings in cement concrete block 30x10x15 cm (1:3) mix (20mm nominal size)	32.000	No	113.800	3641.600
38	Providing & fixing aluminium sliding door bolt ISI marked annodized (Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete	3.000	No	125.100	375.300
39	Providing & fixing aluminium tower bolt ISI marked annodized (Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete				0.000

[Handwritten signatures and initials]

	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
	150x10mm	6.000	NO	63.900	383.400
2	100x10mm	20.000	NO	47.600	952.000
40	Providing & fixing aluminium handles ISI marked anodized (Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete				0.000
40.1	125mm	3.000	No	54.250	162.750
40.2	100mm	10.000	NO	48.450	484.500
41	Providing & fixing aluminium hanging floor door stopper ISI marked anodized (Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete Single Rubber Stopper	3.000	No	35.200	105.600
42	15mm thick cement plaster finished without floating coat of neat cement of mix 1: 3 mix (1 cement : 3fine Sand).	150.339	Sqm	343.750	51679.031
43	Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturers specifications including appropriate priming coat preparation of surfaces, etc complete.	150.339	Sqm	188.800	28384.003
44	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) over 75mm bed of dry brick ballast 40mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth and curing complete	24.750	Sqm	496.650	12292.088
45	Providing & fixing MS grill of required pattern in frames of windows etc. with Ms flat, square or round bars etc. including priming coat with approved steel primer. All complete.	300.000	Kg	120.000	36000.000
46	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 (1 cement : 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. In all colours, shades, except White, Ivory, Fume Red Brown	23.479	Sqm	1115.800	26197.868
47	Providing & fixing White vitreous china water closet squatting pan(Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge.Orissa pattern W.C Pan of size 580x440 mm	1.0000	No	3690.250	3690.250
48	Providing and fixing Salem Stainless Steel A ISI 304 (18/8) kitchen sink as per I.S. 13983 with C.I. brackets and stainless steel plug 40 mm including painting of fittings and brackets, cutting and making good the walls wherever required:Kitchen sink with drain board 510 x1040mm Bowl depth 250mm	1.000	No	7259.750	7259.750




 S. K. S. S.
 S. K. S. S.



Description of Work / Item(s)		No. of Qty	Units	Rate	Total Amount
	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) R.C.C. top slab with 1 :2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size) inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 20mm nominal size) finished with a floating coat of neat cement complete as per standard design. Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x61 Omm. Internal dimensions total weight of cover and frame to be not less than 38	2.000	NO	8084.300	16168.600
50	Providing & fixing PVC soil waste and vent pipe.				0.000
50.1	100mm	30.000	Rm	250.000	7500.000
50.2	75mm	20.000	RM	200.000	4000.000
51	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fitting arrangement of approved quality and colour. 450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms.	1.000	No	802.700	802.700
52	Providing & fixing GI pipes complete with GI fittings and clamps including cutting and making good the walls etc. (Internal works).				0.000
52.1	15mm dia nominal bore (Light weight)	20.000	Rm	278.900	5578.000
52.2	20mm dia nominal bore (light weight)	10.000	Rm	336.200	3362.000
53	Providing & fixing GI pipes complete with GI fittings including trenching and refilling etc. (External works). 15mm dia nominal bore. (light weight)	35.000	Rm	133.750	4681.250
54	Providing & fixing on Terrace (at all floor levels) polyethelene water storage tank ISI 12701 marked indicating the BIS license no. with cover and suitable locking arrangement and making necessary holes for inlet, outlet and over flow pipes but without fittings and the base support for tank (Syntex, Electroplast, Star, Lotus or equivalent having valid ISI license.	500.000	Ltr	6.700	3350.000
55	Providing & fixing CP brass Bib cock of approved quality confirming to Is-8931. 15mm dia nominal bore.	6.000	No	318.850	1913.100
56	Providing & fixing CP brass angle valve for basin mixer and gysar points of approved make confirming to Is-8931. 15mm dia nominal bore.	4.000	No	536.100	2144.400
57	Providing & fixing of 50 litre capacity gysar of approved quality (venus make or equivalent).	1.000	No	19000.000	19000.000
58	Providing & fixing Lighting points in 1.5 sqmm multistrand PVC wire to be laid in conduits including providing & fixing of 5-A switches complete.	20.000	No	1200.000	24000.000
59	Providing & fixing heating points in 2.5 sqmm multistrand PVC copper wire to be laid in conduits including providing & fixing of 16-A switches complete.	3.000	No	1500.000	4500.000
60	Providing & fixing of 1200mm sweep ceiling fans complete with accessories including dimmer of ISI mark complete.	2.000	No	3500.000	7000.000
61	Providing & fixing of Exhaust fan in 1.5 sqmm stand wire to be laid in conduits complete.	2.000	No	2500.000	5000.000
62	Providing & fixing of 16-A MCB of Indocap complete.	5.000	No	600.000	3000.000
63	Providing & fixing MCB distribution box 10 way main double door system.	1.000	No	5500.000	5500.000

[Handwritten signatures and initials]

	Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
	Structural steel work in single sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (Riveted and bolted)	4285.750	kgs	82.750	354645.813
65	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge.	366.000	sqm	733.500	268461.000
66	Applying priming coat with ready mixed red oxide of approved brand and manufacture on steel galvanized iron/steel works	366.000	sqm	52.750	19306.500
67	Painting two or more coats of sythetic enamel paint of approved brand and manufacture.	366.000	sqm	80.100	29316.600
68	Providing & fixing of grill gate fitted on circular 100mm dia pipe/poles of required design including fixing of nut bolts & other related itmes all work as complete job.(Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	325.000	kgs	96.150	31248.750
69	Providing and fixing of MS lid of size 1m x 1m of 50x50x6mm angle section with 3mm thick MS lid including all locking arrangements handles etc all work as complete job.	2.000	Job	8000.000	16000.000
70	Providing and fixing DI tail piece male /female to DI/CI pipes one side socketed and one side Flanged including all sorts of carriages upto site of work complete job.				0.000
70.1	150mmØ DI	6.000	No	4500.000	27000.000
70.2	200mmØ DI	6.000	No	5500.000	33000.000
71	Carraige of materials from actual site upto dumping site of work by mechanical transport including loading unloading and stacking				0.000
71.1	200mm DI for an avg lead of 35kms	80.000	Mtr	32.649	2611.920
71.2	150mm DI for an avg lead of 35kms	5100.0000	Mtr	20.045	102229.500
71.3	below 100mm dai Gi Pipe for an avg lead of 35kms	76.810	M.Ton	490.119	37646.040
71.4	Cement and Steel avg lead of 35kms	65.880	M.Ton	490.119	32289.040
71.5	Sand /aggregate avg lead 35kms	282.800	Cum	551.333	155916.972
71.6	Stone soling avg lead avg lead 15kms	40.1230	Cum	401.833	16122.745
71.7	Bricks 85 kms	7266.000	Nos	2.795	20308.470
72	Carraige of pipes from duming site upto actual site of work by manual labours for an avg lead 500mtrs				0.000
72.1	200mm DI	80.000	Mtr	20.240	1619.200
72.2	150mm DI	5100.000	Mtr	13.490	68799.000
72.3	below 10mm dai Gi Pipe	76.810	M.Ton	355.695	27320.933
72.4	Cement	26.680	M.Ton	282.095	7526.295
72.5	steel	5.780	M.Ton	605.958	3502.437
72.6	Sand /aggregate	98.100	Cum	621.207	60940.407
72.7	Stone soling	16.390	Cum	730.802	11977.845
Total					11484878
Quoted Rate @ Below 1.11%					127482
Total Allotted Amount					11357396
(Rupees One Crore Thirteen Lacs Fifty Seven Thousand Three Hundred Ninety Six Only)					

Rates & Qty checked by:


Head Draftsman



Executive Engineer
PHE Division Baramulla