

OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE DIVISION

BARAMULLA

Email: kmrphebla@gmail.com (FAX) 01952234575 (Tel) 01952234244



Allotment Order No. 07 of 2023

Dated: 08-04-2023

Name of the agency/ contractor	Pyramid Infra tech (Prop: Syed hanan Kamli)
Address	Hawal Srinagar
Registration No.	CVPP/PDHEP/CE/I&L/2019/559
Contact/ Email	pyramidinf@gmail.com
Name of work	Laying fitting of pipes, constt. of Slow Sand Filtration Plant, Service Reservoir, chain link fencing , Chowkidar Quarter and other allied works for WSS Shitloo under JJM
References	This office ENIT 82 of 2023 (S.No. 04)
Accord of administrative approval No. & date	136/SE/HYD/DB/JJM of 2022-23 dated: 31-01-2023
Advertised Cost	Rs. 100.49 lacs
Allotted Cost	Rs. 1,00,59,326/- (Rupees one crore fifty nine thousand three hundred twenty six only)
Time of completion	.120 days

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under :

Conditions:


01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of **120** days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be

- recommended for further punitive action as governed under the relevant clause of the contract including black listing.
08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
 09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
 10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
 11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
 12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
 13. Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I).

Flanges involved (if any) shall only be used in case of extreme exigencies, like rocky terrain, gorge & where trench is not possible.

(Encl: Annexure "A")

No. 478-90
Dt. 11-04-2023


Executive Engineer
Jal Shakti Department
PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: SE/Hyd/DB/09-20 dated: 01-04-2023.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division watergam for information.
- 13/- File Concerned.

Comp. by: Shahid Farooq (Correspondence)

Annexure "A"

Work:

Fitting of Pipes, Constt of Slow Sand Filtration Plant, Service Reservoir, Chainlink fencing, Chowkidar Quarter and other allied works for 1000 under JJM


No	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
1.1	For all kinds of soil (80% of above qty)	2037.150	Cum	436.000	888197.400
1.2	ordinary rock (5% of above qty)	306.450	Cum	967.850	296597.633
2	Laying & fitting of G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (external work)				0.000
2.1	15mm dia G.I pipes	1500.000	Mtr	20.250	30375.000
2.2	20mm dia G.I pipes	1500.000	Mtr	20.250	30375.000
2.3	25mm dia G.I pipes	2000.000	Mtr	30.650	61300.000
2.4	40mm dia G.I pipes	1200.000	Mtr	40.800	48960.000
2.5	50mm dia G.I Pipes	700.000	Mtr	40.800	28560.000
2.6	65mm dia G.I pipes	2900.000	Mtr	73.050	211845.000
2.7	80mm dia G.I pipes	1950.000	Mtr	73.050	142447.500
3	Laying in position centrifugally cast (spun) iron S&S or flanged pipes(excluding cost of pipe)K7 100mmdia,150 mm, 200 mm dia	35.104	Quintal	245.550	8619.787
4	Providing push-on-joints to Centrifugally (Spun) Cast Iron S&S including testing of joints and including the cost of rubber Gasket 100 MM DI	18.000	NO	89.700	1614.600
5	Providing push-on-joints to Centrifugally (Spun) Cast Iron S&S including testing of joints and including the cost of rubber Gasket 150 MM DI	4.000	No	144.700	578.800
6	Providing push-on-joints to Centrifugally (Spun) Cast Iron S&S including testing of joints and including the cost of rubber Gasket 200 MM DI	4.000	NO	213.000	852.000
7	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	1633.996	Cum	198.700	324675.005
8	Making connections of GI distribution branch with GI mains of following size by providing and fixing tee , including cutting and threrading the pipe etc. complete				0.000
8.1	25 to 40mmØ	5.000	NO	666.250	3331.250
8.2	40 to 80mmØ	8.000	NO	1268.750	10150.000
9	Providing & laying of DI specials of class K-12 suitable for push on jointing as per IS: 9523 upto 600mm dia	50.000	kgs	170.000	8500.000
10	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments.				0.000
10.1	150mmØ sluice valve	3.000	No	20243.000	60729.000
10.2	200mmØ sluice valve	7.000	No	31698.000	221886.000
10.3	100mmØ sluice valve	4.000	No	13164.000	52656.000
11	Providing and fixing Gun metal gate valves with CI Wheel of approved quality all necessary accessories,complete job				0.000
11.1	25mmØ Gate valve	4.000	No	543.850	2175.400
11.2	40mmØ gate valve	3.000	No	704.700	2114.100
11.3	50mmØ Gate valve	3.000	No	942.750	2828.250
11.4	65mmØ gate valve	5.000	No	1568.850	7844.250

	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
	Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includes fixing of angle iron frame legs in cement concrete 1:2.4 mix with locking arrangements complete.	2.000	Job	7000.000	14000.000
	Providing & fixing of MS bends of required dia and Tee's including carriage of welding machine upto site of work and fixing at site including cost of rubber gaskets/washers/nuts & bolts etc as complete job.	50.000	Kg	210.000	10500.000
14	Providing fixing of 12mm thick flanges to GI pipe including cost of rubber washers, nuts, bolts etc all work as complete job including carriage of welding machine & Gen set involving welding at site as per the ground Profile complete job.				0.000
14.1	65mm dia G.I	483.000	Pair	900.000	434700.000
14.2	80mm Dia GI	325.000	Pair	1100.000	357500.000
15	providing and fixing manufacturing at site 6mm thick Ms pipe specials like tail pieces,bends,tees etc as per requirement at site incld. Welding of flanges	172.630	kg	220.000	37978.600
16	Providing and laying stone soling	45.768	cum	1320.000	60413.760
17	Providing & Laying in position cement concrete of specified grade excluding the cost of centering and shuttering all work upto plinth level 1:4:8mix	25.845	Cum	4861.835	125654.126
18	Providing & Laying in position cement concrete of specified grade excluding the cost of centering and shuttering all work upto plinth level 1:2:4 mix (1 Cement:2 sand: 4 Graded stone aggregate)	54.899	Cum	6465.195	354932.740
19	Reinforced cement concrete work in walls (any thickness) including attached pilasters,buttress, plinth ans string, curses, columns, fillets etc upto floor v-level excluding cost of centering, shuttering, and reinforcement in 1:1.5:3 mix(1 cement :1.5 sand: 3 graded stone aggregates) M20				0.000
19.1	Raft	49.909	cum	7800.760	389328.131
19.2	Walls	100.107	Cum	9408.135	941820.170
19.3	Slabs	20.140	Cum	9849.345	198365.808
20	providing and laying in position R.C.C 1:1.5:3 mix in domes,arches etc	2.305	cum	10404.515	23982.407
21	Reinforcement for RCC works including straightening, cutting, bending and placing in position all complete (TMT)	12696.900	Kg	87.175	1106852.258
22	From work: Centering and shuttering including strutting, propping etc and removal of same for				0.000
22.1	Foundation	72.503	Sqm	262.300	19017.537
22.2	Walls	774.865	sqm	573.850	444656.280
22.3	Suspended Floors	107.974	Sqm	635.600	68628.274
22.4	Beams	3.658	Sqm	502.850	1839.425
22.5	Dome	23.0460	Sqm	502.850	11588.681
23	Extra for Centering and shuttering in circular work				0.000
23.1	Foundation	4.053	Sqm	52.460	212.620
23.2	Walls	51.365	sqm	229.540	11790.322
23.3	Beams	3.658	Sqm	100.570	367.885
23.4	Dome	23.046	Sqm	417.360	9618.479
24	12 mm thick cement plaster 1:4 mix	606.1100	Sqm	260.050	157618.906
25	Providing incorporation(During Concreting)G.P Sheet strip water seal 1.25mm nominal thick,at Construction joints,including Jointing of ends and to form a continous Basis strip area(excluding laps) to be measured	60.000	sqm	500.000	30000.000
26	Extra for providing/Mixing of water proofing material Impermo or equivalent in cement concrete	1126.000	kg	80.000	90080.000
27	Providing and fixing in position in RCC wall M.S barrel(10mm thick) with flanges on both sides for washout/outlet purpose(200mm dai)	4.000	No	5000.000	20000.000
27.1	Connection of filter Beds with The clear water Chamber Complete with washout Connection	2.000	No	15000.000	30000.000

	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
	Providing and fixing hand rail by weilding etc to steel ladders installing balcony railing and stair case railing including applying priming coat of approved steel primer.	1702.000	kg	104.250	177433.500
	Providing and fixing of M.S lid of required size including the frame work of angles iron on clear water Chamber,complete Job	1.000	Job	3000.000	3000.000
30	Supplying Providing and laying of Filter Media(sand and gravel) as per the specification and as per the direction and as per the direction of Engineer In charge from Ganderbal including all cariage complete Job.	83.200	cum	7700.000	640640.000
31	12 mm thick cement plaster finished with a floating coat of mix 1:3	47.124	Sqm	343.750	16198.875
32	Brick work with common burnt clay F.P.S (non modular) bricks of class designatin 75 in foundation and plinth in Cement mortar 1:6 (1 cement:6 fine sand)	15.137	Cum	6183.750	93603.424
33	Extra for brick work in superstructure above plinth level upto floor V level. (By manual means)	15.137	Cum	1323.650	20036.090
34	Cement concrete flooring(1:2:4) mix 50mm thick in floors.	26.149	Sqm	555.500	14525.770
35	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or withdash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately) wnd class KD/Silver Wood	2.670	Cum	55000.000	146850.000
36	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface)excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.63 mm thick with zinc coating not less than 275 gram/m2	112.620	Sqm	830.250	93502.755
37	Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G.I. limpet and bitumen washers complete. 0.63 mm thick with zinc coating not less than 275 gram/m2	7.400	Mtr	626.000	4632.400
38	P/ F of plain Eaves boarding of popularwood 40mm thick and 300mm wiide	34.300	Mtr	700.000	24010.000
39	Providing wood work in frames of doors windows clerestory windows and other frames, wrought frames and fixed in position with hold fast lugs or with dash fastners of required dia and length hold hold fast lugs or with dash fasterners shall be paid seprately. KD/ Silver wood	0.570	Cum	55000.000	31350.000
40	providing /Fixing of panelled and glazed shutters for doors windows and clerestory windows incl ISI marked MS pressed butt hinges. KD/Silver Wood	163.800	Sqm	2500.000	409500.000
41	providing /Fixing glazed shutters for doors, windows and clestory windows using 10kg/ sqm (4mm thick)float glass	10.340	Sqm	2500.000	25850.000
42	Providing and fixing 35mm thick wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge : KD/Silver Wood	10.340	Sqm	2000.000	20680.000
43	Providing 40x5mm flat iron hold fasts 40cm long incl. fixing to frame with 10mm dia bolts, nuts and wooden plugs and embedings in cement concrete block 30x10x15 cm (1:3) mix (20mm nominal size)	32.000	NO	113.800	3641.600

Handwritten signatures and initials, including a large signature that appears to be 'Rajesh' and other initials.

	Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
	Providing & fixing aluminium sliding door bolt ISI marked annodized (Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete	3.000	No	125.100	375.300
	Providing & fixing aluminium tower bolt ISI marked annodized (Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete				0.000
45.1	150x10mm	6.000	NO	63.900	383.400
45.2	100x10mm	20.0000	NO	47.600	952.000
46	Providing & fixing aluminium handles ISI marked annodized (Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete				0.000
46.1	125mm	3.000	No	54.250	162.750
46.2	100mm	10.000	NO	48.450	484.500
47	Providing & fixing aluminium hanging floor door stopper ISI marked annodized (Anodic coating not less than grade AC 10 as per IS-1868) transparent or dyed to required colour or shade with nuts and screws etc. complete Single Rubber Stopper	3.000	No	35.200	105.600
48	15mm thick cement plaster finished without floating coat of neat cement of mix 1: 6 mix (1 cement : 6 fine Sand).	150.339	Sqm	163.650	24602.977
49	Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturers specifications including appropriate priming coat preperation of surfaces, etc complete.	150.339	Sqm	128.950	19386.214
50	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) over 75mm bed of dry brick ballast 40mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth and curing complete	24.750	Sqm	496.650	12292.088
51	Providing & fixing MS grill of required pattern in frames of windows etc. with Ms flat,square or round bars etc. including priming coat with approved steel primer. All complete.	300.000	Kg	120.000	36000.000
52	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 (1 cement : 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. In all colours, shades, except White, Ivory, Fume Red Brown	23.479	Sqm	1115.800	26197.868
53	Providing & fixing White vitreous china water closet squatting pan(Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge.Orissa pattern W.C Pan of size 580x440 mm	1.000	No	3690.250	3690.250
54	Providing and fixing Salem Stainless Steel A ISI 304 (18/8) kitchen sink as per I.S. 13983 with C.I. brackets and stainless steel plug 40 mm including painting of fittings and brackets, cutting and making good the walls wherever required:Kitchen sink with drain board 510 x1040mm Bowl depth 250mm	1.000	No	7259.750	7259.750




 [Handwritten signatures and initials, including 'Raj' and 'S.K.']

	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) R.C.C. top slab with 1 :2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size) inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 20mm nominal size) finished with a floating coat of neat cement complete as per standard design. Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x61 Omm. internal dimensions total weight of cover and frame to be not less than 38	2.000	NO	8084.300	16168.600
56	Providing & fixing PVC soil waste and vent pipe.				0.000
56.1	100mm	30.000	Rm	250.000	7500.000
56.2	75mm	20.000	RM	200.000	4000.000
57	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fitting arrangement of approved quality and colour. 450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms.	1.000	No	802.700	802.700
58	Providing & fixing GI pipes complete with GI fittings and clamps including cutting and making good the walls etc. (Internal works).				0.000
58.1	15mm dia nominal bore (Light weight)	20.000	Rm	278.900	5578.000
58.2	20mm dia nominal bore (light weight)	10.000	Rm	336.200	3362.000
59	Providing & fixing GI pipes complete with GI fittings including trenching and refilling etc. (External works). 15mm dia nominal bore. (light weight)	35.000	Rm	133.750	4681.250
60	Providing & fixing on Terrace (at all floor levels) polyethelene water storage tank ISI 12701 marked indicating the BIS license no. with cover and suitable locking arrangement and making necessary holes for inlet, outlet and over flow pipes but without fittings and the base support for tank (Syntex, Electroplast, Star, Lotus or equivalent having valid ISI license.	500.000	Ltr	6.700	3350.000
61	Providing & fixing CP brass Bib cock of approved qality confirming to Is-8931. 15mm dia nominal bore.	6.000	No	318.850	1913.100
62	Providing & fixing CP brass angle valve for basin mixer and gysar points of approved make confirming to Is-8931. 15mm dia nominal bore.	4.000	No	536.100	2144.400
63	Providing & fixing of 50 litre capacity gysar of approved quality (venus make or equivalent).	1.000	No	19000.000	19000.000
64	Providing & fixing Lighting points in 1.5 sqmm multistrand PVC wire to be laid in conduits including providing & fixing of 5-A switches complete.	20.0000	No	1200.000	24000.000
65	Providing & fixing heating points in 2.5 sqmm multistrand PVC copper wire to be laid in conduits including providing & fixing of 16-A switches complete.	3.000	No	1500.000	4500.000
66	Providing & fixing of 1200mm sweep ceiling fans complete with accessories including dimmer of ISI mark complete.	2.000	No	3500.000	7000.000
67	Providing & fixing of Exhaust fan in 1.5 sqmm stand wire to be laid in conduits complete.	2.000	No	2500.000	5000.000
68	Providing & fixing of 16-A MCB of Indocap complete.	5.000	No	600.000	3000.000
69	Providing & fixing MCB distribution box 10 way main double door system.	1.000	No	5500.000	5500.000
70	Structural steel work in single sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (Riveted and bolted)	2003.170	kgs	82.750	165762.318

	Description of Work / Item(s)	No.of Qty	Units	Rate	Total Amount
	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge.	183.000	sqm	733.500	134230.500
	Applying priming coat with ready mixed red oxide of approved brand and manufacture on steel galvanized iron/steel works	183.000	sqm	52.750	9653.250
3	Painting two or more coats of sythetic enamel paint of approved brand and manufacture.	183.000	sqm	80.100	14658.300
74	Providing & fixing of grill gate fitted on circular 100mm dia pipe/poles of required design including fixing of nut bolts & other related itmes all work as complete job.(Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	325.000	kgs	96.150	31248.750
75	Providing and fixing of MS lid of size 1m x 1m of 50x50x6mm angle section with 3mm thick MS lid including all locking arrangements handles etc all work as complete job.	1.000	Job	8000.000	8000.000
76	Providing and fixing of MS ladder of required height made of 50x50x6mm angle section with 40x40x5mm thick treads etc all work as complete job.	1.000	job	8000.000	8000.000
77	Carraige of materials from actual site upto dumping site of work by mechanical transport including loading unloading and stacking				0.000
77.1	100mm DI for an avg lead of 35kms	100.000	Mtr	10.320	1032.000
77.2	below 100mm dai Gi Pipe for an avg lead of 35kms	45.430	M.Ton	426.190	19361.812
77.3	Cement and Steel avg lead of 35kms	115.238	M.Ton	426.190	49113.283
77.4	Sand /aggregate avg lead 35kms	371.935	Cum	479.420	178313.078
77.5	Stone soling avg lead avg lead 15kms	45.167	Cum	349.420	15782.253
78	Carraige of pipes from duming site upto actual site of work by manual labours for an avg lead 500mtrs				0.000
78.1	100mm dia DI	100.000	Mtr	8.280	828.000
78.2	below 10mm dai Gi Pipe	45.430	M.Ton	309.300	14051.499
78.3	Cement	9.752	M.Ton	245.300	2392.166
78.4	steel	2.030	M.Ton	526.920	1069.648
78.5	Sand /aggregate	35.470	Cum	540.180	19160.185
78.6	Stone soling	4.900	Cum	635.480	3113.852
Total					10049276
Quoted Rate @ Above 0.10%					10049
Total Allotted Amount					10059326
(Rupees One Crore Fifty Nine Thousand Three Hundred Twenty Six Only)					

Rates & Qty checked by:


Head Draftsman


Executive Engineer
PHE Division Baramulla