

# Office of the Executive Engineer Jal Shakti PHE Division Awantipora

E-Mail ID: phediv@eeawantipora@gmail.com

Name: Ghulam Rasool Mir  
 S/O: Gh Mohd Mir  
 R/O: Kadiabal Pampore  
 Reg. No. : SE(R&B)SB-166/BEE/CLASS/C/S/Only/2000-2001  
 GST No. 01ARAPM9530E129  
 PAN No. ARAPM9530E

No. PHA/ 2020-25  
 Dated: 01/08/2022

Subject: Allotment for Retrofitting of WSS Samboora by way of laying/fitting under JIM.

Reference:- 1. Your tender in response to this office E-NIT No.03/PHA of 2022-23 (e-tendering) S.No.(10) issued

3. Technical Sanction No: 49/JIM/2022-23 of 08/2022

04. CG Kmr PHE Dept. J&K No: 13745-03 Dt: 26/07/2022

For on behalf of lieutenant Governor of Union Territory of Jammu & Kashmir, contract for above

**Advertised Cost:- Rs 16.07 Lacs**

**Allotted Cost:- Rs 16.39 Lacs (Rupees Sixteen Lac and Thirty Nine Thousand Only)**

S.No.	Particulars of items	Unit	Qty	Allotted Rate	Amount	
					in figures	in Words
1	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge : 15 mm to 40 mm nominal bore.	m	100	101.75	10174.500	Rupees Ten Thousand One Hundred SeventyFour Paise Fifty Only
2	above 40mm nominal bore	No	50	112.86	5643.150	Rupees Five Thousand Six Hundred FortyThree Paise Fifteen Only
3	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed. All kinds of soil (1 meter from cutting edge)	cum	1241	444.72	551053.048	Rupees Five Lakh FiftyOne Thousand Eight Hundred FiftyThree Paise Five Only
4	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work. 100 mm dia G.I.	mt	350	109.85	38448.900	Rupees ThirtyEight Thousand Four Hundred FourtyEight Paise Ninety Only
5	80 mm dia GI Pipes	mt	850	74.51	63334.350	Rupees SixtyThree Thousand Three Hundred ThirtyFour Paise ThirtyFive
6	65 mm dia G.I.	mt	300	74.51	22353.300	Rupees TwentyTwo Thousand Three Hundred FiftyThree Paise Thirty Only
7	50 mm dia GI Pipes	mt	950	41.62	39535.200	Rupees ThirtyNine Thousand Five Hundred ThityFive Paise Twenty
8	40 mm dia GI Pipes	mt	1050	41.62	43696.800	Rupees FortyThree Thousand Six Hundred NinetySix Paise Eighty Only
9	25 mm dia GI Pipes	mt	1025	31.26	32044.525	Rupees ThirtyTwo Thousand FourtyFour Paise FiftyEight Only
10	20 mm dia GI Pipes	mt	1525	20.66	31498.875	Rupees ThirtyOne Thousand Four Hundred NinetyEight Paise
11	15 mm dia GI Pipes	mt	2800	20.66	57834.000	Rupees FiftySeven Thousand Eight Hundred ThirtyFour Only
12	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc complete 25 to 40 mm nominal bore	each	20	679.58	13591.500	Rupees Thirteen Thousand Five Hundred NinetyOne Paise Fifty Only

0/c

*Recd & Cash receipt*

*Signature*

**Office of the Executive Engineer Jal Shati PHE Division Awantipora**  
**Allotment for retrofitting of WSS Samboora by way of laying/fitting under JIM**

13	50 to 80 mm nominal bore	each	3	1294.13	3882.39	Three Thousand Eight Hundred EightyTwo Paise Thirtysix Only
14	filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	cum	1117	202.67	226346.99	Two Lakh Two Hundred ThirtySix Thousand Three Hundred FortyEight Paise FiftyFive Only
15	Full of regulatory valves of reputed make with FD mark including cost of flange flanges, nuts, bolts, washers, tail pieces complete 100 mm dia	No.	4	11730.00	46920.00	FourtySix Thousand Nine Hundred Twenty Only
16	80 mm dia	No.	1	9180.00	9180.00	Nine Thousand One Hundred Eighty Only
17	Earth work in bulk excavation by manual means over areas (exceeding 90 cm in depth, 1.5 m in width as well as 10 m <sup>2</sup> ) on plain including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m. as directed by Engineer in Charge. All kinds of soil	cum	4.21	444.72	1872.271	One Thousand Eight Hundred SeventyTwo Paise TwentySeven Only
18	Providing and laying of stone siding (dully hand packed) on horizontal level	cum	1.05	628.73	660.164	Six Hundred Sixty Paise Sixteen Only
19	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centering and shuttering. All work upto plinth level with 1:4:8 (1) cement, 4 coarse sand & graded stone aggregate 40mm nominal size.	cum	0.7	4959.08	3471.354	Three Thousand Four Hundred SeventyOne Paise ThirtyFive Only
20	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All work upto plinth level. 1:2:4 (1) cement, 2 coarse sand, 4 graded stone aggregate 20mm nominal size.	cum	32.4	6562.69	21266.055	Two Lakh Twelve Thousand Three Hundred SixtyEight Paise SixtyFive Only
21	Providing and laying in position specified grade of specified grade including curing but excluding the cost of centering and shuttering. All work upto plinth level with 1:2:4 (1) cement, 2 coarse sand, 4 graded stone aggregate 20mm nominal size.	cum	0.96	7441.87	7144.194	Seven Thousand One Hundred FortyFour Paise Nineteen Only
22	Painting with cement wash putty on masonry work and manufacture of 100 mm dia pipes 200 mm length in masonry.	cum	4.88	128.01	624.689	Six Hundred TwentyFour Paise SixtyNine Only
23	Steel reinforcement work including straightening, cutting, bending, planing, welding and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade 5000 or more	cum	91	80.84	7355.965	Seven Thousand Three Hundred FiftyFive Paise NinetyNine Only
24	Providing and laying 50 mm thick cement concrete flooring with floating coat of neat cement	cum	2.25	566.61	1274.873	One Thousand Two Hundred SeventyFour Paise EightySeven Only
25	Lintel beams, plinth beams, girders, bracing and cantilevers	cum	1.73	613.02	1060.523	One Thousand Sixty Paise FiftyTwo Only
26	Suspended floors, roofs, landings, balconies and access platforms	cum	3.78	746.36	2821.258	Two Thousand Eight Hundred TwentyOne Paise TwentySix Only
27	Edges of slabs and breaks in floors and walls under 200mm wide	cum	7.8	247.15	1927.770	One Thousand Nine Hundred TwentySeven Paise SeventyFour Only

**Office of the Executive Engineer Jal Shati PHE Division Awantipora**  
**Allotment for retrofitting of WSS Samboora by way of laying/fitting under JIM**

28	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): 9.1.1 First class kail wood	cum	0.08	109031.88	8722.550	Rupees Eight Thousand Seven Hundred TwentyTwo Paise FiftyFive Only
29	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4mm thick float glass panes including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws. First class kail wood 35mm	sqm	0.54	3155.68	1704.069	Rupees One Thousand Seven Hundred Four Paise Seven Only
30	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in: Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	3.43	6307.48	21634.643	Rupees TwentyOne Thousand Six Hundred ThirtyFour Paise SixtyFour Only
31	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note: -Butt hinges and necessary screws shall be paid separately). First class kail wood 35mm	sqm	1.61	3155.68	5080.638	Rupees Five Thousand Eighty Paise SixtyFour Only
32	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick. First class kail wood	sqm	0.64	2551.84	1633.175	Rupees One Thousand Six Hundred ThirtyThree Paise Eighteen Only
33	Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	sqm	41.4	93.64	3876.530	Rupees Three Thousand Eight Hundred SeventySix Paise FiftyThree Only
34	12mm Cement plaster finished with a floating coat of neat cement of mix: 1 : 4 (1 cement : 4 fine sand)	sqm	14.4	265.25	3824.919	Rupees Three Thousand Eight Hundred TwentyFour Paise NinetyTwo Only
35	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS : 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	sqm	7.88	1138.12	8968.354	Rupees Eight Thousand Nine Hundred SixtyEight Paise ThirtyFive Only

**Office of the Executive Engineer Jal Shati PHE Division Awantipora**  
**Allotment for retrofitting of WSS Samboora by way of laying/fitting under JJM**


36	Providing and fixing water closet squatting pan ( Indian type W.C. pan) with 100 mm sand cast iron P or Strap, 10 litre low level P.V. C. flushing cistern including flush pipe (of approved make) manually controlled device (handle lever) conforming to IS:7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required. White vitreous china W.C. pan of size 580x440 mm with integral type foot rests.	each	1	5432.62	5432.622	Rupees Five Thousand Four Hundred ThirtyTwo Paise SixtyTwo Only
37	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 ( 1 cement : 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. In all colours, shades, except White, Ivory, Fume Red Brown	sqm	1.99	1184.32	2356.801	Rupees Two Thousand Three Hundred FiftySix Paise Eighty Only
38	Distemping with 1st quality acrylic distemper, having VOC (Volatile Organic Compound) content less than 50 grams/ liter, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two coats	sqm	14.4	80.22	1156.816	Rupees One Thousand One Hundred FiftySix Paise EightyTwo Only
39	P/F of PVC sanitary fittings with all accessories of reputed compant with all accessories c. job (to be paid as per actual ) PVC pipe 100mm	m	6	306.00	1836.000	Rupees One Thousand Eight Hundred ThirtySix Only
40	PVC pipe 75mm	m	6	255.00	1530.000	Rupees One Thousand Five Hundred Thirty Only
41	Angle Valve	No	2	510.00	1020.000	Rupees One Thousand Twenty Only
42	Bib Cock CP	No	2	1020.00	2040.000	Rupees Two Thousand Fourty Only
43	Basin Mixer CP	No	1	2550.00	2550.000	Rupees Two Thousand Five Hundred Fifty Only
44	PVC Flow trap	No	1	306.00	306.000	Rupees Three Hundred Six Only
45	Door bend/Tee 100mm/75mm	No	1	255.00	255.000	Rupees Two Hundred FiftyFive Only
46	PVC bends 100/75mm	No	1	204.00	204.000	Rupees Two Hundred Four Only
47	15mm dia internal pipe	M	5	284.48	1422.390	Rupees One Thousand Four Hundred TwentyTwo Paise ThirtyNine Only
48	P/F of plumbing & electriction items of reputed make with ISI mark complete job (To be paid as per actual) Lighting points 1.5mm sq wire	No	1	1020.00	1020.000	Rupees One Thousand Twenty Only
49	P/F of exaust fan 300mm	No	1	1020.00	1020.000	Rupees One Thousand Twenty Only
50	P/F of 15 liter Gyser inclding all fitting/fixures complete	No	1	6120.00	6120.000	Rupees Six Thousand One Hundred Twenty Only
51	Providing and laying in position 1000mm dia of 300mm in depth precast cement concrete rings for sludge/waste water includinf, earthwork, disposal, carriage, loading , unloading etc	No.	21	510.00	10710.000	Rupees Ten Thousand Seven Hundred Ten Only

4/11/20

**Office of the Executive Engineer Jal Shati PHE Division Awantipora**  
**Allotment for retrofitting of WSS Samboora by way of laying/fitting under JJM**

52	providing & fixing of MS Flanges to GI pipe including cutting of threaded portion, welding, cost of nuts, bolts and washers with testing after completion of work including all carriages complete for: 100 mm dia	joint	25	1224.00	30600.000	Rupees Thirty Thousand Six Hundred Only
53	80mm dia	joint	50	1020.00	51000.000	Rupees FiftyOne Thousand Only
54	65 mm dia	joint	11	663.00	7293.000	Rupees Seven Thousand Two Hundred NinetyThree Only
55	Carriage by Mechanical Transport 25 KM Steel	Ton	2.14	409.84	877.049	Rupees Eight Hundred SeventySeven Paise Five Only
56	Sand	cum	3.68	461.01	1696.515	Rupees One Thousand Six Hundred NinetySix Paise FiftyOne Only
57	Aggregates 20mm	cum	4.42	461.01	2037.662	Rupees Two Thousand ThirtySeven Paise SixtySix Only
58	Aggregates 40mm	cum	0.63	501.12	315.703	Rupees Three Hundred Fifteen Paise Seventy Only
59	Bricks	No	1627	1.23	2008.043	Rupees Two Thousand Eight Paise Four Only
60	Stone soiling	cum	1	49.70	49.705	Rupees FortyNine Paise Seventy Only
61	Pipes @ 12Km lead	MT	24.2	276.68	6683.915	Rupees Six Thousand Six Hundred EightyThree Paise NinetyOne Only
62	Carriage by Manual Transport @ 200 m	pipes MT	24.2	225.14	5439.043	Rupees Five Thousand Four Hundred ThirtyNine Paise Four Only
<b>Total</b>					1639345.767	Rupees Sixteen Lakh ThirtyNine Thousand Three Hundred FortyFive Paise SeventySeven Only

Rates checked as per approved C/S

  
 Executive Engineer,  
 PHE Division Awantipora

**Terms & Conditions:-**

- The cost of work in no case exceed beyond Rs 16.39 Lacs ( Rupees Sixteen Lac Thirty Nine Thousand Only )
- Bid declaration security @ 2% vide CDR No: 3088962 dated: 09.05.2022 for an amount of Rs 32500/- is being retained as security deposit shall be released only after successful completion of the work expiry of defective period.
- Time of completion is essence of the contract.
- The work shall have to be started by you at site immediately and ensure its successful completion within a period of \_\_\_\_\_ from the date of issuance of allotment from this office strictly in accordance with the approved proposals falling which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
- An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- The allotted works shall be subject to check by the third party monitoring agency appointed by the department.
- Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
- Performance security equivalent to 3% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/bank Guarantee within one week of issuance of allotment order and valid for a period of 3 months beyond the expiry of warranty period of the contract.
- The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works . If during warranty period any malfunctioning / defects arise, you shall have to rectify same within a period of 10 days of receipt of intimation . In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

**Office of the Executive Engineer Jal Shati PHE Division Awantipora**  
**Allotment for retrofitting of WSS Samboora by way of laying/fitting under JJM**

- 10 After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
- 11 The defective liability period shall be for a period of 12 months and shall commence after the successful completion trial run.
- 12 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- 13 Date of start of the work shall be reckoned within 07 days from the date of issue of this letter . However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.

Head Draftsman

TO

Executive Engineer  
PHE Division Awantipora

**Copy to the:-**

- 1) Chief Engineer PHE Kashmir Jal Shakti Department, Kashmir Srinagar for information.
- 2) Superintending Engineer Hydraulic Circle Pulwama H.Q Shopian for information.
- 3) Assistant Executive Engineer Sub Division Awantipora for information and necessary action. He will ensure
- 04) Assistant Accounts Officer PHE Division Awantipora for information.
- 05) H/D Divisional Drawing Branch for information