## fice of the Executive Engineer (JSD)P.H.E Division Awantipora

E-Mail ID: phedivisionawantipora@gmail.com

AS Muneeb Ahmad Dar

S/O: Ab Gaffar Dar R/O:Barzulla Srinagar

Reg. No. :SE/R&B/961/Bandi/BEE/18/Civil/2021-22

GST No.: 01BVGPD4713B1ZI PAN No.: BVGPD4713B1 No.PHE/AWP/ 6067-6072 Dated: 3/-12-2022

Subject:-Allotment for Retrofitting of WSS Barsoo Old by way of laying / fitting , and construction of PST ,/ Sluice Chamber / Chain link fending and face lifting under JJM

Refrence:- 1.Your tender in response to this office E-NIT No. 37/PHA of 2022-23 (e- tendering) issued under endorsement No.PHA/Awp/3259-69 dated:- 25.08.2022,Tender ID :2022\_PHE\_185677\_\_3

2.Tech. Sanction No. CE/PHE/DB/631 of 9/2022 dated:- 15.09.2022

- Minutes of Meeting DJJM Pulwama held on 27/12/2022 endorsed vide No. SE/HYD/Spn/6402-10 dated:- 28/12/2022.
- 4. Administrative Approval No. SE/Hyd/Spn/DB/78 of 01/20-21 dated:- 27.01.2021

For on behalf of lieutenant Governor of Union Territory of Jammu & Kashmir, contract for above mentioned work is hereby fixed with you at the following quoted rates, terms conditions .

## Advertised Cost:-Rs 27.97 lacs

Alloted Cost:- Rs 27.007 lacs (Rupees twenty seven lacs and seven hundred)only

	Particulars of items	Unit	Qty	Alloted Rate	Amount	
S.No.					in figures	in Words
	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil (1 meter from cutting edge).	cum	296.77	421.05	124953.584	Rupees One Lakh TwentyFour Thousand Nine Hundred FiftyThree Paise FiftyEight Only
	Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50 metres: All kinds of soil.	cum	270.31	243.45	65807.7723	Rupees SixtyFive Thousand Eight Hundred Seven Paise SeventySeven Only

Of Received & Received Rates accepted


# 4

Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work 65 ritm dia G.I.	mtr	900	70.59	63533.403	There There I a
50 mm dia GI Pipes	mitr	550	39.40	21670,308	Rapers Twenty/s Thousand See Hundred Severe Parse Thirty-Ces Only
5 40 mm dia Gi Pipes	mtr	500	39.40	19700.28	Rupees Nimeteer Thousand Sever Hundred Paise Twenty-Eight Oni
6 25 mm dia Gi Pipes	mtr	500	29.65	14823.495	Rupees Fourteer Thousand Eight Hundred Twestry Three Pair Fifty Only
2 20 mm dia Gi Pipes	mix	500	19.60	9801,855	Ropers None Thousand Eight Hundred One Pers Eighty/Six Only
6 25 min die Gi Pipes		786	19.60	[5408.5147	Rupers Falson Theoretical Four Handred Eight Paint Fifty Two Chily

Allestment for Retrofering of WSS Barson Old by way of laying / fitting , and construction of PST / Stulce Dumber / Chain link femiling and face lifting under 1866


	each	10	643.45	6434.4591	Reperts Six Theoread Foor
assing consection of G.I. distribution branch with G.I.	-		1000		Theoreages Poor
The state of the s	1 68		10000		Productivi
gen of following such by and threading the pipe etc. complete	19.94				Thirty Floor Paine
g to 60 mm horninal bore					FourtySix Only
		The state of		TAKE MANY	Ruppes Two
	each	2	1225.28	2450.56012	Thousand Four
ID to BD roim norminal bone	1		1	Les Barrier	Hundred Fifty
	1		1	Prof. Commission	Paint FiftySix Only
	1	1	The state of	1	
	1				Rupees One Lakh
	cum	554.73	191.88	106444.139	Six Thousand Four
plane available excavated earth (excluding rock) in	CHANGE				Hundred
Company of the Company of Company	1		1000		FourtyFour Puise
I AM ON THE MANNEY CANDIDATION WINDS THE PERSON OF THE PER					Fourteen Only
cacerding 20 Cm in organization, lead up to 50 m and lift layer by ramming and watering, lead up to 50 m and lift	1	1	The Vo		Pominion on a
11.0	1	1			
upto 1.5 m.	1	1			
		1			
		-	2414.2	16899.73	Rupees Sixteen
The Parish State of States	No	1	2434.2	S AND SHE	Thousand Eight
2 P/I of MS (all pieces with paddle flangs/bored flangs		4			Hundred
	13			The second	NinetyNine Paint
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11-		SeventyFive Ont
		O Park			
	-	B. T.			
	33				
				-	32 Ropers Three
	est es	ch 2	1514	99 3029.980	Thousand
13 Providing and fearing gurn metal gate valve with C.I. with	200		The same	100	TwentyNine Pai
of approved quality (screwed end)				-1-2	NinetyEight On
65 mm dia nominal bore					The state of the s
			( 3p)	JEN M. COLLEGE	
		Dam 19	9.87 520	190 72858.0	1844 Rupers
		Clare 19	9.87 520	190 72858.0	Seventy Two
A Curth work in bulk excavacion by manual means over	at fine	Clare 19	9.87 525	190 72858.0	Seventy Yw Thousand Ele
14 Curth work in bulk excavacion by manical means over press involveding 30 cm in depth, 1.5 m in widon as a	at fine	Dam 13	9.87 \$26	190 72858.0	Severty Yes Thesesard Eig Hundred Fifts!
14 Carth work in bulk excavacion by manior means over areas invaded to con in depth, 1.5 m in width as a 20 re2 on plan) including disposal of excavated contact on contact over the contact of the conta	at fine	Dam 13	9.87 520	190 72858.0	Seventy Yw Thousand Ele
14 Carth work in bulk excavacion by manior means over areas invaded to con in depth, 1.5 m in width as a 20 re2 on plan) including disposal of excavated contact on contact over the contact of the conta	at fine	Dam 19	9.87 526	190 72858.6	Severty Yes Thesesard Eig Hundred Fifts!
14 Curth work in bulk excavacion by manical means over press involveding 30 cm in depth, 1.5 m in widon as a	at fine	Cipe 19	9.87 525	190 72858.6	Severty Yes Thesesard Eig Hundred Fifts!
14 Carth work in bulk excavacion by manior means over areas invaded to con in depth, 1.5 m in width as a 20 re2 on plan) including disposal of excavated contact on contact over the contact of the conta	at fine	13 13 mm	9.87 525	190 72858.0	Seventy Two Thousand Eligibian Filty of Hundred Filty of Paine Eight C
LA Carth work in back excavation by manual means over await inscarding 30 cm in depth, 1.5 m in width or 15 cc2 on plant including disposal of excavated early legio 50 events and 5h upto 1.5 m, as directed by Sogioser in Charge. All kinds of use.	mill as a lead				Seventy Two Thousand Eight Hundred Fifty I Puise Eight C
LA Carth work in back excavation by manual means over await inscarding 30 cm in depth, 1.5 m in width or 15 cc2 on plant including disposal of excavated early legio 50 events and 5h upto 1.5 m, as directed by Sogioser in Charge. All kinds of use.	mill as a lead				Seventy Two Thousand Eight Hundred Fifty: Paise Eight Cl  Respons Four Thousand S
LA Curth work in back excavacion by manior means over areas involveding 30 cm in depth, 1.5 m in width as a 20 xe2 on plan) including disposal of excavated early opto 50 exercises and 5% upon 1.5 m, as directed by Engineer in Charge. All kinds of sale.	mill as a lead				Seventy Two Thousand Eight Hundred Fifty: Paise Eight Cl  Respect Four Thousand Size
LA Curth work in back excavacion by manior means over areas involveding 30 cm in depth, 1.5 m in width as a 20 xe2 on plan) including disposal of excavated early opto 50 exercises and 5% upon 1.5 m, as directed by Engineer in Charge. All kinds of sale.	mill as a lead				Seventy Two Thousand Eight Hundred Fifty S Puise Eight C  Ruppers Four Thousand S Handred Nine Puise Eighty
LA Carth work in back excavation by manual means over await inscarding 30 cm in depth, 1.5 m in width or 15 cc2 on plant including disposal of excavated early legio 50 events and 5h upto 1.5 m, as directed by Sogioser in Charge. All kinds of use.	mill as a lead				Seventy Two Thousand Eight Hundred Fifty: Paise Eight Cl  Respect Four Thousand Size
LA Curth work in back excavacion by manior means over areas involveding 30 cm in depth, 1.5 m in width as a 20 xe2 on plan) including disposal of excavated early opto 50 exercises and 5% upon 1.5 m, as directed by Engineer in Charge. All kinds of sale.	mill as a lead				Seventy Two Thousand Eight Hundred Fifty S Puise Eight C  Ruppers Four Thousand S Handred Nine Puise Eighty
LA Curth work in back excavacion by manior means over areas involveding 30 cm in depth, 1.5 m in width as a 20 xe2 on plan) including disposal of excavated early opto 50 exercises and 5% upon 1.5 m, as directed by Engineer in Charge. All kinds of sale.	mill as a lead				Seventy Two Thousand Eight Hundred Fifty S Puise Eight C  Ruppers Four Thousand S Handred Nine Puise Eighty
LA Curth work in back excavacion by manior means over areas involveding 30 cm in depth, 1.5 m in width as a 20 xe2 on plan) including disposal of excavated early opto 50 exercises and 5% upon 1.5 m, as directed by Engineer in Charge. All kinds of sale.	mill as a lead				Seventy Two Thousand Eight Hundred Fifty S Puise Eight C  Ruppers Four Thousand S Handred Nine Puise Eighty
LA Curth work in back excavacion by manior means over areas involveding 30 cm in depth, 1.5 m in width as a 20 xe2 on plan) including disposal of excavated early opto 50 exercises and 5% upon 1.5 m, as directed by Engineer in Charge. All kinds of sale.	mill as a lead				Seventy Two Thousand Eight Hundred Fifty S Puise Eight C  Ruppers Four Thousand S Handred Nine Puise Eighty

Subject: Altotreent for Retrofitting of WSS Barson Old by way	of layir	og / fitting	, and constru	uction of PST	J Stulce Attotropes
Subject: Allotment for fletredisting of WSS Barket Under Michael Chamber / Chain link fending and face lifting under Michael Chamber / Chain link fending and face lifting under Michael Concrete of Specified grade including curing but excluding the cost of specified grade including curing but excluding the cost of specified grade including curing but excluding the cost of specified grade including. All work upto plinth level with: 2.4.8 (3 coment .4 coarse sand .8 graded stone aggregated) allows momental size).	cu	m 20	37 4695	04 95637	P701 Rope The Rope Thirty's Ninery's Ro
17 Avenuting and laying in position cement concrete of specified grade including curing but excluding the cost of cantring and shuttering. All work upto plinth level with: 1.3.6 (1 cement : 3 coarse sand : 6 graded stone aggregate at more nominal size)		46.1	5213.	81 240721	AND DESCRIPTION OF THE PERSON
18 Preishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	Sqm	196	88.65	17375.64	7 Rupees Sevenice Thousand Three Hundred SeventyFive Pain SixtyFive Only
19 Applying priming coat: With ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and soft wood)	Sqm	59.13	57.46	3397.5595	Rupees Three Thousand Three Hundred Ninety Seven Paise Fifty Six Only
Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work	Sqm	59.13	117.82	6966.4246	Rupees Six Thousand Nine Hundred SixtySix Paise FourtyTwo Only
Painting on G.S sheets with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade on New work (two or more coats) including a coat of approved steel primer but excluding a coat of mordant solution.	Sqm	184	135.29	24894.2009	Rupees TwentyFour Thousand Eight Hundred NinetyFour Paise Twenty Only
Reinforced sement concrete work in walls (any thickness) michiding attached pilasters, buttresses, plinth and string courses, filets, columns, pillars, piers, abutments, posts and struts upto floor five level including coring but necluding cost of centering shuttering, finishing and residurcement. 1:1% (1) coment: 1% coarse sand: 3 graded stone aggregate 20 mm nominal size)	cum	27.95	9085.40		Rupees Two Lakh FiftyThree Thousand Nine Hundred ThirtySix Paise NinetyNine Only



t:-Allotment for Retrofitting of WSS Barsoo Old by way of laying / fitting , and construction of PST ,/ Sluice Chamber / Chain link fending and face lifting under JJM

3 5 5 6 7 6	leinforced cement concrete work in beams, suspended loors, roofs having slope upto 15°, landings, balconies, helves, chajjas, lintels, bands, plain window sills, daircases and spiral stair cases upto five level including suring but excluding the cost of centring, shuttering, inishing and reinforcement with 1:1%:3 (1 cement : 1% coarse sand : 3 graded stone aggregate 20 mm nominal size).	cum	0.86	9511.47	8179.86335	Rupees Eight Thousand One Hundred SeventyNine Paise EightySix Only
	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	cum	12.97	7533.23	97706.0263	Rupees NinetySeven Thousand Seven Hundred Six Paise Three Only
	Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1%:3 (1 cement: 1% coarse sand: 3 graded stone aggregate 20 mm nominal size)	cum	2.83	10047.63	28434.7806	Rupees TwentyEight Thousand Four Hundred ThirtyFour Paise SeventyEight Only
26	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement	Kg	252	55.91	14090.3356	Rupees Fourteen Thousand Ninety Paise ThirtyFour Only
2	7 Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	cum	7.76	6739.33	52297.2054	Rupees FiftyTwo Thousand Two Hundred NinetySeven Paise TwentyOne Only
2	28 Centering, shuttering including strutting, propping etc and removal of form for: Foundation, footings, bases of columns etc. for mass concrete.	Sqm	208.42	253.30	52793.4347	Rupees FiftyTwo Thousand Seven Hundred NinetyThree Pais FourtyThree Only



Solipert Allosment for Retrofessing of WSS Barson Old by weay of Chamber / Chain link tending and face litting under JIM Outs and struts.		45	656.87	2955.9111	luice 2: Autoto
Chamber / Chain link residence of the Chamber / Chamber, piers, aboutmants, posts and struts.  20 Columns, polars, piers, aboutmants, posts and struts.	Sqm				Thouse Hundred Paise Nite
to Lintel, beams, planth beams, girders, bressumers and continuers	Sym	12.6	485.65	6119.1966	
31 Suspended floors, roofs, landings, balconies, and access partform.	Sqm	11.37	613.80	6978.89372	Rupees Siz. Thousand Nin Hundred SeventyEight Pi EightyNine On
g) wats (any thickness) including attached pilasters, buffresses, plinth and string courses etc.	Sgm	260.28	554.22	144251.14	Rupees One La FourtyFour Thousand Tw Hundred FiftyO Paise Fourtee Only
3 Edges of slabs and breaks in floors and walls. Under 20cms wide	mtr	9.6	233.99	2246.29546	Rupees Two Thousand Two Hundred Fourty! Paise Thirty On
Centering, shuttering including strutting, propping etc and namioval of form for foundation, footings, bases of columns etc. for Arches, domes, vaults upto 6 m span	Sgm	22.67	2015.22	45685,1	Rupees FourtyFi Thousand Six Hundred EightyFive Pais Ten Only
Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and timding all complete upto plinth level: Thermo-Mechanically Treated bars of grade Fe-5000 or more.	KE	4236	84.21	356709.493	Rupees Three Lai FiftySix Thousan Seven Hundred Nine Paise FourtyNine Only

A com

## iject:-Allotment for Retrofitting of WSS Barsoo Old by way of laying / fitting , and construction of PST ,/ Sluice Chamber / Chain link fending and face lifting under IJM

	cum I	248.08	329.88	81837.4044	Rupees EightyOne
Sand & Agg for an average lead of 15km.	cum	240.00			Thousand Eight Hundred ThirtySeven Paise Fourty Only
4 Stone soling for an average lead of 15km.	cum	23.85	388.02	9254,2355	Rupees Nine Thousand Two Hundred FiftyFour Paise TwentyFour Only
45 Pipes upto 100 mm dia G.1 for an average lead of 15 km	M.T	11.58	337.22	3905.03586	Rupees Three Thousand Nine Hundred Five Pais Four Only
Total:-				Rs	27.007 lacs

Rates checked as per approved C/S

**Head Draftsman** 

- The cost of work in no case exceed beyond Rs 27.007 lacs (Rupees twenty seven lacs and seven hundred) only
- Bid decleration security @ 2% vide FDR No.631483 Dated:-09.09,2022 for an amount of Rs 56000/- are being retained as security deposit shall be released only after successful completion of the work expiry of defective period.
- Time of completion is essence of the contract.

The work shall have to be started by you at site immediately and ensure its successful completion within a period of 03 months from the date of issuance of allotment from this office strictly in accordance with the approved proposals falling which

- the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited. However date of start for laying and fitting of pipes will start within 07 days from the date of issuance of pipe material by the deptt.
- An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- The allotted works shall be subject to check by the third party monitoring agency appointed by the department.
- Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis
- Performance security equivalent to 3% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/bank Guarantee within one week of issuance of allotment order and valid for a period of 3 months beyond the expirof warranty period of the contract.