

# Office of the Executive Engineer (JSD) P.H.E Division Awantipora

E-Mail ID: phedivisionawantipora@gmail.com

Nisar Ahmad Bhat  
S/O: Ab Ahad Bhat  
R/O: Hurdmir Tral  
Reg. No. : 28/CEE/SE/hyd/Shopian/2003-04  
PAN No. AKYPB1710A  
GST No. 01AKYPB1710A2ZZ

No.PHE/AWP/ 2796-2801  
Dated:- 01/08/2022

**Subject:- Allotment for Retrofitting of WSS Bathen by way of laying and fitting under JJM**

Reference:- 1. Your tender in response to this office E-NIT No. 03/PHA of 2022-23 (e- tendering) S.No.(11) issued under endorsement No. PHA/Awp/192-203 Dated:-16-04-2022 Tender Id No. 2022\_PHE\_166872\_11

2.Minuts of meeting DJJM Pulwama held on 14-06-2022

3.Technical sanction No. 33/JJM/2022-23 of 08/2022

4. CE Kmr DHC DePH. SGN's No: CE/PHE/MC/DB/13745-83  
Dated: 26/07/2022

For on behalf of lieutenant Governor of Union Territory of Jammu & Kashmir, contract for above mentioned work is hereby fixed with you at the following quoted rates, terms conditions .

**Advertised Cost:-Rs 8.38 lacs**

**Allotted Cost:- Rs 8.55 lacs**

( Rupees eight lacs and fifty five thousand) only

| S.No. | Particulars of items   | Unit | Qty    | Allotted Rate | Amount     |  |
|-------|--|------|--------|---------------|------------|--|
|       |  |      |        |               | in figures | in Words   |
| 1     | Dismantling roofing including ridges, hips valleys and gutters etc., and stacking the material within 50 meters lead of :<br>G.S. Sheet  | mtr  | 74.35  | 116.18        | 8637.8343  | Rupees Eight Thousand Six Hundred ThirtySeven Paise EightyThree Only   |
| 2     | Dismantling wood work in frames, trusses, purlins and rafters upto 10 meters span and 5 meters height including stacking the material within 50 meters lead :<br>Of sectional area 40 sqcm. and above.   | mtr  | 2.91   | 3232.13       | 9405.48375 | Rupees Nine Thousand Four Hundred Five Paise FourtyEight Only          |
| 3     | Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil (1 meter from cutting edge). | cum  | 460.75 | 444.72        | 204904.74  | Rupees Two Lakh Four Thousand Nine Hundred Four Paise SeventyFour Only |
| 4     | Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.<br>80 mm dia GI Pipes  | mtr  | 700    | 74.51         | 52157.7    | Rupees FiftyTwo Thousand One Hundred FiftySeven Paise Seventy Only     |

*Rate by Part  
KMR*

*Handwritten signature and initials*



**Subject:- Allotment for Retrofitting of WSS Bathen by way of laying and fitting under JJM**

|    |   |       |        |          |             |  |
|----|---|-------|--------|----------|-------------|--|
| 5  | 40 mm dia GI Pipes  | mtr   | 400    | 41.62    | 16646.4     | Rupees Sixteen Thousand Six Hundred FortySix Paise Forty Only                      |
| 6  | 25 mm dia GI Pipes  | mtr   | 800    | 31.26    | 25010.4     | Rupees TwentyFive Thousand Ten Paise Forty Only                                    |
| 7  | 20 mm dia GI Pipes  | mtr   | 700    | 20.66    | 14458.5     | Rupees Fourteen Thousand Four Hundred FiftyEight Paise Fifty Only                  |
| 8  | 15 mm dia GI Pipes  | mtr   | 700    | 20.66    | 14458.5     | Rupees Fourteen Thousand Four Hundred FiftyEight Paise Fifty Only                  |
| 9  | Providing & fixing of MS Flanges to GI pipe including cutting of threaded portion, welding, cost of nuts, bolts and washers with testing after completion of work including all carriages complete for:<br>80 mm dia  | joint | 30     | 1020.00  | 30600       | Rupees Thirty Thousand Six Hundred Only  |
| 10 | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete<br>25 to 40 mm nominal bore   | each  | 15     | 679.58   | 10193.625   | Rupees Ten Thousand One Hundred NinetyThree Paise SixtyThree Only                  |
| 11 | 50 to 80 mm nominal bore  | each  | 2      | 1294.13  | 2588.25     | Rupees Two Thousand Five Hundred EightyEight Paise TwentyFive Only                 |
| 12 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.   | cum   | 404.75 | 202.67   | 82032.3015  | Rupees EightyTwo Thousand ThirtyTwo Paise Thirty Only                              |
| 13 | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | cum   | 8.55   | 10046.34 | 85896.18135 | Rupees EightyFive Thousand Eight Hundred NinetySix Paise Eighteen Only             |
| 14 | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)   | cum   | 18     | 7118.30  | 128129.4828 | Rupees One Lakh TwentyEight Thousand One Hundred TwentyNine Paise FourtyEight Only |
| 15 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level:<br>Thermo-Mechanically Treated bars of grade Fe-500D or more.  | kg    | 796.26 | 88.92    | 70806.30574 | Rupees Seventy Thousand Eight Hundred Six Paise ThirtyOne Only                     |

*Handwritten signature and initials in blue ink.*



**Subject:- Allotment for Retrofitting of WSS Bathen by way of laying and fitting under JJM**

|    |  |     |       |         |             |  |
|----|--|-----|-------|---------|-------------|--|
| 16 | Centering, shuttering including strutting, propping etc and removal of form for: Foundation, footings, bases of columns etc. for mass concrete.  | sqm | 3.2   | 267.55  | 856.1472    | Rupees Eight Hundred FiftySix Paise Fifteen Only                       |
| 17 | Columns, pillars, piers, abutments, posts and struts.  | sqm | 19.2  | 693.75  | 13320.0576  | Rupees Thirteen Thousand Three Hundred Twenty Paise Six Only           |
| 18 | Suspended floors, roofs, landings, balconies, and access platform.   | sqm | 42.05 | 648.31  | 27261.5196  | Rupees TwentySeven Thousand Two Hundred SixtyOne Paise FiftyTwo Only   |
| 19 | Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works. | kg  | 200   | 104.18  | 20836.56    | Rupees Twenty Thousand Eight Hundred ThirtySix Paise FiftySix Only     |
| 20 | Cutting road and making good the same including supply of extra quantities of material i.e. crushed aggregate, moorum screening, red bajri and labour required.<br>16.14.1 Bituminous portion  | cum | 3.78  | 3432.91 | 12976.40736 | Rupees Twelve Thousand Nine Hundred SeventySix Paise FourtyOne Only    |
| 21 | Carriage by Mechanical Transport 20 Km Lead Steel  | Ton | 0.7   | 364.79  | 255.35496   | Rupees Two Hundred FiftyFive Paise ThirtyFive Only                     |
| 22 | cement   | Ton | 4.19  | 364.79  | 1528.481832 | Rupees One Thousand Five Hundred TwentyEight Paise FourtyEight Only    |
| 23 | Sand   | cum | 11.54 | 412.48  | 4759.993812 | Rupees Four Thousand Seven Hundred FiftyNine Paise NinetyNine Only     |
| 24 | Steel/CGI Sheets   | MT  | 0.367 | 364.79  | 133.8789576 | Rupees One Hundred ThirtyThree Paise EightyEight Only                  |
| 25 | Timber   | Cum | 2.91  | 468.96  | 1364.659632 | Rupees One Thousand Three Hundred SixtyFour Paise SixtySix Only        |
| 26 | Pipes @ 25 Km lead   | MT  | 9.208 | 409.83  | 3773.675966 | Rupees Three Thousand Seven Hundred SeventyThree Paise SixtyEight Only |
| 27 | Carriage by Manual TransportSteel @ 200m   | Ton | 1     | 618.08  | 618.0792    | Rupees Six Hundred Eighteen Paise Eight Only                           |

*Handwritten signature and initials in blue ink.*




**Subject:- Allotment for Retrofitting of WSS Bathen by way of laying and fitting under JJM**

|                |                   |     |       |        |                  |   |
|----------------|-------------------|-----|-------|--------|------------------|---|
| 28             | cement @ 200m     | Ton | 3.19  | 287.74 | 917.89698        | Rupees Nine Hundred Seventeen Paise Ninety Only                   |
| 29             | Sand/Bajri @ 200m | cum | 11.54 | 633.59 | 7311.667836      | Rupees Seven Thousand Three Hundred Eleven Paise SixtySeven Only  |
| 30             | pipes @ 500 m     | MT  | 9.208 | 362.81 | 3340.744351      | Rupees Three Thousand Three Hundred Fourty Paise SeventyFour Only |
| <b>Total:-</b> |                   |     |       |        | <b>8.55 lacs</b> |   |

Rates and quantity checked

Head Draftsman

  
Xen



**Terms Conditions:-**

- 1 The cost of work in no case exceed beyond Rs 8.55 (Rupees eight lacs and fifty five thousand ) only
- 2 Bid declaration security @ 2% vide CDR No. 3249229 Dated:-25.04.2022 for an amount of Rs 10000/-and CDR No. 3249228 dated:- 25.04.2022 for an amount of Rs 10000/- are being retained as security deposit shall be released only after successful completion of the work expiry of defective period.
- 3 Time of completion is essence of the contract.
- 4 The work shall have to be started by you at site immediately and ensure its successful completion within a period of 02 months from the date of issuance of allotment from this office strictly in accordance with the approved proposals falling which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited. However date of start for laying and fitting of pipes will start within 07 days from the date of issuance of pipe material by the deptt.
- 5 An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- 6 The allotted works shall be subject to check by the third party monitoring agency appointed by the department.
- 7 Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis
- 8 Performance security equivalent to 3% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/bank Guarantee within one week of issuance of allotment order and valid for a period of 3 months beyond the expiry of warranty period of the contract.
- 9 The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works . If during warranty period any malfunctioning / defects arise, you shall have to rectify same within a period of 10 days of receipt of intimation . In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- 11 The quantity allotted shall have to be executed on ground strictly as per the estimates that have been framed in the DPR for the item of "laying and fitting".
- 12 All other terms and conditions shall be applicable as laid down in standard bid document and PWD from No. 25/33.
- 13 Any rules / terms and conditions if not stipulated in the bidding documents , shall be strictly dealt in accordance with the relevant rules / guidelines stipulated in General Financial Rules ( GFR-2017) and manual for procurement of works 2019 G.O.I.

Head Draftsman

Tech. Officer

Executive Engineer  
JSD (PHE) Division Awantipora