OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE DIVISION BARAMULLA

Email: kmrphebla@gmail.com-(FAX) 01952234575 (Tel) 01952234244

M/s. Gulzar Ahmad Dar R/o. KursuRajbagh Srinagar

Regd No.

Retrofitting of W.S.Scheme Boharwani by way of :- Laying and fitti , of Main Sub: /Submain /Distribution System at various spots, RCC Jacketting to st le masonary S.R and Constt. of Sluice Chamber (for providing 100% FHTC) under JJM.

1/- Constitution of District JalJeevan Mission, Administrative Council Decision No: 28-Ref: 04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

2/- UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).

3/- Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

4/- Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.

5/- District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore auth zation No. SE/Hyd/DB/4538-50 dated 22.07.2022.

6/- Your tender received in response to this office ENIT No: 21 of 05/2022 (S. No:

7/- This office LOI No. PHE/Bla/4589-4603 dated 29.07.2022

1/- Amount of work advertised: 1267000.00

2/- Allotted cost of work: 1317992.00 (Rupees Thirteen Lacs Seventeen Thousand NIne Hundred Ninety Two Only)

3/- Time of completion: (45 days)

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under:

Conditions:

01. Time of completion is essence of the contract.

The work shall have to be started by you at site immediately & ensure its successful 02. completion within a period of 45 days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.

Earnest Money amounting to the tune of Rs. 25346 2 deposited by you vide CDR No _ 03. 36330 Dated 14-6-62)

An agreement shall have to be drawn up by you with the department within a period of 07 04. days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.

The allotted works shall be subject to Check by the third party monitoring agency appointed 05. by the Department.

Payment shall be released as per actual / measured work done not less than 20% of the 06. allotted cost on a monthly basis.

Performance security equivalent to 03% of the value of the contract shall have to be 07. denotited by you in chang of CDD/EDD/Bank Guaranton within one work of ice

- allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / intimation. In case of any failure on your part, the department may get the defects removed recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- O9. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
- 10. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
- 11. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- Date of start of the work within07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
- 13. All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.
- 14. Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

(Encl: Annexure "A")


Technical Officer to Executive Engineer PHE Division Baramulla

Executive Engineer
Jal Shakti Department
PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate JalJeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt.Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 2105-14 Dated: 04-06-2022.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare OfficerBaramulla/ District Tribal Welfare Officer Baramulla(Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- File Concerned.

Comp. by: ShahidFaroog (Correspondence)



eProcurement System Government of Jammu And Kashmir

Annexure "A"

work:

of W.S.Scheme Boharwani by way of :- Laying and fitting of Main /Submain /Distribution System at various spots, RCC to stone masonary S.R and Constt. of Sluice Chamber (for providing 100% FHTC) under 1144

1	Description of Work / Item(s)	No of Other	And the Party an	Rate	
	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:			Rate	Amount
1.1	All kinds of soil.			1	
£	Providing and laying hand packed stone soling 50 mm nominal size	439.750	Cum	453.440	199400.240
,	all carriages complete.	0.940	cum	1372.800	1290.432
3	Providing & Laying in position cement concrete of 1:4:8 (1 cement :4 coarse sand : 8 graded stone aggrigate 40mm nominal size)exclding the cost of centring and shuttering all work upto plinth Level incl. dewatering.	0.620	. cum	5056.308	3134.911
4	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	0.940	Cum	7257.822	6822.353
	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	4.860	cum	8112.790	39428.161
6	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	13.330	cum	9784.460	130426.857
7	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20 mm nominal size)	10,990	cum	.10243.319	112574.074
8	Demolishing R.C.C. work manually/by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge.	7.340	Cum	2380.820	17475.219
	Extra for cutting reinforcement bars manually/by mechanical means in R.C.C. or R.B. work (Payment shall be made on the cross sectional areas of R.C.C. or R.B. work) as per direction of Engineer-in-charge.	48,9600	sqm	855.608	41850.568
	Scrapping of old plaster from walls and floor Incl. disposal within all leads and lifts.	92.880	· sqm	104.000	9659.520



Asking and internal water profing material in cement concrete 6:k in doses by weight if coment as per manufacturer's specification. It has of water profiles material in 50 kp of cement) Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plints level Thermo-Nechanically Treated bars of grade Fe. SCOD or more. Centering and shuttering including strutting, propping etc. and removal of form work for: 1 Coundations, footings, bases for columns 1 centering and shuttering including strutting, propping etc. and removal of form for: Walls (any thickness) including strutting, propping etc. and removal of form for: Walls (any thickness) including strutting, propping etc. and removal of form for: Walls (any thickness) including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platforms. Centering and shuttering including strutting, propping etc. and removal of form for: Linkel, beams, plinth beams, girders, bressumers and cantilevers. 17 Providing of MS lid cover 4mm thick fixed in angle fron frame of 0.75x0.75m with priming coat of red codes and two coats of synthetic enamel paint with locking arrangement and all carralges unto stee of work. 18 Providing fixing of SI, pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Canno and an emails bore 19 Laving and fixing of GI, pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Canno and an emails bore 19 Laving and including cost of Pipes and Carth work. 20 Dim dia, nominal bore 19 Laving and fixing of GI, pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Carth work. 20 Dim dia, nominal bore 19 Laving and fixing of GI, pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Carth work. 21 Dim main an eminal bore 22 Dim main an eminal bore 23 Dim main an eminal bor		Description of Work / Item(s)	No.of Qty	Units	1,145,372	NEGOTIE: TELLOSIN
As in cose by Wegin: If cernent as per imanufacturer's specification. It sa of water anoclina material in 50 ka of cement) Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plants level Theme-Neckanically Treated bars of grade Fe- SCOD or more. Centering and shuttering including strutting, propping etc. and removal of form work for: Foundations, flootings, bases for columns Centering and shuttering including strutting, propping etc. and removal of form for: Walls (any thickness) including attached pilasters, buttresses. plinth and strina courses etc. Centering and shuttering including strutting, propping etc. and removal of form for: Walls (any thickness) including attached pilasters, buttresses. plinth and strina courses etc. Centering and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platforms. 15 Centering and shuttering including strutting, propping etc. and removal of form for: Linel, beams, plinth beams, girders, bressumers and cantilevers. 16 Centering and shuttering including strutting, propping etc. and removal of form for: Linel, beams, plinth beams, girders, bressumers and cantilevers. 17 Providing fixing of MS lid cover 4mm thick fixed in angle iron frame of 0.75x0.75m with priming coat of red oxide and two coats of synthetic enamel paint with locking arrangement and all carraiges 18 Providing fixing of GP Sheet strips 150mm wide incl. all sort of carraige complete. 19 Laying and fitting of GP. Sheet strips 150mm wide incl. all sort of carraige complete. 19 Laying and fitting of GP. Sheet strips 150mm wide incl. all sort of pipe specials and excluding cost of Pipes and Earth work. 20 C.Job 6240.000 12286.9 19 Laying and fitting of GP. Sheet strips 150mm wide incl. all sort of carraige complete. 21 December 10 Complete 110.0000 Mtr 121.000 131655.3 22 December 10 Complete 110.0000 Mtr 121.000 131655.3 23 December 10 Com		widing and mixing water proofing material in cement concrete	-	Onics	Rate	เดิวสดเปล่ะ
centering, another level Thermo-Nechanically Treated bars of grade Fe- SSOD or more. Centering and shuttering including strutting, propping etc. and removal of form work for: I Foundations, footinas, bases for columns Centering and shuttering including strutting, propping etc. and removal of form work for: Centering and shuttering including strutting, propping etc. and removal of form for: Walls (any thickness) including attached pilasters, buttresses, plinth and string colirese etc. Centering and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platforms. 16 Centering and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platforms. 16 Centering and shuttering including strutting, propping etc. and removal of form for: Linte, beams, plinth beams, girders, pressumers and cantilevers. 17 Providing fixing of MS lid cover 4mm thick fixed in angle Iron frame of 0.75x0.75m with priming coat of red oxide and two coats of synthetic enamel paint with locking arrangement and all carraiges unto stee of years. 18 Providing fixing of GS Psheet strips 150mm wide incl. all sort of 2.000 CJob 6240.000 12x60.3 19 Providing fixing of GI. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. 19 Lying and fixing of GI. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. 20 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidation each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. 19 Ja Making connection of GI. distribution branch with GI. maln of following sixes by providing and fixing Tec. I have a special and exception of GI. distribution branch with GI. maln of following sixes by providing and fixing CI. Jounnal to the providing and fixing CI.		of cement as per manufacturer's specification.	111.000	Kg	60.216	6683,9 <i>76</i>
Seriodations, footings, bases for columns 1,560 sqm 272,792 273,	1	above plinth level Thermo-Mechanically Treated bars of grade Fe-	2182.000	Kg	90.662	197824,484
and removal of form for: Walls (any thickness) including attached pilasters, buttresses. plinth and string courses etc. 15 Centering and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platforms. 16 Centering and shuttering including strutting, propping etc. and removal of form for: Centering and shuttering including strutting, propping etc. and removal of form for: Lintel, beams, plinth beams, girders, bressumers and cantilevers. 17 Providing fixing of MS lid cover 4mm thick fixed in angle iron frame of 0.75x0.75m with priming coat of red oxide and two coats of synthetic enamel paint with locking arrangement and all carraiges upto site of werk. 18 Providing fixing of GP Sheet strips 150mm wide incl. all sort of carraige complete paint with locking arrangement and all carraiges upto site of werk. 19 Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. 19 Laying and fitting and inclination of pipes and Earth work. 20 mm dia. nominal bore 115,000 Mtr 21,060 31655. 19.3 25 mm dia. nominal bore 110,000 Mtr 31,576 3532.3 20 Filling available excavated earth (excluding rock) in trenches, pinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by tramming and watering, lead upto 50 m and lift upto 1.5 m. 121 Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading thing and fixing and fixing Tee, including cutting and threading fixing G.I. distribution branch with G.I. wheel of approved quality indt. All accessories and all carraiges complete. 22.1 25 mm nominal bore 23 Providing and fixing C.I. double acting air valve of approved quality indt. Bla carcasories omplete.	4	removal of form work for:			0.000	/ 0.300
walls (any thickness) including attached pilasters, buttresses, blinth and string courses etc. 15 Centering and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platforms. 16 Centering and shuttering including strutting, propping etc. and removal of form for: Lintel, beams, plinth beams, girders, bressumers and cantilevers. 17 Providing fixing of MS lid cover 4mm thick fixed in angle iron frame of 0.75x0.75m with priming coat of red oxide and two coats of synthetic enamel paint with locking arrangement and all carraiges unto site of work. 18 Providing fixing of GP Sheet strips 150mm wide incl. all sort of carraige complete. 19 Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. 19 Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. 19.1 15 mm dia. nominal bore 19.2 20 mm dia. nominal bore 19.3 25 mm dia. nominal bore 110,0000 Mtr 21,050 15,655 16,655 17	3.1	Centering and chuttering in the little	1,560	sam	272 702	
Centering and Shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platforms. 16 Centering and shuttering including strutting, propping etc. and removal of form for: Lintel, beams, plinth beams, girders, bressumers and cantilevers. 17 Providing fixing of MS lid cover 4mm thick fixed in angle iron frame of 0.75x0.75m with priming coat of red oxide and two coats of synthetic enamel paint with locking arrangement and all carraiges unto stee of work. 18 Providing fixing of GP Sheet strips 150mm wide incl. all sort of carraige complete. 19 Laying and fitting of GI. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. 19.1 15 mm dia. nominal bore 19.2 20 mm dia. nominal bore 19.3 25 mm dia. nominal bore 19.3 25 mm dia. nominal bore 19.4 40 mm dia. nominal bore 19.4 110,000 Mtr 21,060 31855. 19.4 10 mm dia. nominal bore 1110,000 Mtr 31,876 353823. 19.4 10 mm dia. nominal bore 1110,000 Mtr 42,433 49221. 19.4 11 Making connection of GI. distribution branch with GI. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 21. 25 to 80 mm nominal bore 22. Waking connection of GI. distribution branch with GI. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 21. 25 to 40 mm nominal bore 22. 20 mm nominal bore 23. Providing and fixing C.1. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete. 23. Providing and fixing C.1. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete.		Walls (any thickness) including attached pilasters,			V.	97774,399
Linitel, beams, plinth beams, girders, bressumers and cantilevers. 17 Providing fixing of MS lid cover 4mm thick fixed in angle iron frame of 0.75x0.75m with priming coat of red oxide and two coats of synthetic enamel paint with locking arrangement and all carraiges upto site of work. 18 Providing fixing of GP Sheet strips 150mm wide incl. all sort of carraige complete. 19 Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. 19.1 15 mm dia. nominal bore 19.2 20 mm dia. nominal bore 19.3 25 mm dia. nominal bore 19.3 25 mm dia. nominal bore 1110,0000 Mtr 31.676 35382.3 19.4 40 mm dia. nominal bore 1110,0000 Mtr 31.676 35382.3 19.4 40 mm dia. nominal bore 1110,0000 Mtr 42.432 49221.1 20 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. 21 Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 21.1 25 to 40 mm nominal bore 22.1 25 mm nominal bore 23.1 25 mm nominal bore 24.1 25 mm nominal bore 25.1 25 mm nominal bore 26.000 No 565.604 653.0 27.2 20 Providing and fixing Q.I. double acting air valve of approved quality Incl. all accessories and all carralges complete. 28.000 No 565.604 653.0 29.000 No 732.888 4397.3 20 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete.		removal of form for: Suspended floors, roofs, landings, balconies and access platforms.	38.650	sqm	661.024	25548.578
synthetic enamel paint with locking arrangement and all carraiges upto site of work. Providing fixing of GP Sheet strips 150mm wide incl. all sort of carraige complete. 19 Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. 19.1 15 mm dia. nominal bore 1505,000 Mtr 21,060 31635.3 163.5 19.2 20 mm dia. nominal bore 1505,000 Mtr 21,060 31635.3 163.5 19.3 25 mm dia. nominal bore 11110,000 Mtr 31,876 35382.3 19.4 40 mm dia. nominal bore 11110,000 Mtr 42,432 49221.1 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. 21 Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 15,000 No 692,900 1393.6 13193.6 13193.6 1329.8 130.0 13195.0 13193.6 1329.8 132.		Lintel, beams, plinth beams, girders, bressumers and cantilevers.	13.860	- sqm	522.964	7248.281
Providing fixing of GP Sheet strips 150mm wide incl. all sort of carraige complete. 19 Laying and fixing of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work. 19.1 15 mm dia. nominal bore 1505.000 Mtr 21.060 31695.3 19.2 20 mm dia. nominal bore 1575.000 Mtr 21.060 31695.3 19.3 25 mm dia. nominal bore 1110.0000 Mtr 31.876 35382.3 19.4 40 mm dia. nominal bore 1110.0000 Mtr 31.876 35382.3 20 Filling available excavated earth (excluding rock) in trenches, piinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. 21 Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 21.1 25 to 40 mm nominal bore 15.000 No 692.906 10.393.5 22 Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carralges complete. 23 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete. 24 25 mm dia.	17	synthetic enamel paint with locking arrangement and all carraiges	2.000	C.Job	T.	12480.900
of pipe specials and excluding cost of Pipes and Earth work. 19.1 15 mm dia. nominal bore 1575.000 Mtr 21.060 31695.3 19.2 20 mm dia. nominal bore 1575.000 Mtr 21.060 31695.3 19.3 25 mm dia. nominal bore 1110.0000 Mtr 31.676 35382.3 19.4 40 mm dia. nominal bore 1110.0000 Mtr 31.676 35382.3 20 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. 21 Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 21.1 25 to 40 mm nominal bore 15.000 No 692.900 10.393.5 22 Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 23.1 25 mm nominal bore 8.000 No 565.604 46.303.2 24.1 25 mm nominal bore 8.000 No 565.604 46.303.2 25 mm nominal bore 8.000 No 732.888 4327.3 26 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete.		Providing fixing of GP Sheet strips 150mm wide incl. all sort of carraige complete.	15.000	Mtr	520.000	7800.000
19.2 20 mm dia. nominal bore 1575.000 Mtr 21.060 31363.5 19.3 25 mm dia. nominal bore 1110.0000 Mtr 31.876 35382.3 20 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. 21 Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 21.1 25 to 40 mm nominal bore 15.000 No 692.906 10.033.2 22 Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carralges complete. 22.1 25 mm nominal bore 8.000 No 565.604 4534.2 23 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete.	19	Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work.			0.000	.0.000
19.2 20 mm dia. nominal bore 1575.000 Mtr 21.060 31363.5 19.3 25 mm dia. nominal bore 1110.0000 Mtr 31.876 35382.3 20 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. 21 Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 21.1 25 to 40 mm nominal bore 15.000 No 692.906 10.033.5 22 Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carralges complete. 22.1 25 mm nominal bore 8.000 No 565.604 4534.5 23 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete.	19.1	15 mm dia. nominal bore	1505,000	Mtr	21.000	
19.3 25 mm dia. nominal bore 19.4 40 mm dia. nominal bore 1110.0000 Mtr 31.876 35382.3 20 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. 21 Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 21.1 25 to 40 mm nominal bore 21.2 50 to 80 mm nominal bore 21.2 Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carralges complete. 22.1 25 mm nominal bore 23.1 25 mm nominal bore 40 mm nominal bore 8.000 No 565.604 4534.3 6.000 No 732.888 4397.3 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete.	19.2					
19.4 40 mm dia. nominal bore 10.51.876 35.82.3 1160.000 Mtr 42.432 49.221.1	19.3					
Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 21.1 25 to 40 mm nominal bore 22 Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carralges complete. 23 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete. 23 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete.	19.4					
following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 21.1 25 to 40 mm nominal bore 15.000 No 692.900 10393.5 22 Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carralges complete. 22.1 25 mm nominal bore 8.000 No 565.604 4334.5 23.1 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete.		plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	We way			81088.675
21.2 50 to 80 mm nominal bore 22 Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carralges complete. 22.1 25 mm nominal bore 22.2 40 mm nominal bore 23 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete. 23 1 25 mm dia.		following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete			0,000	0.000
Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 22.1 25 mm nominal bore 22.2 40 mm nominal bore 23 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete. 23 1 25 mm dia.			15.000	No	692,900	10393 500
22.1 25 mm nominal bore 22.2 40 mm nominal bore 23.1 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete. 23.1 25 mm dia.			10.0000	No		13195.000
22.2 40 mm nominal bore 6.000 No 565.604 4534.5 23 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete. 23 1 25 mm dia.		approved quality incl. all accessories and all carraiges complete.				0.000
23 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete. 23 1 25 mm dia.			8.000	No	565 604	4574 837
23 Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions and other accessories complete. 23 1 25 mm dia.			6.000			4397.328
23.1 25 mm dia.	23	approved quality with bolts, nuts, rubber insertions and				0.000
23.1 25 Hill did. 4.000 No 3120.000 12480.0		25			1	





-	Description of Work / Item(s)	No.of Qty	Units		
	providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includs fixing of angle iron frame legs in cement concreate 1:2:4 mix with locking arrangements complete.	3,0000	Job	7280.000	Amount 21840.000
r	Manufacturing /Fabrication and installation of MS drum made out of 6mm thick MS sheet incl. fixing of flanged nipples as per site equirment incl. fixing of supply main and including installation of MS stand with all carraiges upto site of work complete.	1.000	Job	20800.000	20800.000
	carriage of material from source to dumping site of work by Mechnical Transport including loading unloading and stacking etc.			0.000	0.000
1	Pipes below 100mm dia for 27 Km	9.200	M.ton	436.242	1 4012 42
2	Cement /Steel avg. lead 25 KMs	14.2100	M.ton	417.871	4013.42
3	Sand for 25 Kms	13.780	Cum	470.052	5937.94 6477.31
4	Stone Aggregate 20mm for 20 Kms •	27.550	Cum	510.944	14076.49
5	Stone Aggregate 40mm for 20 Kms	0.560	Cum	552.995	309.67
6	Stone soilling for 20 Kms	0.940	cum	492.178	462.64
, .	carriage of material from road / dumping site to the actual site of work by Manual means including loading unloading and stacking for avg. lead 800 Mtrs.			0.000	0.00
1	Pipes below 100mm dia	9.200	M.ton	510.285	4691.62
2	Cement	12.030	M.ton	404.679	4858.28
.3	Steel	2.180	M.ton	869.301	1895.0
.4	Sand	13.780	Cum	931.230	12832.3
.5	Stone aggregate 20mm	27.550	Cum	931.230	25655.3
.6	Stone aggregate 40mm	0.5600	cum	1006.697	563.7
.7	Stone soilling for 30 Kms	0.940	cum	138.712	130.3

ates & Qty checked by:

Head Draftsman

Executive Engineer
PHE Division Baramulla