OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE DIVISION BARAMULLA

Email: kmr.phebla@gmail.com (FAX) 01952234575 (Tel) 01952234244



No. 7619-31 dl. 25-10-022

M/s. Mohammad Muzaffar Wani R/o. Kalantra Payeen Baramulla Regd No.

Sub: Retrofitting of W.S.Scheme Dolipora Fresthar by way of :- Laying and fitting of Main /Submain /Distribution System at various spots (for providing 100Percent FHTC) under JJM.

Ref: 1/- Constitution of District Jal Jeevan Mission, Administrative Council DecisionNo: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

2/- UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).

3/- Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-202

4/- Minutes of meeting of held on 23-05-2022 under the Chairperson...ρ of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.

5/- District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No. SE/Hyd/DB/7859-71 dated 19.09.2022

6/- Your tender received in response to this office ENIT No: 42 of 08/2022 (S.No 05).

1/- Amount of work advertised: 1206000.00

2/- Allotted cost of work: 1181603.00
(Rupees Eleven Lacs Eighty One Thousand Six Hundred Three Only)

3/- Time of completion: (30 days)

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Anne: "A t this allotment, on the terms and conditions given here under:

Conditions:

01. Time of completion is essence of the contract.

O2. The work shall have to be started by you at site immediately & ensure its successful completion within a period of 30 days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.

O3. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.

O4. The allotted works shall be subject to Check by the third party monitoring a popointed by the Department.

05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.

O6. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.

O7. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of

- recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- 08. After testing and commissioning of works you shall have to make a trial run or the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
- The defective liability period shall be for a period of 12 months and shall commence after the 09. successful completion of trial run.
- 10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- 11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
- 12. All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.
- Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly 13. dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

(Encl: Annexure "A")

Technical Officer to **Executive Engineer** PHE Division Baramulla

Executive Engineer Jal Shakti Department PHE Division Baramulla

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 2105-14 Dated: 04-06-2022. 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla(Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla(Member DJJM) for information. 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla(Member
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division Kreeri, for information.
- 13/- File Concerned.

Comp. by: ShahidFarooq (Correspondence)

eProcurement System Government of Jammu And Kashmir

Annexure "A"

Name of work:

Retrofitting of W.S.Scheme Dolipora Fresthar by way of :- Laying and fitting of Main /Submain /Distribution System at various spots

	Description of Work / Item(s)	No.of Qty	Units	Allotted Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:	1353.5100	Cum	427.280	578327.7528
2	Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work.	-		0.000	0
2.1	15 mm dia. nominal bore	1314.000	Mtr	<u>-</u> 2.545	26076.33
2.2	20 mm dia. nominal bore	2650.000	Mtr	19.845	52589.25
2.3	25 mm dia. nominal bore	2000.000	Mtr	30.037	60074
2.4	40 mm dia. nominal bore	2500.000	Mtr	39.984	99960
2.5	50 rnm dia. nominal bore	2000.000	Mtr	39.984	79968
2	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in			101775	
3	depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	1218.160	Cum	194.726	237207.4242
4 .	depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and	1218.160	Cum	- 0.000	237207.4242
	depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of	1218.160	. Nos		
4 .	depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete	1218.160	din seed in the se	- 0.000	0
4 .	depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore	10.0000	Nos	- 0.000	6529.25 9947
4.1	depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore 50 to 80 mm nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete.	10.0000	Nos	- 0.000 652.925 1243.375	6529.25 9947
4.1 4.2	depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore Providing and fixing gun metal gate valve with C.I. wheel of	10.0000 8.000 6.000 4.000	Nos Nos Nos Nos	- 0.000 652.925 1243.375 0.000 532.973 690.606	6529.25 9947 (0 3197.838 2762.42
4 . 4.1 4.2 5	depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore 50 to 80 mm nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 25 mm nominal bore 40 mm nominal bore 50 mm nominal bore	10.0000 8.000 6.000 4.000 2.000	Nos Nos	0.000 652.925 1243.375 0.000 532.973	6529.25 9947 (0 3197.838 2762.42
4 . 4.1 4.2 5 5.1 5.2	depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 25 mm nominal bore 40 mm nominal bore Froviding and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includs fixing of angle iron frame legs in cement concreate 1:2:4 mix with locking	10.0000 8.000 6.000 4.000 2.000	Nos Nos Nos Nos Nos	- 0.000 652.925 1243.375 0.000 532.973 690.606	3197.838 2762.42-
4 . 4.1 4.2 5 5.1 5.2 5.3	depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 25 mm nominal bore 40 mm nominal bore Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includs fixing of angle iron	10.0000 8.000 4.000 2.000	Nos Nos Nos Nos	- 0.000 652.925 1243.375 0.000 532.973 690.606 923.895	3197.833 2762.42: 1847.7

Rates & Qty checked by:

Head Draftsman

chnical Officer

Executive Engineer **PHE Division Baramulla**