Office of the Executive Engineer (JSD) PHE Division

<u>Baramulla</u>

Email: kmrphebla@gmail.com (FAX) 01952234575 (Tel) 01952234244

(10a)

no. 6675-8

M/s. Farooq Ahmad Ahengar R/o. Dewan Bagh Baramulla Regd No.

Sub: Retrofitting of WSS Shirpora Bangil by way of Laying and fitting of Main /Submain /Distribution System at various spots (for providing 100 percent FHTC) under JJM.

Ref: 1/- Constitution of District JalJeevan Mission, Administrative Council DecisionNo: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

2/- UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B)

3/- Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

4/- Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.

5/- District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No. SE/Hyd/DB/7137-49 dated 07.09.2022.

6/- Your tender received in response to this office ENIT No: 39 of 2022 (S.No 23).

1/- Amount of work advertised: 565000.00

2/- Allotted cost of work: 559838.00
(Rupees Five Lacs Fifty Nine Thousand Eight Hundred Thirty Eighty Only)


3/- Time of completion: (30 days)

For and on behalf of Lt: Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" t this allotment, on the terms and conditions given here under:

Conditions:

- 01. Time of completion is essence of the contract.
- O2. The work shall have to be started by you at site immediately & ensure its successful completion within a period of **30** days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means of your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
- O3. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- O4. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
- O5. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
- O6. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- O7. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning /





intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

After testing and commissioning of works you shall have to make a trial run of the works for 08. a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.

The defective liability period shall be for a period of 12 months and shall commence after the 09. successful completion of trial run.

Pre & post Geo-tagged photographic evidence be taken during the execution of the work and 10. shall have to be produced at the time of submission of the bill.

Date of start of the work within07 days from the date of issue of this letter. However date of 11. start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the

All other terms and conditions shall be applicable as laid down in Standard bid Document& 12. PWD form No. 25/33.

Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly 13. dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

(Encl: Annexure "A")

Technical Officer to **Executive Engineer** PHE Division Baramulla

Executive Engineer Jal Shakti Department **PHE Division Baramulla**

Copy to the :-

1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.

2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.

3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.

4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 2105-14 Dated: 04-06-2022.

5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.

6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.

7/- Divisional Forest Officer Baramulla (Member DJJM) for information.

8/- Chief Planning Officer Baramulla(Member DJJM) for information.

9/- Chief Medical Officer Baramulla(Member DJJM) for information.

10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla(Member **DJJM)** for information.

11/- District Information Officer Baramulla (Member DJJM) for information.

12/- File Concerned.

Comp. by: ShahidFarooq (Correspondence)

eProcurement System Government of Jammu And Kashmir

Annexure "A"

etrofitting of WSS Shirpora Bangil by way of Laying and fitting of Main /Submain /Distribution System at various spots (for spiding 100 percent FHTG) under JJM.

I.No	Description of Work / Item(s)	No.of Qty	Units	Allotted Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
	·				245376.00
1.1	All kinds of soil	499.900	Cum	431.640	215776.83
` 2	Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work.			0.000	0.00
/2.1	100mm dia G.I	300.000	Rm	105.999	31799.79
2.2	65mm dia G.I	400.000	RM	72.320	28927.80
2.3	50mm dia G.I	-600.000	_RM_	40.392	24235.20
2.4	40mm dia G.I	700.000	RM	40.392	28274.40
2.5	25mm dia G.I	- 850.000	RM	30.344	25791.97
2.5	20mm dia G.I	~880.000	-RM	20.048	17641.80
2.7	15mm dia G.I	1174.0000	-RM	_20.048	23535.76
3	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and	449.910	Cum	196.713	88503.14
	Making connection of G.I. distribution branch with G.I. main of	7.000	No	659.588	4617.11
4,	watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete(25 mm to 40 mm Nominal bore.)	7.000	No	659.588	4617.11
4.	watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete(25 mm to 40 mm Nominal bore.) Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete.			0.000	0.00
	watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete(25 mm to 40 mm Nominal bore.) Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete.	4.000	~No	0.000	0.00
. 5 5.	watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete(25 mm to 40 mm Nominal bore.) Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 25 mm nominal bore Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includs fixing of angle Iron frame leas in cement concreate 1:2:4 mix with locking			0.000	0.00 2153.64 -3488.26
. 5 5.	watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete(25 mm to 40 mm Nominal bore.) Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 25 mm nominal bore Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includs fixing of angle iron frame legs in cement concreate 1:2:4 mix with locking arrangements complete. Including Earth work Manufacturing providing fixing of MS Bends/ Tees including charges of welding machine upto site of work. To be menufactured	4.000	NoNo	0.000 538.412 697.653	0.00 2153.64 -3488.26 27720.00
5.5.	watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete(25 mm to 40 mm Nominal bore.) Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 25 mm nominal bore Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includs fixing of angle iron frame legs in cement concreate 1:2:4 mix with locking arrangements complete. Including Earth work Manufacturing providing fixing of MS Bends/ Tees including	4.000	No No Job	0.000 538.412 697.653	0.00 2153.64 3488.26 27720.00 4158.00
5.5.	watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete(25 mm to 40 mm Nominal bore.) Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 25 mm nominal bore Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includs fixing of angle iron frame legs in cement concreate 1:2:4 mix with locking arrangements complete. Including Earth work Manufacturing providing fixing of MS Bends/ Tees including charges of welding machine upto site of work. To be menufactured as per site requirement. Providing fixing of 10 to 12mm thick flanges to existing G.I pipes incl. cost of rubber washers, nuts, bolts and including carriage of welding machine & gen set involving welding at site as per the ground profile complete job.	4.000 5.000 4.0000 20.000	No No Job	0.000 538.412 697.653 6930.000	0.00 2153.64 -3488.26 27720.00 4158.00 0.00
5.5.	watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete(25 mm to 40 mm Nominal bore.) Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 25 mm nominal bore Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includs fixing of angle iron frame legs in cement concreate 1:2:4 mix with locking arrangements complete. Including Earth work Manufacturing providing fixing of MS Bends/ Tees including charges of welding machine upto site of work. To be menufactured as per site requirement. Providing fixing of 10 to 12mm thick flanges to existing G.I pipes incl. cost of rubber washers, nuts, bolts and including carriage of welding machine & gen set involving welding at site as per the ground profile complete job.	4.000 5.000 4.0000 20.000	No No Job	0.000 538.412 697.653 6930.000 207.900	0.00 2153.64 3488.26 27720.00 4158.00
5.5.	watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete(25 mm to 40 mm Nominal bore.) Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 25 mm nominal bore Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includs fixing of angle iron frame legs in cement concreate 1:2:4 mix with locking arrangements complete. Including Earth work Manufacturing providing fixing of MS Bends/ Tees including charges of welding machine upto site of work. To be menufactured as per site requirement. Providing fixing of 10 to 12mm thick flanges to existing G.I pipes incl. cost of rubber washers, nuts, bolts and including carriage of welding machine & gen set involving welding at site as per the ground profile complete job. 100mm 10	4.000 5.000 4.0000 20.000	No No Job KG	0.000 538.412 697.653 6930.000 207.900	0.00 2153.64 -3488.26 27720.00 4158.00 0.00 7920.00 10395.00 0.00
5.5.	watering, lead upto 50 m and lift upto 1.5 m. Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete(25 mm to 40 mm Nominal bore.) Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carraiges complete. 25 mm nominal bore Providing and fixing of MS surface boxes (0.75x0.75x0.75) of 6mm thick plate for sluice valves. The job includs fixing of angle iron frame legs in cement concreate 1:2:4 mix with locking arrangements complete. Including Earth work Manufacturing providing fixing of MS Bends/ Tees including charges of welding machine upto site of work. To be menufactured as per site requirement. Providing fixing of 10 to 12mm thick flanges to existing G.I pipes incl. cost of rubber washers, nuts, bolts and including carriage of welding machine & gen set involving welding at site as per the ground profile complete job. 100mm 10	4.000 5.000 4.0000 20.000	No No Job KG	0.000 538.412 697.653 6930.000 207.900 0.000 990.000 742.500	0.00 2153.64 -3488.26 27720.00 4158.00 0.00 7920.00 10395.00

Comp. by: Shahid Farooq (Correspondence)

Description of Work / Item(s)	No.of Qty	Units	Allotted	migraphy of the
carriage of pipe by head load from safe dumping site to the actual		and the first of the state of t	Rate	Amount
site of work for an avg lead of 300mts Pipes below 100mm dia			0.000	0.00
10/1 Pipes Delow Teermin did	11.300	M.ton	-263.062	2972.59
10.2 Total	300.000	Mtr	7.059	
(Rupees Five Lacs Fifty Nine Thousand Fight H	undual Title	=-		559838.1

tes & Qty checked by:

Executive Engineer
PHE Division Baramulla