

OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE DIVISION BARAMULLA

Email: kmrphebla@gmail.com (FAX) 01952234575 (Tel) 01952234244



No. 0169-81

dt. 16-11-2022

M/s. Reyaz Ahmad Lone  
S/o. Ab Rashid Lone  
R/o. Sheerinabad Sheeri Baramulla  
Regd No. 108/BK-SE/PWD/CEE/1997-98

**Sub:** Retrofitting of W.S.Scheme Zamzampora by way of :- Laying and fitting of Main /Submain /Distribution System at various spots, Manufacturing/ providing and fixing of M.S Sheet metal safety boxes for controlling valves and Constt. of 0.05 lac gallons RCC Dome type S.R (for providing 100% FHTC) under JJM.

**Ref:** 1/- Constitution of District Jal Jeevan Mission, Administrative Council Decision No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

2/- UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).

3/- Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

4/- Minutes of meeting of held on 23-05-2022 under the Chairperson of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.

5/- District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No. SE/Hyd/DB/10018-30 dated 10.11.2022.

6/- Your tender received in response to this office ENIT No: 44 of 2022 (S.No 11).

1/- Amount of work advertised: 1408000.00

2/- Allotted cost of work: 1406872.00

(Rupees Fourteen Lacs Six Thousand Eight Hundred Seventy Two Only)

3/- Time of completion: (45) days

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" to this allotment, on the terms and conditions given here under :


**Conditions:**


01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of 45 days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
07. The firm shall be bound for satisfactory performance of works for 18 months after the

intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
13. Any rules/ terms and conditions if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

**(Encl: Annexure "A")**

  
**Technical Officer to**  
Executive Engineer  
PHE Division Baramulla

  
**Executive Engineer**  
Jal Shakti Department  
PHE Division Baramulla

**Copy to the :-**

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 2105-14 Dated: 04-06-2022.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division Baramulla, for information.
- 13/- File Concerned.

Comp. by: ShahidFarooq (Correspondence)

## Annexure "A"

Work:

of W.S. Scheme Zamzampora by way of :- Laying and fitting of Main /Submain /Distribution System at various spots, providing and fixing of M.S Sheet metal safety boxes for controlling valves and Constt. of 0.05 lac gallons RCC Dome for providing 100% FHTC) under JJM.


	Description of Work / Item(s)	No. of Qty	Units	Rate	Total Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:	✓	✓	✓	✓
1.1	All kinds of soil.	1099.470	Cum	435.55	478890
2	Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	2.710	cum	1318.680	3574
3	Providing & Laying in position cement concrete of 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size) excluding the cost of centring and shuttering all work upto plinth level incl. dewatering.	1.800	cum	4856.973	8743
4	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	3.6100	cum	7792.959	28133
5	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	5.800	cum	9398.727	54513
6	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centering, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	2.250	cum	9839.496	22139
7	Centering and shuttering including strutting, propping etc. and removal of form work for:	✓	✓	0.000	0
7.1	Foundations, footings, bases for columns	4.520	sqm	262.038	1184
7.2	Retaining walls, return walls, walls (any thickness) including attached pilasters buttresses, plinth and string course fillets, kerbs and steps etc.	66.520	sqm	573.276	38134
7.3	Arches, domes, vaults upto 6 m span	11.850	sqm	2084.713	24704
8	Extra for shuttering in circular work:			0.000	0
8.1	Foundations	4.5200	sqm	52.408	237
8.2	Walls	66.520	sqm	114.655	7627
9	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	722.880	Kg	87.088	62954
10	12mm Cement plaster finished with a floating coat of neat cement of mix: 1 : 4 (1 cement : 4 fine sand)	40.380	sqm	325.12	13129
11	Providing fixing of MS lid cover 4mm thick fixed in angle iron frame of 0.60x0.60m with priming coat of red oxide and two coats of synthetic enamel paint with locking arrangement and all carriages upto site of work.	1.000	C.Job	4495.500	4496

8 ant


13	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In grabings, frames, guard bar, ladder, railings, brackets, gates and similar works.	✓ 362.800	✓ Kg	✓ 146.483	✓ 53144
13.1	Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials and excluding cost of Pipes and Earth work.	✓ 2200.000	✓ Mtr	✓ 20.230	✓ 44505
13.2	15 mm dia. nominal bore	✓ 800.0000	✓ Mtr	✓ 20.230	✓ 16184
13.3	20 mm dia. nominal bore	✓ 500.000	✓ Mtr	✓ 30.619	✓ 15310
13.4	25 mm dia. nominal bore	✓ 2075.000	✓ Mtr	✓ 107.592	✓ 223254
14	100 mm dia. nominal bore	✓ 968.2200	✓ cum	✓ 198.501	✓ 192193
15	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	✓		0.000	0
15.1	Making connection of G.I. distribution branch with G.I. main of following sizes, by providing and fixing Tee, including cutting and threading the pipe etc. complete	✓ 8.000	✓ No	✓ 665.584	✓ 5325
16	25 to 40 mm nominal bore	✓		0.000	0
16.1	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments.	✓ 3.000	✓ No	✓ 13150.836	✓ 39453
17	100 mm dia.	✓		0.000	0
17.1	Providing and fixing gun metal gate valve with C.I. wheel of approved quality incl. all accessories and all carriages complete.	✓ 7.000	✓ No	✓ 543.306	✓ 3803
17.2	25 mm nominal bore	✓ 2.0000	✓ No	✓ 703.995	✓ 1408
18	40 mm nominal bore	✓ 10.000	✓ No	✓ 799.200	✓ 7992
19	Providing fixing of 50 mm dia flanged G.I bends manufactured as per site requirements (complete job)	✓ 18.000	✓ Mtr	✓ 1134.215	✓ 20416
20	Providing fixing of pipeline for delivering/ washout	✓		0.000	0
20.1	100 mm dia. nominal bore	✓ 3.570	✓ M.ton	✓ 303.342	✓ 1083
20.2	carriage of material from source to dumping site of work by Mechanical Transport including loading unloading and stacking etc.	✓ 2075.000	✓ Mtr	✓ 7.457	✓ 15472
20.3	Pipes (below 100mm dia) for 15 Kms	✓ 5.690	✓ M.ton	✓ 222.912	✓ 1268
20.4	100mm dia GI pipe for 15 Kms	✓ 1.620	✓ Cum	✓ 240.179	✓ 389
20.5	Cement /Steel avg. lead 08 KMs	✓ 10.4900	✓ Cum	✓ 316.968	✓ 3325
20.6	40 mm Stone aggregate for 06 Kms	✓ 2.710	✓ cum	✓ 202.853	✓ 550
20.7	20 mm Stone aggregate for 13 Kms	✓ 6.850	✓ Cum	✓ 365.495	✓ 2504
21	Stone soiling for 03 Kms	✓		0.000	0
21.1	Sand avg lead 17 Kms	✓ 4.990	✓ M.ton	✓ 210.500	✓ 1051
21.2	carriage of material from road / dumping site to the actual site of work by Manual means including loading unloading and stacking for avg. lead 300 Mtrs.	✓ 0.700	✓ M.ton	✓ 452.233	✓ 317
21.3	Cement	✓ 1.0200	✓ Cum	✓ 473.464	✓ 483
21.4	Steel	✓ 17.340	✓ Cum	✓ 437.965	✓ 7594
21.5	40 mm Stone aggregate	✓ 2.7100	✓ cum	✓ 515.236	✓ 1396
	Sand/ 20 mm Stone aggregate				
	Stone soiling				
	<b>Total</b>				<b>1406872</b>

Rupees Fourteen Lacs Six Thousand Eight Hundred Seventy Two Only

Rates & Qty checked by:

  
Head Draftsman

  
Technical Officer

  
Executive Engineer  
PHE Division Bangalore, India