# Office of the Executive Engineer Spl Sub Div Tangdar

Email Address: xenssdtdr@gmail.com

Mr.Bagh Hussain Shah S/o.Kh Maskeen Shah

R/o Chamkote Reg No:CE(R&B)K-03/2008-09 GSTIN:01BCXPS1075D1ZK

Mob No:8899857303

No. 7759-67 Dated 3-3-3-3

L/F of Pipes for Intakemain/ Distt. System, Const of RCC SR 0.15 Lac Glns Capacity, Sluice Value Chamber, Subject: Collection Chamber, Intake Chambers, Crude Filter, Protection Works, Anchor/ Saddle Blacks etc for WSS Chatkadi Parada.

Ref:

1 Revised DAP approved and issued under No:DDCK/Plg/JJM/4465-85 dtd:14.07.2022

2. DPR appraisal committee meeting held on 7th Feb 2022 issued under No. CE/PHE/44642-63 dtd:12.03.2022.

3. Accord of Administrative approval accorded by Superintending Engineer Hyd.circle district kupwara HQ Handwara order No:17/JJM/DSE/HH/DB/ of 2022-23 dtd:25.08,2022.

4. Technical Sanction issued by Superintending Engineer Hyd. Circle Distt. Kupwara HQ Handwaras order No: DSE/HH/DB/107 of 8/2022 dtd:27.08.2022.

5. This office Fresh E-NIT No. 133 of 2022-23, Dated: 25.11.2022, issued under endstt. No: 5688-96 Dated: 25.11.2022

6. Your tender received in response to this office E-NIT No. 133 of 2022-23

7. District Development Commissioner Kupwara's Authorization No:DDCK/PLG/JJM/Mom/14446-48
Dated 20.03.2023.

Adv. Cost 38.43Lacs
Alloted Cost: 38.43 Idea

For and on behalf of Lt. Governer of Union Territory of Jammu & Kashmir, the above noted work is hereby alloted to you on following negotiated rates which are ATPAR on advertise rates

5.No	Particulars of Items	Unit	Qty	Estimate d Rate	Alloted Rate AT PAR	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed in:-All kinds of Soil	Cum	139.50	436.00	436.00	496822.00
	2.4	Cum	398.57	841.60	841.60	3,35430.34
3	Earth work in excavation by mechanical means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directedly all kinds of Soil	Cum	66.55	188.75	188.75	12561.31
		Cum	28.55	3/8.33		
	4 Oridanary Rock 5 Extra for every additional lift of 1.5 m or part thereof in	Cum	66.15	81.65	81.65	3836.99
	excavation/banking excavated or stacked material :All kinds of Soil	Cum	26.20	146.453	146.45	5808.01
	6 Oridanary Rock		35.35	164.30	164.30	4437.44
	7 All kinds of Soil	Cum	15.15	292.90	292.90	4436.44
	n -tu	Cum	13.43	10		13296.30
	Providing and laying dry stone soling hand packed tightly including cost of 50-200mm nallah boulders	Cum	21.62	615.00	615.00	

Code of





10	Descried	ing and leving in position compat concrete of	T		T		
10	specificentri 1:4:8	ing and laying in position cement concrete of ied grade including curing butxcluding the cost of ing and shuttering. All work upto plinth level with: mix (1 Cement: 4 Course Sand: 8 graded crushed agg 40mm nominal size)	Cum	10.39	4862.00	4862.00	50516.18
11	concr the co	ding and laying in position Reinforced cement rete of specified grade including curing butxcluding ost of centring and shuttering. All work upto plinth with: 1:1.5:3 mix (1 Cement: 3 Course Sand: 3 ed crushed stone agg 20mm nominal size)	Cum	23.07	7801.00	7801.00	179969.0
11	inclu cour and stru	forced cement concrete work in walls (any thickness) ding attached pillasters, buttresses, plinth and string ses, fillets, columns, pillars, piers, abutments, posts ts upto floor five level including curing but excluding of centering shuttering, finishing and reinforcement.	Cum	31.96	9408.00	9408.00	300679.6
	dor mo but and	nforced cement concrete work in arches, archribs, mes, vaults shells, folded plate and roofs having slope re than 15° upto floor five level level including curing a excluding the cost of centering, shuttering finishing d reinforcement with: 1:1½:3 (1 cement: 1½ coarse and: 3 graded stone aggregate 20 mm nominal size)	Cum	3.40	10405.00	10405.00	35377.0
	ro le c	einforced cement concrete work in suspended floors, pofs having slope upto 15°, beams etc upto floor five evel level including curing but excluding the cost of entering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20 mm nominal size)	Cum	5.81	9850.00	9850.00	57228.5
	15	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level	Kg	5975.00	90.00	90.00	537750.0
	16	12 mm thick Cement plaster 1 : 3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement	Sqm	416.64	378.00	378.00	157489.9
	17	7 Centering and shuttering including strutting, propping etc. and removal of form for:Foundations	Sqm	22.35	262.30	262.30	5862.43
	1	8 Walls	Sqm	363.44	573.85	573.85	208560.0
	1	9 Beams	Sqm	10.93	502.85	502.85	5496.15
	2	O Suspended Floors	Sqm	27.91	635.60	635.60	17739.6
0		1 Domesupto 6 mtr Span	Sqm	29.62	2086.80	2086.80	61811.0
	2	22 Edges of slabs and breaks in floors upto 200mm thick.	Sqm	80.30	242.30	242.30	19456.6
		Random Rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 Cement : 6 coarse sand : 12 graded stone aggregate 20mm nominal size) upto plinth level and curing complete with:	Cum	0.54	4879.00	4879.00	2634.66
		24 Dry random rubble masonry with hard stone in foundation and plinth: With bond stone.	Cum	1.64	2747.00	2747.00	4505.08
		25 Laying and fitting of G.I. pipes (all classes) p complete excluding cost of pipes, fittings and Earth work.80mm Dia G.I. Pipe	mtr	300.00	73.05	73.05	21915.00
		26 65mm Dia G.1 Pipe	mtr	2800.00	73.05	73.05	204540.0
		27 50mm Dia G.I. Pipe	Mtr	3400.00	40.80	40.80	138720.00
		28 40mm Dia G.I. Pipe	Mtr	1800.00	40.80	40.80	73440.00
		29 25mm Dia G.I. Pipe 30 20mm Dia G.I. Pipe	Mtr	1400.00	30.85	30.85	43190.00
		31 Providing /fixing of GI bends of required degree /size	Mtr	1400.00	20.25	20.25	28350.00
		complete job80 mm dia	no	3.00	500.00	500.00	1500.00
		and CF mm dia					
	1 Table 1	32 65 mm dia 33 50 mm dia	no	8.00	400.00	400.00	3200.00



4	elbows 7 25 mm dia G.I elbows	No No	25.00 20.00	54.00 115.00 206.00	54.00 115.00 206.00	2300 00 4120 00 3220 00
46	6 Supply of GIPIpe specials of Supply of GIPIpe specials (subject to non availability in Stores)20 mm dia G.I	No	25.00		54.00	1350 00
	of required centering, shuttering and curing out excluding cost of reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)			39.00	39.00	975.00
45	reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including setting in position in cement	Cum	0.28	9036.39	9036.39	2530.19
	Make Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all	Kg	265.00	102.14	102.14	27067.10
	make Providing and fixing 50mm dia Gate Vale of repiuted	No	3.00	2500.00	2500.00	7500.00
42	Providing and fixing 80mm dia Gate Vale of repiuted	No	1.00	8000.00	8000.00	8000.00
41	Providing and fixing double flanged CI Sluice value confirming to IS 780 of 1984 read with upto date amendments PN-1 rating including cost of Tail Pieces, Falnging Jionts, nuts, Bolts, Rubber insertion handles etc all complete.	No	1.00	30000.00	30000.00	30000.00
	Laying and fitting of 150mm dia G.I Pipe withn flanged Joints made of 10mm thick M.S Flanges including cost of nuts, bolts, rubber insertion and bends of required digree etc complete. Excluding cost of pipes (For Washout)	R.M	30.00	400.00	400.00	12000.00
	Providing PGI Sheet for Construction Joints 0.63 mm thick including all carriages	Sqm	27.82	800.00	800.00	22256.00
	Providing and mixing water proofing material in cement concrete work in doses by weightof cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	Kg	442.00	57.90	57.90	25591.80
	Providing, fabricating and fixing M.S. Lid 0.75 x 0.75 mtr size made of 3mm thick M.S. Sheet fixed / welded with angle iron frame 40x40x6mmand frame of 50x50x6mm angle iron to be embedded in cement concrete including necessary hinges, handles and locking arrangement applying priming coat of red oxide primer all carriages complete.	No	7.00	4000.00	4000.00	28000.00
	Above 40 mm nominal bore	Mtr	400.00	110.65	110.65	44260.00
	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge: 15 mm to 40 mm nominal bore.	Mtr	1300.00	99.75	99.75	129675.00
	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc, in layers no exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift	Cum	1412.80	198.70	198.70	280723.36



Rupees thirity eight lacs forty three thousand six hundred nd ninety six one only

266.00

Total

10254.30 3843696.59

### TERMS & CONDITIONS:

- The contractor shall draw agreement with the Executive Engineer Spl Sub Div. Tangdar within a period of 07 days 1 from the date of issue of allotment order and failing to execute such an agreement in time shall not however prevent this contract being enforced against the contractor and the conditions laid down in the SBD shall hold good even before drawal of formal agreement.
- The work shall have to be executed strictly in accordance with the approved proposals and specifications of the
- The date of start of work shall be reckoned from the date of issuance of allotment order subject to the working
- It shall be mandatory for the executing agency / contractor to ensure safe and adequate supply of electricity required for all the workmen skilled /unskilled deployed at site of work.
- Suitable arrangment for supply of potable water at site of work for all the workmen skilled/unskilled be made by the agency / contractor just before the start of execution at site.
- Arrangment for sufficient sanitation facility at site be ensured by the executing agency / contractor for all the men to be mobilized at site besides, saperate tailet facilities be provided for female workers at the site



performance condition st issuance (

9

Insurc

the.

erformance security equivalent to 03% of the value of the contract i.e Rs. 1152260 valid in accordance with bid condition shall have to be furnihsed by you in shape of CDR/FDR/Bank Gurantee within one week of the date of issuance of allotment order or at the time of signing of agreement whichever is earlier.

Insurance cover as admissible under rules shall be provided to all workers / skilled / unskilled deployed at site and the necessary premiums shall be borne by the executing agency / contractor itself.

Payment are subject to the recommendations of the third party verification agency (M/5 WAPCOS Ltd) or any other agency engaging by the Govt for the purpose.

#### TIME OF COMPLETION

The work shall be completed within a period of (90 working Days) after the date of issue of allotment. In the event of the contractor failing / declining /neglecting /causing delay in the execution of the work, penality to the extent of 10% of the alloted amount shall be imposed on the contracor and the work shall be got executed departmentally or through any other agency at the risk and extra cost of the contractor, besides action under rules for black listing of the contractor shall be taken up by the department.

## EARNEST MONEY :

The CDR/FDR bearing No.641869, Dated.27.03.2023 for an amount of R5.115260 from Bank Jammu & kashmir bank BO Tangdar pleged to Executive Engineer Spl Sub Division Tangdar shall be retained in this office till successful completion of the above mentioned work after the expiry of the Defective Liability Period (D.L.P)

### ADVANCE PAYMENT :

No mabilization advance or advance payment shall be made to the allottee (Contractor)

All other terms and conditions as laid down in the E-NIT No.133 of 2022-23, d 25.11.2022, issued under endstt. No. 5688-96 Dt. 25.11.2022, from this office shall be binding on the contractor.

1:7759-67

1. Chief Engineer Kmr PHE Department Stringgar for information.

2. District Development Commissioner Kupwara (Chairman DJJM Kupwara) for favour of information. 3. District Superintending Engineer Hydraulic Circle Kupwara HQ- Kupwara (Secretary DJJM Kupwara) for favour

4. Technical officer to Chief Engineer JSD (PHE) Kashmir for favour of information to Chief Engineer.

5. Team Leader WAPCOS Kupwara for information & necessary action. 6. AEE PHE Sub-Division Tangdar for information. He is directed to get the work executed as per approved drawings /Specifications within allotted cost.

7. HD/AAO / Divisional office for information & record.

8. File Concern.