Page 1 of 1

Government of Jammu and Kashmir

OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI

email: urihydraulic@gmail.com

Allotment Order No. 17 of 07/2023

M/S : MOHAMMAD HUSSAIN AKHOON

S/O : Mohammad Amin Akhoon

R/O : Khanpora Baramulla

Registration No. : SE (R&B) SB-B-107 of 2017-18

TIN No./GST No:- : 01BNNPA6349D1ZE

Name of work

Reference

Construction of Water Supply Salasan by way of Construction/Commissioning

and Testing of /SSFPs/ Chain Link fencing and other allied works (for

providing 100% FHTC) under JJM (for providing 100% FHTC) under JJM

(Part-B)

eNIT No. : 12 /Hyd/Uri of 2023-24 TENDER ID 2023_IFC_215240_20

Your Tender Received in response to : eNIT No:12/Hyd/Uri_of_2023-24 Dated: 17/05/2023 issued under endorsement No:-HDU/CC-02/1178-89 Dated: 05/06/2023 (S. No: 20) Tender ID : 2023_IFC_212582_20

response to HDU/CC-02/1178-89 Dated: 05/06/2023 (S. No: 20) Tender ID: 2025_IFC_212362_20

: (i) Constitution of District Jal Jeevan Mission, Administrative Council Decision
No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020

Dated: 24-04-2020.

(ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K,

meeting convened on 04-09-2021.

(iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021.

(iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033 Dated: 21-02-

<u> 2022.</u>

(v) UT level committee meeting held on 28-04-2022 under the Chairmanship

Development Commissioner Works PW (R&B).

(vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No:

CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

(vii)Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization

issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.

(viii) This Office Letter No: HDU/eNIT-11/1039-40 Dated:- 30/05/2023 (viii)

District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No:

SE/Hyd/DB/3317-29 Dated:- 22/06/2023

Ref: to AAA : Accorded vide Order No. 32/SE/Hyd/DB/JJM of 2022-23 Dated:- 26/08/2022.

Ref: to Tech. Sanction : Accorded vide Order No. CE/PHE/DB/541 of 09/2022 Dated:- 10/09/2022.

LOI Issued under No: : NIT NO. 12/1545-46 Dated: - 27/06/2023

Advertisement cost : Rs: 48.66 Lacs

Allotted cost : ₹ 4994087.91 Rupees Forty Nine Lakh(s) Ninety Four Thousand Eighty Seven

And Paise Ninety One Only

Time of completion : 120-days
M.H. of Account : (JJM)

1.11. 01 Account . (33141)

Ref. To CDR/TDR No. : BID SECURITY DECLARATION FORMAT
Name of the Bank :

For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted/negotiated by you in writing on the comparative statement on the following terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that your Regd. Card is valid/in order in terms of standing rules and free for the capacity of the work

Allotted Rates as "Annexure A" Enclosed"

Terms and Conditions:-

1 Time of completion is essence of the contract.

Scanned with CamScanner

Page 2 of 2

- The work shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days from the date of issuance of LOI from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
 - An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department.
- Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
- Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
- The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
- All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.
- Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

NO: HDU/CC-04/ 105 DATED: 19 Copy to the:

Executive Engineer Hydraulic Division Uri

- 1 Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- .District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No:SE/Hyd/DB/2201-14Dated: 31/05/2023
- 5 Additional District Development Commissioner Baramulla (Member DJJM) for information.
- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7 Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8 Chief Planning Officer Baramulla(Member DJJM) for information.
- Chief Medical Officer Baramulla(Member DJJM) for information.
- 10 District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla(Member DJJM) for information
- 11 District Information Officer Baramulla (Member DJJM) for information.
- Assistant Executive Engineer PHE Sub Division Uri for information. 12
- 13 File.

Annexure "A" to the Allotment Order No. 17 of 07/2023

Construction of Water Supply Salasan by way of Construction/Commissioning and Testing of /SSFPs/
'Chain Link fencing and other allied works (for providing 100% FHTC) under JJM (for providing 100%


FHTC) under JJM (Part-B)

E/W in bulk excavation by manual means over areas (exceeding 30-cm in depth, 1.5 in width, as well as 10m on plan) including disposal of excavated earth lead upto 50mtr and lift upto 1.5Mtrs as directed by the Engineer Incharge 1.1 In all kinds of soils Filling available excavated earth excluding rock in trenches, plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m. Providing and laying stone soling 2nd class incl. cost of stones Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4 : 8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaining wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size.) Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttlering finishing and reinforcement (all work upto plinth level).		FHTC) under JJM (Part-B)						
1 30-cm in depth, 1.5 in width, as well as 10m on plan) including disposal of excavated earth lead upto 50mt and lift upto 1.5Mtrs as directed by the Engineer Incharge 1 in all kinds of soils 2 plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m. 3 Providing and laying stone soling 2nd class incl. cost of stones 4 providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) 4 providing and laying cement concrete work in Retanling wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abuttments, posts and struts etc. upto floor five level excluding cost of centring, and shuttering, finishing an reinforcement 1:3:8 (1 cement: 3 coarse sand: 6 graded stone aggregate 20-mm nominal size) Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering, finishing an reinforcement 1:3:8 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20-mm nominal size) Providing and laying in position specified grade of reinforced cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and struts etc. upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20-mm nominal size) Providing and laying in position specified grade of reinforced cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and struts etc. 20-mm nominal size) Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and struts etc. 20-mm nominal size) Reinforced Cement concrete work in beams, suspended floors, roots having slope upto 15 landings, balconies, staircases and spiral staircases	S#	Particulars	Qty	Unit	Rate	Amount		
disposal of excavated earth lead upto 50mtr and lift upto 1.5Mtrs as directed by the Engineer Incharge 1.1 In all kinds of soils Filling available excavated earth excluding rock in trenches, plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m. 3 Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level, 1: 4: 8: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abuttments, posts and struts etc. upto floor five level excluding cost of centering, and shuttering, finishing an reinforcement 1:36 (1 cement: 2 carse sand: 6 graded stone aggregate 20 mm nominal size. Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1: 2: 4 (1 cement: 2 carse sand: 4 graded Stone aggregate 20 mm nominal size. Providing and laying in position specified grade of reinforced cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and shuttering(all work upto plinth level). 1: 2: 4 (1 cement: 2 carse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position exement concrete over the value of reinforced cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abuttments, posts and strus etc. subtresses, plinth and string courses, fillets, columns, pillars piers, abuttments, posts and strus etc. subtresses, plinth and string courses, fillets, columns, pillars piers, abuttments, posts and strus etc. subtresses, plinth and string courses, fillets, column	70-			i				
as directed by the Encineer Incharge 1 in all kinds of soils 2 illinds of soils 3 gavallable excavated earth excluding rock in trenches, illinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m. 3 Providing and laying in position cement concrete in specified grade including culring but excluding the cost of centering and stuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abuttments, posts and struts etc. upto floor five level excluding cost of centering and shuttering, finishing an reinforcement 1:3:6 (1 cement: 2 coarse sand: 6 graded stone aggregate 20mm nominal size) Providing and laying in position cement concrete of specified grade including culring but excluding the cost of centering shuttering, finishing and reinforcement (1:1:2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including culring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level); 1: 1: 5: 3 (1 cement: 1: 5 coarse sand: 3 graded stone aggregate 20 mm nominal size) Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and struts etc. upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement, posts and struts etc. 20-mm nominal size) Reinforced Cement concrete work in beams, suspended floors, roots having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, shuttering, finishing and reinforcement with 1:1.5:34 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal si	. 1			ł				
1.1 In all kinds of soils Filling available excavated earth excluding rock in trenches, plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m. Providing and laying stone soling 2nd class incl. cost of stones Providing and laying in position cement concrete in specified grade including curring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3.6 (1 cement: 2 coarse sand: 6 graded stone aggregate 20mm nominal size) Providing and laying in position specified grade of reinforced cement concrete work in wall (any thickness) including curring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level 1: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including curring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level 1: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost centering shuttering, finishing and reinforcement 1:1.5:3 (cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced Cement concrete work in beams, suspended floors, foofs having slope upto 15º landings, balconies, staircases and spiral staircases upto floor five le		as directed by the Engineer Incharge						
Filling available excavated earth excluding rock in trenches, pillinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m. Providing and laying stone soling 2nd class incl. cost of stones Providing and laying in position cement concrete in specified grade including culring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaining wall (any Thickness) including attached plaster, buttresses, plinth and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1 cement: 2 carse sand: 6 graded stone aggregate 20mm nominal size) Providing and laying in position cement concrete of specified grade including culring but excluding the cost of centering shuttering(all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including culring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including culring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level 1: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost centering shuttering, finishing an reinforcement 1:1.5: coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced Cement concrete work in beams, suspen	1.1	In all kinds of soils	393.450	Cum	539.350	212207.26		
depth consolidating each deposited layer by ramming and waterino lead up to 50m and lift up to 1.5m. 3 Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 8: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1 cement: 1:35:3 (1 cement: 1.5:3) (1 cement: 1.5:3 (1 cement: 1.5:3) (1 cement: 1		Filling available excavated earth excluding rock in trenches,						
depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m. Providing and laying stone soling 2nd class incl. cost of stones Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 8: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level). 1: 5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) Reinforced Cement concrete work in beams, suspended floors, roofs having slope upto	2		42 220	Cum	198.700	8389.11		
Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work upto plinth level 1: 4 : 8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1 cement : 3 coarse sand : 8 graded stone aggregate 20mm nominal size). Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size). Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l. 1.5: 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm nominal size). Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. supto floor five level excluding cost of centering shuttering, shiftings piers, abutments, posts and struts etc. supto floor five level excluding cost of centering shuttering, shiftings, finishing and reinforcement 1:1.5:3 (1 cement: 1.5:0 coarse sand: 3 graded stone aggregate 20mm nominal size). Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:33 (1 cement: 1.5:30 (1 cement: 1.5:30 (1 cement: 1.5:30 (2 cement: 3) (3 ceres sand: 3 ceres sand: 3 graded stone aggregate 20mm nominal size).	_		42.220					
Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaining wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size). Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level), 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, froofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, froofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering,								
qrade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering finishing and reinforcement 2: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level 1: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Providing and laying in position specified grade of reinforced cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. Upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5: coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced Cement concrete work in beams, suspended floors, roofs having slope upto 150 landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1:6 coarse sand) cost of required entiring shuttering and curing complete l: 1.5: 3 (1 cement: 1:6 coarse sand: 3 g	3	Providing and laying stone soling 2nd class incl. cost of stones	119.650	Cum	616.400	73752.26		
qrade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering finishing and reinforcement 2: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level 1: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Providing and laying in position specified grade of reinforced cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. Upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5: coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced Cement concrete work in beams, suspended floors, roofs having slope upto 150 landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1:6 coarse sand) cost of required entiring shuttering and curing complete l: 1.5: 3 (1 cement: 1:6 coarse sand: 3 g		Providing and laving in position cement concrete in specified						
4 shuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (Lement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. apto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.53 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:31 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases at cincluding hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing co								
coarse sand : 8 graded stone aggregate 40-mm nominal size) crushed. Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level): 1: 1: 5: 3 (1 cement: 1: 5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15 ⁶ landings, balconies, staircases and sgraded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15 ⁶ landings, balconies, staircases and sgraded stone aggregate 20mm nominal size) Providing and fixing upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 Cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including holsting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost	4		22.290	Cum	4861.835	108370.30		
Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 13:6 (1cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level) 1: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced Cement concrete work in beams, suspended floors, roofs having slope upto 15 ⁶ landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 Cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 Cement: 1.5 coarse sand: 3 graded stone spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 Cement: 1.5 coarse sand: 3 graded stone spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement w								
any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size. Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete i: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone curing complete i: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone sand: 3 graded stone sand: 3 graded stone sand: 3 graded st					•			
string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size.) Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level): 1: 5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete i: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone concrete string or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and central results of the providing and curing co								
and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3.6 (1cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size. Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1:2:4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level): 1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete i: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 cement: 1.5 coarse sand: 3 graded stone aggregate 20 centring shuttering and curing complete i: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 centring shuttering and curing complete i: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone ag	Î							
shuttering, finishing an reinforcement 1:3.6 (1cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size. Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level i: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete i: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size)	5		93.600	Cum	7269.185	680395.72		
Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete i: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone								
grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l: 1.5 : 3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fripsition with cement mortar 1:3 (1 cement: 1.5 coarse sand) cost of required centring shuttering and curing complete i: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone centring shuttering and curing complete i: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone sand) cost of required centring shuttering and curing complete i: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone								
grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l: 1.5 : 3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fripsition with cement mortar 1:3 (1 cement: 1.5 coarse sand) cost of required centring shuttering and curing complete i: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone centring shuttering and curing complete i: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone sand) cost of required centring shuttering and curing complete i: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone		Deviding and Indiana in W						
shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 1.5 coarse sand) cost of required centring shuttering and curing complete 1: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete is 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete is 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete is 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete is 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone corrects of graded stone complete is 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone corrects of graded stone co								
coarse sand : 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size.) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 Cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete : 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 1.5 coarse sand) cost of required centring shuttering and curing complete : 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm	6		52 690	Cum	6465 195	340651 1		
Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15 ⁰ landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 Cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone graded stone corrected string complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone graded stone corrected stone corrected string complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone graded stone corrected stone corrected stone corrected stone corrected string complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone graded stone corrected sto			02.000	ou	0100.100	0.0001111		
cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 Cement: 1.5coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone graded ston	<u></u>							
shuttering finishing and reinforcement (all work upto plinth level 1: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete l: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size)	ll I							
l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1Cement: 1.5coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete l: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate stone complete l: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate stone complete l: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate stone complete l: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate stone complete l: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate stone complete l: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate stone complete l: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate stone complete l: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate stone complete l: 1.5 : 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate stone aggregate stone aggregate sand: 3 graded stone aggregate stone aggregate sand: 3 graded stone aggregate sand: 3								
20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15 ⁰ landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone courses, plant and string courses copings bed plates and courses copings bed plat	7		12.470	Cum	7800.760	97275.4		
Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15 ⁰ landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone courses, plints and struts etc. 27.270								
including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone)	<u> </u>							
fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15 ⁰ landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor biocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone) 27.270 Cum 9408.135 256559.8 1.700 Cum 9849.345 16743.1 1.700 Cum 8679.000 3211.3	Î							
upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone) 27.270 Cum 9408.135 256559.8 1.700 Cum 9849.345								
finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(10cement: 1.5coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone) 10 3211.3	ρ		07.070	C	0.400.405	050550		
Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, staircases and spiral staircases and 1.700 Cum 9849.345 1.700 Cum 9849.345 1.700 Cum 9849.345 1.700 Cum 9849.345	"			Cum	9408.135	256559.84		
Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone)								
roofs having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone)								
spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone)		Reinforced cement concrete work in beams, suspended floors,						
centering, shuttering, finishing and reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone)		roots having slope upto 15° landings, balconies, staircases and						
10 10 10 10 10 10 10 10 10 10 10 10 10 1	9			Cum	9849.345	16743.8		
nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone)				1,52				
Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone)								
string or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone) String or lacing, courses copings bed plates anchor brocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone)	10	Providing and fixing upto floor five level precast cement concrete	The state of					
hoisting and setting fr psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone) O.370 Cum 8679.000 3211.2		string or lacing, courses copings bed plates anchor blocks plain			11	157		
3 coarse sand) cost of required centring shuttering and curing complete I: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone)		window sills, shelves, louvers, steps stair cases etc including				3 - 1 - 3		
complete I: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone		noising and setting fr psition with cement mortar 1:3 (1 cement:	0.370	Cum	8670 000	2211 2		
aggregate 20-mm nominal size)		complete 1: 1.5: 3 (1 company) 4.5 company (2)	1		0079,000	3211.2		
-555 25 min nominal size)	1	addregate 20-mm nominal size)						
	L	- 3 20 min nominal size)						





S#	Particulars	Qty	Unit	Rate	Amount
100	Centering and shuttering including strutting propping etc. and				0.00
	removal of Form work for. Foundations, footings, bases of columns	10.220	Cam	262.300	2709.56
al willing	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets etc.	10.330 835.000	Sqm Sqm	573.850	479164.75
11.3	Suspended floors, roofs, landings, balconies and access platform.	17.780	Sqm	635.600	11300.97
11.4	Columns, Pilers, abutment, posts and struts.	12.600	Sqm	680.150	8569.89
12	12mm cement plaster of mix 1:4 (1-cement: 4-sand)	496.280	Sqm	357.995	177665.76
13	Providing and mixing water proofing materials in cement concrete in doses by weight of cement as per manufacturer specification including all sorts of carriages upto site of work complete	85.000	Kg	67.650	5750.25
14	Providing and fixing of two M.S surface box for sluice/gate valve one for inlet and one for outlet including embedding of vertical members of iron embedded into concrete blocks with Angle Iron frames 50X50X6mm, Angle Iron Lid Frame 40X40X5mm with MS Sheet of 4mm thick for lid on sides and including locking arrangements handles/hinges Complete Job.	545.000	Kg	102.140	55666.30
15	Structural steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2745.920	Kg	102.140	280468.27
16	Reinforcement for RCC works including straightening cutting bending, placing in position and binding all complete TMT Bars.	4020.720	Kg	87.175	350506.27
17	Providing/fabricating and commissioning of MS Lid for Filtration Plant /Service Reservoir of approved design as per the instructions of Engineer Incharge at site.	76.740	Kg	102.140	7838.22
18	Providing and Fixing of Hand Rails of approved size by welding extra to steel ladder balcony railing stair case raklling and similar works and applying primer coat	160.610	Kg	190.190	30546.42
19	Providing and fixing of Sluice Valve (ISI Marked) of approved			,	0.00
19.	65mm dia	2.000	Nos	5000.000	10000.00
20	Providing and fixing of PVC ISIS Mark inside concrete wall for	20.000	No .	200.000	4000.00
21	Providing/Shrouding and laying of filter media of required grade from ganderbal, Sind Nallah source inclusive of all sorts of corrigons unto site of work complete job.	31.080	Cum	8500.000	264180.00
22	Providing and fixing of 8mm MS Flanges to GI pipes including cutting of threads welding of flanges to pipe ends including cutting of threads welding of flanges to pipe ends including cost of	-			0.00
22.	1 65mm dia		Joints	1100.000	27500.00
23	Providing and Fixing of (4mm-thick) GI chain link fabric fencing of required width in mesh size 50X50mm including strengthening with 2mm wire/nuts/bolts and washers as required as per thing of Faringer Incharge at site.	194.000	Sqm	733.500	142299.00
24	Carriage of Material from source upto road/dumping site of work by Mechanical Transport including loading unloading and stacking etc complete and shhall be paid strictly as per SSR of	f			0.00





1 1 1 1 1			-		
S#	Particulars	Qty	Unit	Rate	Amount
24.1	Cement and Steel 40Kms)	69.350	Mton	534.280	37052.32
24.2	Sand. (45Kms)	104.980	Cum	650.690	68309.44
24.3	Agg. 20mm (90Kms)	170.970	Cum	1097.810	187692.58
24.4	Agg. 40mm (90Kms	20.110	Cum	1193.190	23995.05
25	Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer				0.00
25.1	Cement (2500Mtrs)	62.560	Mton	995.550	62281.61
25.2	Steel (2500Mtrs)	6.780	Mton	2138.670	14500.18
25.3	Sand. (2500Mtrs)	104.980	Cum	2449.250	257122.27
25.4	Agg. 20mm (2500Mtrs)	170.970	Cum	2449.250	418748.27
25.5	Agg. 40mm (2500Mtrs)	20.110	Cum	2647.710	53245.45
25.6	Stone Soling (500Mtrs)	119.650	Cum	730.800	87440.22
			&	Total	4866109.24
	Excess (+) 2.630%		2000	4994087.91	

Rupees Forty Nine Lakh(s) Ninety Four Thousand Eighty Seven And Paise Ninety One Only Executive Engineer
Hydraulic Division Uri

Checked by

Scanned with CamScanner