

Government of Jammu and Kashmir
OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI
email: urihydraulic@gmail.com

Allotment Order No. 21 of 07/2023

M/S : MUBASHIR SHABIR WANI
S/O : Shabir Ahmad Wani
R/O : Housing Colony Bemina Srinagar
Registration No. : 927/AAV/Civil/Sanitary/CE/KCC/PDC/2009-10
TIN No./GST No:- : 01ABIPW6965D1ZH

Name of work : *Retrofitting of Water Supply Scheme Boniyar by way of Construction of JE Quarter, Chowkidar Quarter, Intake Chambers Protection works, , laying and fitting of GI Pipes and other allied works (for providing 100% FHTC) unde*

eNIT No. : 11 /Hyd/Uri of 2023-24 TENDER ID 2023_IFC_212582_14
Your Tender Received in response to : eNIT No:11/Hyd/Uri_of_2023-24 Dated: 17/05/2023 issued under endorsement No:- HDU/CC-02/829-39 Dated: 17/05/2023 (S. No: 14) Tender ID : 2023_IFC_212582_14

Reference : *(i) Constitution of District Jal Jeevan Mission, Administrative Council Decision No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.*
(ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K, meeting convened on 04-09-2021.
(iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021.
(iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033 Dated: 21-02-2022.
(v) UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).
(vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/IJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.
(vii) Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.
(viii) This Office Letter No: HDU/eNIT-11/1039-40 Dated:- 30/05/2023 (viii) District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No: SE/Hyd/DB/2461-74 Dated: 05/06/2023

Ref: to AAA : Accorded vide Order No. CE/PHE/DB/240 of 08/2022 Dated:- 31/08/2022.
Ref: to Tech. Sanction : Accorded vide Order No. CE/PHE/DB/205 of 08/2022 Dated:- 31/08/2022.
LOI Issued under No:- : NIT NO. 11/1222-23 Dated:- 08/06/2023
Advertisement cost : Rs: 133.94 Lacs
Allotted cost : ₹ 13926005.45 Rupees One Crore Thirty Nine Lakh(s) Twenty Six Thousand Five And Paise Forty Five Only

Time of completion : 120-days
M.H. of Account : (JJM)
Ref. To CDR/TDR No. :
Name of the Bank :

Bid Security Declaration Format

For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted/negotiated by you in writing on the comparative statement on the following terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that your Regd. Card is valid/in order in terms of standing rules and free for the capacity of the work

Allotted Rates as "Annexure A" Enclosed"

Terms and Conditions:-

- 1 Time of completion is essence of the contract.
- 2 The work shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days from the date of issuance of LOI from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.

Xen

- 3 An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- 4 The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department.
- 5 Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
- 6 Performance security equivalent to 0.5% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- 7 The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- 8 After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
- 9 The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- 11 The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
- 13 All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
- 14 Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

Head Assistant

NO: HDU/CC-04/ 1911-23
 DATED: 12-07-2023.
 Copy to the:

Executive Engineer
 Hydraulic Division Uri
 (Syed Shafiq)

- 1 Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- 2 Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3 District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4 Distt. Superintending Engineer Hydraulic Circle Bta/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No:SE/Hyd/DB/2201-14 Dated: 31/05/2023
- 5 Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6 Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7 Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8 Chief Planning Officer Baramulla (Member DJJM) for information.
- 9 Chief Medical Officer Baramulla (Member DJJM) for information.
- 10 District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11 District Information Officer Baramulla (Member DJJM) for information.
- 12 Assistant Executive Engineer PHE Sub Division Uri for information.
- 13 File.



Annexure "A" to the Allotment Order No. 21 of 07/2023

Retrofitting of Water Supply Scheme Boniyar by way of Construction of JE Quarter, Chowkidar Quarter, Intake Chambers Protection works, , laying and fitting of GI Pipes and other allied works (for providing 100% FHTC) unde

| S# | Particulars | Qty | Unit | Rate | Amount |
|-----|--|----------|------|-----------|------------|
| 1 | E/W in bulk excavation by manual means over areas (exceeding 30-cm in depth, 1.5 in width, as well as 10sqm on plan) including disposal of excavated earth lead upto 50mtr and lift upto 1.5mtrs as directed by the Engineer incharge | | | | |
| 1.1 | in all kinds of soils | 3630.750 | Cum | 560.924 | 2036574.81 |
| 2 | Filling available excavated earth excluding rock in trenches, plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m. | 2515.510 | Cum | 206.648 | 519825.11 |
| 3 | Providing and laying stone soling 2nd class incl. cost of stones | 155.480 | Cum | 641.056 | 99671.39 |
| 4 | Providing and laying in position cement concrete in specified grade including curring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4 : 8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40-mm nominal size) crushed. | 38.830 | Cum | 5056.308 | 196336.46 |
| 5 | Providing and laying in position in cement concrete of specified grade including curring but excluding the cost of centring, and shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded Stone aggregate 20 mm nominal size). | 98.440 | Cum | 6723.803 | 661891.15 |
| 6 | Providing and laying in position specified grade of reinforced cement concrete including curring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level). 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) crushed. | 22.090 | Cum | 8112.790 | 179211.54 |
| 7 | Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing and reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. | 22.800 | Cum | 9784.460 | 223095.70 |
| 8 | Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 150 landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) | 3.430 | Cum | 10243.319 | 35134.58 |
| 9 | Providing and laying in position in cement concrete 1:2:4 (1 Cement, 2-Coarse Sand, 4-Graded Stone Aggregates 20 mm nominal size) mix RCC excluding cost of centring shuttering finishing and reinforcement | 12.000 | Cum | 7257.822 | 87093.86 |
| 10 | Providing and laying in position in cement concrete 1:3:6 mix plain cement concrete excluding cost of shuttering. Foundation Below ground level | 158.450 | Cum | 5655.250 | 896074.30 |
| 11 | Structural steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. | 3674.000 | Kg | 106.226 | 390272.85 |
| 12 | Providing and Fixing of Hand Rails of approved size by welding extra to steel ladder balcony railing stair case railing and similar works and applying primer coat Including cost of all sorts of carriages of material upto site of work) | 26.900 | kg | 197.798 | 5320.76 |



| # | Particulars | Qty | Unit | Rate | Amount |
|------|---|-----------|------|-----------|------------|
| 13 | Reinforced cement concrete work in arches, arches, vaults, shelves, folded plates and roofs having slope more than 150 floor five level including curing but excluding cost of centering and shuttering, finishing and reinforcement (Including cost of all sorts of carriages of material upto site of work) | 6.160 | Cum | 10820.696 | 66655.48 |
| 14 | Centering and shuttering including strutting propping etc. and removal of Form work for. | | | 0.000 | 0.00 |
| 14.1 | Foundations, footings, bases of columns | 428.280 | Sqm | 272.792 | 116831.36 |
| 14.2 | Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets etc. | 920.000 | Sqm | 596.804 | 549059.68 |
| 14.3 | Suspended floors, roofs, landings, balconies and access platform. | 148.880 | Sqm | 661.024 | 98413.25 |
| 14.4 | Arches, Domes, walls upto 60 mtr span | 56.130 | Sqm | 2170.272 | 121817.37 |
| 14.5 | lintels | 33.460 | sqm | 522.964 | 17496.36 |
| 14.6 | edges of slab under 20 cm wide | 275.710 | mtr | 251.992 | 69476.71 |
| 14.7 | Shelves | 3.340 | Sqm | 661.024 | 2207.82 |
| 15 | 12mm cement plaster of mix 1:4 (1-cement: 4-sand) | 469.150 | Sqm | 372.320 | 174673.93 |
| 16 | 15mm cement plaster of mix 1:3 (1-cement: 3-sand) | 411.520 | Sqm | 403.260 | 165949.56 |
| 17 | Hand-packing stones in wire-crates; including cost of stones and crates and all sorts of carriages of material upto site of work) | 146.630 | Cum | 2600.000 | 381238.00 |
| 18 | Providing and mixing water proofing materials in cement concrete in doses by weight of cement as per manufacturer specification including all sorts of carriages upto site of work complete | 200.000 | Kg | 70.304 | 14060.80 |
| 19 | Reinforcement for RCC works including straightening cutting bending, placing in position and binding all complete TMT Bars. (Including cost of all sorts of carriages of material upto site of work) | 12716.650 | Kg | 90.662 | 1152916.92 |
| 20 | providing and fixing of tower bolts of 16mm dia , 25cm long full threaded to be embedded in cement concrete with bolts including all carriage | 280.000 | No | 208.000 | 58240.00 |
| 21 | providing and fixing of MS plate for anchoring of over saddle / anchor block with nuts bolts, already fitted in concrete by 4mm thick 200 mm wide and average length 50cm MS plate complete job in all respects. | 439.600 | Kg | 106.226 | 46696.77 |
| 22 | Providing and fixing of two MS surface box for sluice/gate valve one for inlet and one for outlet including embedding of vertical members of iron embedded into concrete blocks with Angle Iron frames 50X50X6mm , Angle Iron Lid Frame 40X40X5mm with MS Sheet of 4mm thick for lid on sides and including locking arrangements handles/hinges Complete Job. | 545.000 | Kg | 106.226 | 57892.95 |
| 23 | Providing/fabricating and commissioning of MS Lid for Filtration Plant /Service Reservoir of approved design as per the instructions of Engineer Incharge at site. | 165.870 | Kg | 106.226 | 17619.64 |
| 24 | Providing and fixing of Sluice Valve (ISI Marked) of approved quality (BIS) including cost of all accessories required and all sorts of carriages of material upto site of work) | | | 0.000 | 0.00 |
| 24.1 | 100mm dia | 3.000 | Nos | 7800.000 | 23400.00 |
| 25 | Providing and fixing 50mmDia GI Bend in dome slab with one and provided with wire gauge mesh. The bends are to be fixed in dome slab during concreting for elevation purpose quality | 18.000 | No | 624.000 | 11232.00 |

| # | Particulars | Qty | Unit | Rate | Amount |
|------|---|----------|--------|-----------|-----------|
| 26 | Providing and fixing of 8mm MS Flanges to GI pipes including cutting of threads welding of flanges to pipe ends including laying and fitting testing and commissioning including cost of nuts, bolts, rubber washers including all carriages upto site of work complete job. | | | 0.000 | 0.00 |
| 26.1 | 100mm dia | 138.000 | Joints | 1352.000 | 186576.00 |
| 26.2 | 80mm dia | 32.000 | Joints | 1248.000 | 39936.00 |
| 26.3 | 65mm dia | 128.000 | Joints | 1144.000 | 146432.00 |
| 26.4 | 50mm dia | 112.000 | Joints | 1040.000 | 116480.00 |
| 26.5 | 40mm dia | 128.000 | Joints | 936.000 | 119808.00 |
| 27 | Laying and fitting of GI Pipes with GI fittings excluding trenching and refilling etc | | | 0.000 | 0.00 |
| 27.1 | 100mm dia GI pipes | 469.000 | Mtr | 112.008 | 52531.75 |
| 27.2 | 80 mm dia GI pipes | 124.000 | Mtr | 75.972 | 9420.53 |
| 27.3 | 65mm dia GI Pipes | 976.000 | mtr | 75.972 | 74148.67 |
| 27.4 | 50 mm dia GI pipes | 1084.000 | Mtr | 42.432 | 45996.29 |
| 27.5 | 40 mm dia GI pipes | 1996.000 | Mtr | 42.432 | 84694.27 |
| 27.6 | 25 mm dia GI pipes | 3500.000 | Mtr | 31.876 | 111566.00 |
| 27.7 | 20 mm dia GI pipes | 4000.000 | Mtr | 21.060 | 84240.00 |
| 27.8 | 15 mm dia GI pipes | 2000.00 | Mtr | 21.060 | 42120.00 |
| 28 | Cement concrete flooring 1;2:4 (1 cement 2 course sand 4 graded stone agg) floating coat of neat cement inclding cement slurry and curing complete, but excluding the cost of noising of steps | 99.610 | Sqm | 577.200 | 57494.89 |
| 29 | providing and laying 50mm thick DPC with cement concrete 1:2:4 and curing complete for walls | 45.400 | Sqm | 426.540 | 19364.93 |
| 30 | Providing wood work in frames of doors,windows,clerestory windos and other frames,wrought framed and fixed in position with hold fasts lugs or with dash fasteners of required dia or length(hold fast lugs or with dash fasteners shall be paid for seperatly) in 2nd class kail wood. | 0.740 | Cum | 95747.964 | 70853.49 |
| 31 | Brik work with common burnt clay F.P.S(non-modular)bricks of class designation 75 in foundation ,super structure,above plinth level upto floor five level upto floor five level (1:6)mix Ground floor walls Qty=146*9*9=985.5 | 51.870 | Cum | 7807.696 | 404985.19 |
| 32 | Finshing external /internal walls 15mm thick cement plaster with curing (1:4)mix complete. | 555.460 | Sqm | 312.468 | 173563.48 |
| 33 | Providing and fixing glazed shutters for doors,windows and clerestory windows using 4mmthick float glass panes including ISI marked M.S.pressed but hinges bright finshed of required size with necessary screws class kail wood @35mm thick | 19.910 | Sqm | 3875.092 | 77153.08 |
| 34 | Providing and fixing wire gauze Shutters using gallvanized M.S. wire gauze of average width for aperture 1.4mm in both directions with wire of dia.0.63mm for doors,windows and slerestory windows with ISI marked M.S. pressed butthings bright finished of required size with necessary screws as per direction of engineer in-charge | 25.490 | Sqm | 3797.716 | 96803.78 |
| 35 | providing and fixing paneled or panned and Glazed shutters for doors andf windows and clerestory windows a fixing wityh butt hings of required sizw with necessary secures , excluding panneling which will be paid for seperately all complete as per direction of enginer incharge. (first Class kail wood) | 24.170 | Sqm | 3217.552 | 77768.23 |



20/10/17



| # | Particulars | Qty | Unit | Rate | Amount |
|----|--|---------|------|----------|-----------|
| 36 | Providing and fixing panelling or panelling and glazing in planned or palalledand glazed shutters for doors, windows and clerestory windows (area of opening for pannel insert excluding portion inside grooves or rebates to be measured) panelling for panelled or panelled and glazed shutters 25m to 40mm thick . | 18.370 | Sqm | 2008.448 | 36895.19 |
| 37 | Providing and laying first quality ceramic glazed wall/floor tiles confirming to IS 13753 of minimum thick 5mm of approved make like, NITCO, ORIENT, SOMANY, KAJARIA or equivalent make in all colours, shades, except bergundy, bottle green, black of any size as approved by engineer-in-charge laid on 20mm thick bed of cement mortar (1:4) including pointing the joints with white cement and matching pigments etc complete. | 83.940 | Sqm | 1264.692 | 106158.25 |
| 38 | Flooring with marble stone of specified thickness as per samole of marbaie approved by engineer-in-charge, over 20mm (average) thick base of cement mortar 1:4 (1 cement :4 coarse sand) laid and jointed with grey cement slurry including rubbing, polishing and curing complete with udaipur green marbaie. | 14.770 | Sqm | 2294.708 | 33892.84 |
| 39 | Finishing walls with water proofing cement paint of required shade on new work (two or more coats applied @ 3.84 kg /10sqm) As per plastering inner walls washout for super structure | 246.950 | Sqm | 95.472 | 23576.81 |
| 40 | Applying one coat of water thinable cement primer approved brand and manufacture on wall surface. Qty as above item no 19=101.73sm | 246.950 | sqm | 61.724 | 15242.74 |
| 41 | Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and soft wood) with ready mixed aluminum primer of approved brand and manufacture on resinous wood and ply wood | 91.370 | sqm | 61.880 | 5653.99 |
| 42 | Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work | 91.370 | sqm | 126.828 | 11588.27 |
| 43 | Providing and applying white cement based puttey of average thickness 2mm of approved brand and manufactures, over the plastered wall surface to prepare the surface even and smooth complete. For plinth outside | 209.010 | Sqm | 179.296 | 37474.66 |
| 44 | providing and fixing of pre colour coated glavanized iron sheets (size, shape and pitch of corrugation as approved by engineer incharge (0.5mm thick) including self drilling self typing, screws, EPDM seal or with polymer coated J or L hooks, bolts and nuts etc including ridges/valleys of required width as approve engineer incharges | 207.740 | Sqm | 863.460 | 179375.16 |
| 45 | Providing & fixing plained eves barding 250*32mm nomial size of kail wood | 85.310 | RM | 721.656 | 61564.47 |
| 46 | Providing ridge or hips of width 60cm over all width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G.I. 0.63 mm thick with zinc coating not less than 275gram/m2 limpet and bitumen washers complete | 21.420 | RM | 719.004 | 15401.07 |
| 47 | Supply and filling in plinth level with fine Sand under floors including watering, raming, conseladating and dressing complete | 43.020 | Cum | 818.896 | 35228.91 |
| 48 | providing and fixing 12mm thick flat preseed 3 layer medium density particle board or graded particle board (Grade1) IS.3087 marked, in ceiling with necessary nails etc. complete (frame work to be paid seperately) | 17.480 | Sqm | 915.928 | 16010.42 |
| 49 | Providing/fitting of hold fast for doors, windows of M.S plate iron 50 x 4mm including fitting of one limb with the frame and other limb in the brick work to hold the frame properly in position. | 85.680 | Kg | 116.480 | 9980.01 |

21/11/2017

| # | Particulars | Qty | Unit | Rate | Amount |
|------|--|--------|-------|----------|-----------|
| 50 | Providing and fixing of water closet (Indian Type) squatting pan with 100mm dia. P.R. trap flushing cisten with handle lower with all fitting and fixtures. | 3.000 | No | 5265.000 | 15795.00 |
| 51 | Providing and fixing soil, waste and vent pipes. | | | 0.000 | 0.00 |
| 51.1 | 100mm dia pipe | 40.000 | MTR | 934.825 | 37392.99 |
| 51.2 | 75mm dia pipe | 30.000 | MTR | 803.005 | 24090.14 |
| 52 | Vitres china wash basin flate back 550*400 | 2.000 | No | 1299.220 | 2598.44 |
| 53 | Stainless steel kitchen sink with C.I. brackets and plug 400mm with drain board | 2.000 | No | 3190.855 | 6381.71 |
| 54 | P.V.C waste pipe for sink and wash basin 40mm semiright | 4.000 | No | 81.120 | 324.48 |
| 55 | Trap for self cleaning design with hindede grating | 4.000 | No | 804.440 | 3217.76 |
| 56 | 600mm long towel rail | 2.000 | No | 832.000 | 1664.00 |
| 57 | 450*450 main hole cover and frame for septic tank | 4.000 | No | 1274.520 | 5098.08 |
| 58 | Providing and fixing Chlorinated Polyviyl Chloride (CPVC) pipes having thermal stabality for hot and cold water supply, including or CPVC plain and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of engineer incharge | 72.000 | mtr | 243.516 | 17533.15 |
| 59 | Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (including switch, sockets conduit wiring complete job | 40.000 | point | 2340.000 | 93600.00 |
| 60 | Providing and fixing of electric wiring 7/20 for electric points (including switch, sockets conduit wiring complete job | 20.000 | point | 3900.000 | 78000.00 |
| 61 | Providing and fixing of MCB mounted on wall as required at site complete job | 8.000 | point | 1560.000 | 12480.00 |
| 62 | Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recangular shape 453*357mm | 4.000 | NO | 1144.000 | 4576.00 |
| 63 | Providing and fixing of 600x120mm x 5mm glass shelf with edegs round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job | 2.000 | NO | 884.000 | 1768.00 |
| 64 | Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc. | | | 0.000 | 0.00 |
| 64.1 | 100mm dia | 8.000 | NO | 551.200 | 4409.60 |
| 64.2 | 75mm dia | 8.000 | NO | 364.000 | 2912.00 |
| 65 | Providing and fixing double equal junction of required degree | | | 0.000 | 0.00 |
| 65.1 | 100mm dia | 6.000 | NO | 832.000 | 4992.00 |
| 65.2 | 75mm dia | 6.000 | NO | 728.000 | 4368.00 |
| 66 | Providing and fixing of floor trapas | | | 0.000 | 0.00 |
| 66.1 | 100 mm dia | 4.000 | NO | 988.000 | 3952.00 |
| 66.2 | 75mm dia | 2.000 | NO | 811.200 | 1622.40 |
| 67 | Providing and fixing of water heatin gysers I.S.I Mark standard quality 50 liter capacity with inlet outlet connection and electric connection complete job | 3.000 | NO | 8840.000 | 26520.00 |
| 68 | Providing and fixing of main hole covers with frame 450x450mm size | 6.000 | NO | 624.000 | 3744.00 |
| 69 | Providing and laying of filter media including all sorts of carriages from source | 47.952 | Cum | 8840.000 | 423695.68 |
| 70 | Removal of filter media from filter beds including all lids and lifts | 33.000 | lab | 520.000 | 17160.00 |
| 71 | Cleaqing washing screening of filter media and stating of serviceable material grade wise with a lead of 50mtr | 44.000 | lab | 520.000 | 22880.00 |
| 72 | providing and laying of filter media grade wise in filter beds | 45.000 | lab | 520.000 | 23400.00 |

20



| | Particulars | Qty | Unit | Rate | Amount |
|------|---|-----------|------|----------|--------------------|
| 73 | Removal of cement plastering in filter beds / inlet chambers including of surface removal of malva out side lead up to 50 mtrs | 51.000 | lab | 520.000 | 26520.00 |
| 74 | Removal of pre cast slabs over drainage systm including removing the malba out the plot | 4.000 | lab | 520.000 | 2080.00 |
| 75 | Dismantling of dimage / Cracked cement plaster including cleaning of surface removal of malba from ST out side lead up to 50 mtrs including all lifts | 30.000 | Sqm | 520.000 | 15600.00 |
| 76 | Dismantling of CGI Sheet roofing, including stacking of serviceabke material within lead of 50Mts | 143.840 | Sqm | 118.456 | 17038.71 |
| 77 | Dismantling of wood work including staackin of serviceable material within lead of 50 mtrs | 5.340 | Sqm | 3295.625 | 17598.64 |
| 78 | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete | | | 0.000 | 0.00 |
| 78.1 | 25 to 40 mm nominal bore | 40.000 | No | 692.900 | 27716.00 |
| 78.2 | 50 to 80 mm nominal bore | 4.000 | No | 1319.500 | 5278.00 |
| 79 | Carriage of material from road/dumping site to actual site of work by mechanical means including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer | | | 0.000 | 0.00 |
| 79.1 | Cement and Stee (25-Kms) | 204.640 | Mton | 417.862 | 85511.20 |
| 79.2 | Bricks 75 km | 25935.000 | Nos | 2.631 | 68240.17 |
| 79.3 | Sand. (30-Kms) | 217.040 | Cum | 521.716 | 113233.24 |
| 79.4 | Agg. 20mm (70-Kms) | 307.010 | Cum | 935.054 | 287070.81 |
| 79.5 | Stone Soling (7km) | 347.750 | Cum | 287.375 | 99934.61 |
| 79.6 | Agg. 40mm (70-Kms) | 35.690 | Cum | 1016.309 | 36272.06 |
| 79.7 | carriage of timber 14 km | 1.850 | cum | 391.535 | 724.34 |
| 80 | Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2012 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer (1000-Mtrs) | | | 0.000 | 0.00 |
| 80.1 | Cement | 120.530 | Mton | 478.878 | 57719.21 |
| 80.2 | Bricks | 25935.000 | No | 2.090 | 54214.52 |
| 80.3 | Steel | 84.110 | Mton | 1028.706 | 86524.43 |
| 80.4 | Sand. | 217.220 | Cum | 1121.349 | 243579.39 |
| 80.5 | Agg. 20mm (| 307.010 | Cum | 1121.349 | 344265.30 |
| 80.6 | Agg. 40mm | 35.690 | Cum | 1212.214 | 43263.90 |
| 80.7 | Stone Soling (500-mtrs) | 332.850 | Cum | 760.032 | 252976.65 |
| 80.8 | carriage of timber | 1.850 | cum | 495.310 | 916.32 |
| | Total | | | | 13926005.45 |

Rupees One Crore Thirty Nine Lakh(s) Twenty Six Thousand Five And Paise Forty Five Only

Checked by

Head D.M.A.

Executive Engineer
Hydraulic Division Uri