

Government of Jammu and Kashmir

Office of the Superintending Engineer Hydraulic circle Pulwama Hq; Shopian

Address: Batpora Shopian, Email: sehydraulicshopian@gmail.com, Phone/Fax: 01933260250

Allotment Order No. SE/HYD/SPN/Allot/JJM/ 06 of 2022-23 Dated: 06/12/2022.

Subject: Laying and fitting of Delivery and Distribution Mains consisting of GMS tubes and Ductile Iron pipes of different nominal bores alongwith pipe fittings and control valves, construction of 02 No. 0.45 lac Gallon Ground Service Reservoirs (GSR) along with sluice chamber, execution of ancillary civil works like RCC Jacketting to existing IR for Water Supply Scheme Reshinagri Tengpora Ramnagri and Nowgam Chirpora of Division Shopian of Kashmir Province of UT of J&K Under Jal Jeevan Misssion.

- Ref:
- Executive Engineer Jal Shakti PHE Division Shopian's E-NIT No. 02/JSDS of 2022-23, dated: 16-04-2022.
  - Executive Engineer Jal Shakti PHE Division Shopian's Letter No. JSDS/3397, dated: 30-09-2022.
  - Minutes of meeting DJJM Shopian and approval thereof held on 20-06-2022 issued vide No. SE/Hyd/Spn/5401-09, dated: 23-11-2022.
  - Executive Engineer Jal Shakti PH E Division Shopian's L.O.I No. JSDS/1560-67, dated: 25-06-2022.
  - Accord of administrative approval order No. CE/PHE/DB/146 of 03/2021, dated: 05-03-22 issued by Chief Engineer Jal Shakti (PHE) Department Srinagar Kashmir vide No. CE/PHE/DB/29015-22, dated: 05-03-2022.
  - Technical Sanction order No. CE/PHE/DB/ 160 of 08/2022 dated: 31-08-2022 issued by Chief Engineer Jal Shakti (PHE) Department Srinagar Kashmir vide No. CE/PHE/DB/18471-75, dated: 31-08-2022.

Advertised Cost: Rs. 209.89 lacs (Rupees Two Crore nine lac and eighty nine thousand only).  
Alloted Cost: Rs. 198.82 lacs (Rupees One Core ninety eighty lac and eighty two thousand only).  
Head of Account: MH-4215 JJM.

**ORDER**

For and on behalf of Lt. Governor of J&K Union Territory contract for "Laying and fitting of Delivery and Distribution Mains consisting of GMS tubes and Ductile Iron pipes of different nominal bores alongwith pipe fittings and control valves, construction of 02 No. 0.45 lac Gallon Ground Service Reservoirs (GSR) along with sluice chamber, execution of ancillary civil works like RCC Jacketting to existing IR for Water Supply Scheme Reshinagri Tengpora Ramnagri and Nowgam Chirpora of Division Shopian of Kashmir Province of UT of J&K Under Jal Jeevan Mission (JJM)" is hereby allotted in favour of Mr. Khurshheed Ahmad Ganai S/o: Mohd Ayoub Ganie R/o: Reshnagri Shopian bearing Registration No. 11/A/SE/Hydl/Shopian/2003-04 at the rates approved as Shown in "Annexure A" to this allotment order.

Performance security deposited by contractor vide CDR No. 553008, dated: 06-09-2022 for an amount of Rs.630000.00 is being retained as Security deposit in the Circle office.

**Terms and conditions:**

The contract shall be governed by the following terms and conditions:


- The cost of work in no case exceed beyond Rs. 198.82 lac (Rupees One Crore Ninety eight lac and eighty two thousand only).
- The date of start of the subject work shall be reckoned from the date of Issuance of this allotment order/L.O.I. Given the fact that Letter of Intent stands already stands issued by the Executive Engineer PHE Division Shopian vide his letter No. JSDS/1560-67, dated: 25-06-2022. in case of failure to start the work within three days of issuance of this allotment order/L.O.I action as warranted shall be initiated.
- As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of L.O.I/allotment in favour of successful firm.
- Performance security equivalent to 03% of the value of the contract which works out to Rs.630000.00/- shall be retained by this office till the work is completed and DLP is over.



5. The work shall have to be completed within a period of 180 working days from the date of issuance of this allotment order/L.O.I failing which penalty upto 10% of the total value of contract shall be imposed upon you.
6. The defects Liability period shall be for a period as mentioned in Standard Bidding Document/E-Nit which shall commence after the successful completion of Trial run, during the defects Liability running & as per Standard Engineering Practices, to the full satisfaction of the department. The agency shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the agency at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months
7. All other terms and conditions and technical specifications shall remain the same as laid down in the **Standard Bid Document of the subject e-NIT and Terms & Conditions thereof** read with the corrigenda, DJJM Minutes of Meeting.

Scd AD


TO

  
 Superintending Engineer  
 Hydraulic Circle Pulwama  
 Hq: Shopian.

No. SE/HYD/SPN/Allot/CC/ 5753-59  
 Dated: 06/12/2022.

Copy to the:

1. Mission Director JJM J&K Civil Secretariat Srinagar/Jammu for favour of information.
2. Chief Engineer Jal Shakti (PHE) Department Srinagar for favour of information.
3. District Development Commissioner Shopian (Chairman DJJM Shopian) for favour of information.
4. Executive Engineer Jal Shakti (PHE) Division Shopian for information and necessary action. He is directed to get the work executed as per approved drawings/specifications within allotted cost.
5. TO/HD Circle office for information and record.
6. Mr. Khursheed Ahmad Ganai S/o: Mohd Ayoub Ganie R/o: Reshnagri Shopian.
7. File.




Office of the Executive Engineer  
 PHE Division Shopian

No. - 3505/4541

DT - 14-12-2022

Copy to the

① ASSISTANT EXECUTIVE ENGINEER  
 PHE SUB-DIVISION SHOPIAN  
 for information & necessary  
 action.

  
 ASSISTANT EXECUTIVE ENGINEER  
 PHE SUB-DIVISION SHOPIAN

and fitting of Delivery and Distribution Mains consisting of GMS tubes and Ductile Iron pipes of different nominal bores alongwith pipe fittings and control valves, construction of 02 No. 0.45 lac Gallon Ground Service Wells (GSR) along with sluice chamber, execution of ancillary civil works like RCC Jacketting to existing IR for Water Supply Scheme Reshlnagri Tengpora Ramnagri and Nowgam Chirpora of Division Shopian of Kashmir Province  
 UT of J&K Under Jal Jeevan Mission.

Allotment Order No: SE/HYD/SPN/Allot/JIM/ 06 of 2022-23, Dated: 06/12/2022.

| S. No. | Item of work   | Unit  | Qty     | Rate    | Amount     |
|--------|--|-------|---------|---------|------------|
| 1      | Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed All kinds of soil : 1 meter from cutting edge.                            | cum   | 6376.00 | 444.72  | 2835534.72 |
| 2      | Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50 metres:All kinds of soil : | cum   | 9564.00 | 257.09  | 2458808.76 |
| 3      | Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe).300/150/100mm D.I  | Qtl   | 5220.00 | 250.46  | 1307401.20 |
| 4      | Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket.  | each  | 364.00  | 347.05  | 126326.20  |
| 4.1    | 300 mm dia   | each  | 964.00  | 147.59  | 142276.76  |
| 4.2    | 150 mm dia   | each  | 2494.00 | 91.69   | 228674.86  |
| 4.3    | 100 mm dia   |       |         |         |            |
| 5      | Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.  | mtr   | 3968.00 | 74.51   | 295655.68  |
| 5.1    | 80 mm dia. GI pipe   | mtr   | 3635.00 | 74.51   | 270843.85  |
| 5.2    | 65 mm dia. GI pipe   | mtr   | 5406.00 | 41.61   | 224943.66  |
| 5.3    | 50 mm dia. GI pipe   | mtr   | 5589.00 | 41.61   | 232558.29  |
| 5.4    | 40 mm dia. GI pipe   | mtr   | 6721.00 | 31.26   | 210098.46  |
| 5.5    | 25 mm dia. GI pipe   | mtr   | 8065.00 | 20.65   | 166542.25  |
| 5.6    | 20 mm dia. GI pipe   |       |         |         |            |
| 6      | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete:50 to 80 mm nominal bore   | each  | 23.00   | 1294.12 | 29764.76   |
| 7      | Providing & fixing of M.S Flanged joints 12mm thick including cost , nuts, bolts, washers and all sorts of carriages involved up to the site of work. Complete job.  | joint | 10.00   | 1650.00 | 16500.00   |
| 7.1    | 150 mm dia   | joint | 41.00   | 1320.00 | 54120.00   |
| 7.2    | 100 mm dia   | joint | 65.00   | 1100.00 | 71500.00   |
| 7.3    | 80 mm dia  |       |         |         |            |
| 8      | Providing and fixing C.I. sluice valves (with cap) complete nuts, rubber insertions etc. (the tail pieces if required will be paid separately).  |       |         | 0.00    | 0.00       |
| 8.1    | 150 mm dia.(Class I)   | each  | 17.00   | 7159.35 | 121708.95  |
| 8.2    | 100 mm dia. (Class I)  | each  | 8.00    | 5057.64 | 40461.08   |
| 9      | Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions etc. complete (The tail pieces, tapers etc. if required will be paid separately).50 mm dia.  | each  | 13.00   | 5250.09 | 68251.17   |
| 10     | Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end):80mm nominal bore  | each  | 19.00   | 2454.78 | 46640.82   |
| 11     | Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge : (The material shall be returned to Divisional Store under proper R.I)   |       |         |         |            |
| 11.1   | 15 mm to 40 mm nominal bore.   | mtr   | 1000.00 | 101.74  | 101740.00  |
| 11.2   | Above 40 mm nominal bore   | mtr   | 1500.00 | 112.86  | 169290.00  |

See

Handwritten signature

Handwritten signature and initials



ing and fitting of Delivery and Distribution Mains consisting of GMS tubes and Ductile Iron pipes of different nominal bores alongwith pipe fittings and control valves, construction of 02 No. 0.45 lac Gallon Ground Service Reservoirs (GSR) along with sluice chamber, execution of ancillary civil works like RCC Jacketting to existing IR for Water Supply Scheme Reshinagri Tengpora Ramnagri and Nowgam Chirpora of Division Shopian of Kashmir Province of UT J&K Under Jal Jeevan Mission.

Allotment Order No: SE/HYD/SPN/Allot/JJM/ 06 of 2022-23, Dated: 06/12/2022.

| S. No. | Item of work  | Unit | Qty    | Rate     | Amount     |
|--------|---|------|--------|----------|------------|
| 12     | Manufacturing/ fabrication and fixing of M.S surface box/chambers of size (0.60x0.60x0.75m) made out of 6mm thick MS sheet using 40x40x5mm angle iron for frame including cutting, hoisting and fixing in position incl. all locking arrangements, handles hinges etc and applying priming coat of approved steel primer. The job includes providing and laying of cement concrete 1:2:4 on the base of frame to be embedded in, including all sorts of carriages involved for the completion of the job. The job is to be carried out as per the directions of Site-incharge.complete job. | No.  | 20.00  | 11000.00 | 220000.00  |
| 13     | Providing of FHTCs to every unconnected household including cost of 15mm to 20mm dia G.I pipe for a length of 6 to 20 mtrs with G.I fittings /specials incl. laying & fitting of pipes ,earth work in excavation and refilling.The job includes providing and fixing of Water Meters. complete job.   | No.  | 187.00 | 3850.00  | 719950.00  |
| 14     | Supplying,Installation,Commissioning and Testing of Electromagnetic Flow Meters of ISI/ reputed Make (.The item Includes fabrication of M.S tail pieces,flanges ,nuts bolts,R.I cloth etc, cutting of existng supply line,welding,wiring from panel board to site of installation complete as per requirement of site incl cost of RCC protective chamber of suitable size incl cost of M.S covers,ladders etc .complete job.   | No.  | 2.00   | 60500.00 | 121000.00  |
| 14.1   | 300mm dia   | No.  | 3.00   | 29700.00 | 89100.00   |
| 14.2   | 150 mm dia.   | No.  | 3.00   | 25300.00 | 75900.00   |
| 14.3   | 100 mm dia.   |      |        |          |            |
| 15     | Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.All kinds of soil :   | cum  | 267.50 | 192.52   | 51499.10   |
| 16     | Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.All kinds of soil :   | cum  | 267.50 | 550.13   | 147159.78  |
| 17     | Providing & laying of stone soling hand packed in trenches.(Nallah)   | cum  | 56.26  | 628.72   | 35371.79   |
| 18     | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)  | cum  | 22.44  | 4861.84  | 109099.58  |
| 19     | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. Allworks upto plinth level:1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)   | cum  | 57.84  | 7800.76  | 451195.96  |
| 20     | Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement:1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)   | cum  | 113.58 | 9408.14  | 1068575.97 |
| 21     | Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)   | cum  | 8.32   | 9849.35  | 81946.55   |
| 22     | Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)  | cum  | 15.58  | 10404.52 | 162102.34  |

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*  
SE

and fitting of Delivery and Distribution Mains consisting of GMS tubes and Ductile Iron pipes of different diameters alongwith pipe fittings and control valves, construction of 02 No. 0.45 lac Gallon Ground Service Tanks (GSR) along with sludge chamber, execution of ancillary civil works like RCC Jacketing to existing IR for supply Scheme Reshinagri Tengpora Rannagri and Nowgam Chipora of Division Shopian of Kashmir Province of UT of J&K Under Jal Jeevan Mission.

Allotment Order No: SE/HVD/SPN/Allot/JJM/ 06 of 2022-23, Dated: 06/12/2022.

| S. No.       | Item of work  | Unit | Qty      | Rate    | Amount             |
|--------------|---|------|----------|---------|--------------------|
| 23           | Centering and shuttering including strutting, propping etc. and removal of form for:  | sqm  | 21.44    | 257.54  | 5514.68            |
| 23.1         | Foundations, footings, bases of columns etc. for mass concrete.   | sqm  | 1005.00  | 585.32  | 588245.60          |
| 23.2         | Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc   | sqm  | 50.70    | 512.90  | 26004.03           |
| 23.3         | Lintel, beams, plinth beams, girders, breasters and cantilevers   | sqm  | 156.84   | 2128.58 | 333846.49          |
| 23.4         | Arches, domes, vaults upto 6 m span   |      |          |         |                    |
| 24           | Extra for shuttering in circular work (20% of respective centering and Shuttering items)  | sqm  | 24.44    | 53.50   | 1307.54            |
| 24.1         | Foundations, footings, bases of columns etc. for mass concrete.   | sqm  | 553.00   | 117.05  | 64734.18           |
| 24.2         | Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc   | sqm  | 50.70    | 110.62  | 5608.43            |
| 24.3         | Lintel, beams, plinth beams, girders, breasters and cantilevers.  | sqm  | 156.84   | 1028.61 | 161327.19          |
| 24.4         | Extra for arches, domes, vaults exceeding 6 m span  |      |          |         |                    |
| 25           | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level: Thermo-Mechanically Treated bars of grade Fe-500D or more.   | kg   | 18733.00 | 87.17   | 1632955.61         |
| 26           | Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.   | kg   | 280.00   | 91.02   | 25485.60           |
| 27           | 12mm Cement plaster of mix: 1 : 4 (1 cement : 4 fine sand)  | sqm  | 595.26   | 265.25  | 157892.72          |
| 28           | 12mm Cement plaster finished with a floating coat of neat cement of mix: 1 : 4 (1 cement : 4 fine sand)   | sqm  | 582.90   | 331.95  | 193493.66          |
| 29           | Providing/fabricating,, fixing of M.S fittings viz bends, Tees, nipples double collars, tail pieces of suitable degrees to be fabricated from 6mm/8mm thick M.S plate as per the requirement of site. This item also includes cost of spun yarn with insertion of spun yarn including welding charges, cutting, threading ends etc. The work should be leak proof. The job is to be paid in fitted and finished form and is to be carried out as per the directions of site in charge complete job. | kg   | 760.00   | 165.00  | 125400.00          |
| 30           | De-silting of Impounding Reservoir by way of removing of silt & filter media by manual/mechanical means. The job includes washing and cleaning of walls, dewatering including all leads and lifts, carriage of silt for its disposal within lead incl. cost of all T&P required for the completion of the job. complete job. 50mtr.   | cum  | 713.70   | 468.18  | 334140.07          |
| 31           | Demolishing cement concrete manually/by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-in-charge: 1:3:6 or richer mix (I/C equivalent design mix)   | cum  | 15.26    | 1484.10 | 22647.37           |
| 32           | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centering and shuttering. All work upto plinth level with: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)  | cum  | 30.45    | 6465.20 | 196865.19          |
| 33           | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.   | cum  | 14881.00 | 201.96  | 3005366.76         |
| 34           | Carriage of material from source upto site of work by mechanical means incl. loading, unloading and stacking complete.  |      |          |         |                    |
| 34.1         | 300mm dia D.I pipe from divl store lead 10km  | mt   | 2000.00  | 15.92   | 31840.00           |
| 34.2         | 150mm dia D.I pipe from divl store lead 10km  | mt   | 5300.00  | 9.77    | 51781.00           |
| 34.3         | 100mm dia D.I pipe from divl store lead 10km  | mt   | 13720.00 | 5.87    | 80536.40           |
| 34.4         | Below 100m dia G.I pipes 10km   | M.T  | 113.79   | 238.79  | 27171.91           |
| 34.5         | cement & steel from nearest source for an avg. lead of 10kms.   | M.T  | 87.56    | 238.79  | 20908.45           |
| 34.6         | Sand & Stone aggregates for an avg. lead of 45 kms.   | cum  | 344.03   | 622.40  | 214124.27          |
| 34.7         | Stone soiling for an avg. lead of 15 km   | cum  | 56.26    | 384.36  | 21624.09           |
| <b>Total</b> |   |      |          |         | <b>19882388.77</b> |

(Rupees One Crore ninety eight lac eighty two thousand three hundred and eighty eight only)

  
 Superintendent Engineer  
 Hydraulic Circle Pulwama/Shopian

  
 Supt HD  
 TO: