Page 1 of 2

Government of Jammu and Kashmir

OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI

email: urihydraulic@gmail.com

Allotment Order No. 29

M/S Mohd Shafi Zargar

S/O Ali Mohammad Zargar

R/O BEHRAMPORA SOPORE, Baramulla

Registration No. SE/Hyd/Hyd/AAY/HAND/2002-03

TIN No./GST No:-01AAIPZ4072D1ZU

Construction of Water Supply Scheme Banali by way of Construction of Chowkidar Quarter/Protections works and other allied works (for providing Name of work

100% FHTC) under JJM

2023 IFC 215240_06 **TENDER ID** eNIT No. 12 /Hyd/Uri of 2023-24 eNIT No:12/Hyd/Uri_of_2023-24 Dated: 17/05/2023 issued under endorsement No:-Your Tender Received in :

HDU/CC-02/1178-89 Dated: 05/06/2023 (S. No: 06) Tender ID: 2023_IFC_212582_06 response to

: (i) Constitution of District Jal Jeevan Mission, Administrative Council Decision Reference

No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

(ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K, meeting convened on 04-09-2021.

(iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021. (iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033 Dated: 21-02-

<u> 2022.</u>

(v) UT level committee meeting held on 28-04-2022 under the Chairmanship

Development Commissioner Works PW (R&B),

(vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No:

CE/PHE/J.IM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

(vii)Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization

issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.

(viii) This Office Letter No: HDU/eNIT-11/1039-40 Dated:- 30/05/2023 District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No:

SE/Hyd/DB/3317-29Dated: 22/06/2023

Ref: to AAA Accorded vide Order No. 35/SE/HYD/DB/JJM of 2022-23 Dated: 26/08/2022.

Ref: to Tech. Sanction Accorded vide Order No. CE/PHE/DB/561 of 09/2022 Dated: 10/09/2022.

LOI Issued under No:-NIT NO. 12/1540-41 Dated: - 27/06/2023

Advertisement cost Rs: 65.97 Lacs

Allotted cost Rupees Sixty Lakh(s) Eighty Seven Thousand One Hundred ₹ 6087128.44 Twenty Eight And Paise Forty Four Only

120-days Time of completion M.H. of Account (JJM)

Ref. To CDR/TDR No. **BID Declaration Format Submitted** Name of the Bank


For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted/negotiated by you in writing on the comparative statement on the following terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that your Regd. Card is valid/in order in terms of standing rules and free for the capacity of the work

Allotted Rates as "Annexure A" Enclosed"

Terms and Conditions:-

Time of completion is essence of the contract.

The work shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days from the date of issuance of LOY from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you contract shall be forfeited.



Page 2 of 2

- An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- 4 The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department.
- Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of
- CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
- The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
- Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
- 12 All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.
- Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

Head Assistant
NO: HDU/CC-04/2015 - 37

DATED: 12 - 7 - 2023

Executive Engineer
(Hydraulic Division Uri

- 1 Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- 2 Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3 .District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information.
- 5 Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6 Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7 Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8 Chief Planning Officer Baramulla(Member DJJM) for information.
- 9 Chief Medical Officer Baramulla(Member DJJM) for information.
- 10 District Social Welfare Officer Baramulla/District Tribal Welfare Officer Baramulla(Member DJJM) for information
- 11 District Information Officer Baramulla (Member DJJM) for information.
- 12 Assistant Executive Engineer PHE Sub Division Uri for information.
- 13 File.

Annexure "A" to the Allotment Order No. 29 of 07/2023


Construction of Water Supply Scheme Banali by way of Construction of Chowkidar Quarter/Protections works and other allied works (for providing 100% FHTC) under JJM

S#	Particulars	Qty	Unit	Rate	Amount
1	E/W in bulk excavation by manual means over areas (exceeding 30-cm in depth, 1.5 in width, as well as 10m Sqm on plan) including disposal of excavated earth lead upto 50mtr and lift upto 1.5Mtrs as directed by the Engineer Incharge		-		
1.1	In all kinds of soils	455.790	Cum	498.036	226999.73
2	Filling available excavated earth excluding rock in trenches, plintly, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m.	8.460	Cum	183.480	1552.24
3	Providing and laying stone soling 2nd class incl. cost of stones	150.750	Cum	569.184	85804.45
4	Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed.	21.690	Cum	4489.418	97375.49
5	Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 3: 6 (1 cement: 3 coarse sand: 6 graded stone aggregate 40-mm nominal size) crushed.	132.100	Cum	5021.209	663301.72
6	Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1:2:4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size)	120.040	Cum	5969.966	716634.68
7	Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level I: 1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) crushed	6.680	Cum	7203.222	48117.52
8	Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size.	8.670	Cum	8687.476	75320.42
9	Centering and shuttering including strutting propping etc. and removal of Form work for.			0.000	0.00
9.1	Foundations, footings, bases of columns	520.920	Sqm	242.208	
9.2	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets etc.	576.890	Sqm	529.893	126170.90 305690.02
9.3	Suspended floors, roofs, landings, balconies and access platform.	59.520	Sqm	586.913	34933.06
	Lintel Beams	10.270	Sqm	464.332	4768,69
9.5	Edges of Slab (under 20cm wide) 12mm cement plaster of mix 1:4 (1-cement: 4-sand)	117.180	Mtr	223.740	26217.83
10	Structural steel work welded in built up sections, trusses and	326.340	Sqm	330.577	107880.56
11	framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	1589.550	Kg	94.316	149920.12
12	Reinforcement for RCC works including straightening cutting bending, placing in position and binding all complete TMT Bars.	8389.200	Kg	80.502	675347.48





S#	Particulars	Qty	Unit	Rate	Amount
On .	Cement concrete flooring 1:2:4 (1 cement: 2 coarse sand : 4		- Oint	Nute	7.0.0
13	graded stone aggregate) finished with a floating coat of neat cement including cement slurry, but excluding the cost of nosing of steps etc. complete.50 mmthick with 20mm nominal size stone aggregate. Crushed	42.360	Sqm	512.949	21728.51
14	Providing and lying 50mmthick DPC with cement concrete 1: 2: 4	23.720	Sqm	378.719	8983.21
15	and curing complete Providing woodwork in frames of doors, windows, celestory, windows and other frames, wrought frames and fixed in position with hold fast lugs with dash fastness of required dia and length (hold fast lugs or with dash fastness shall be paid for separately Second Class Kail Wood	0.740	Cum	85013.144	62909.73
16	Brick work with common burnt clay F.P.S.(non-modualar) bricks of class designation 75 in foundation and plinth in Cement mortar 1:6 (1 cement:6 coarse sand)	22.210	Cum	6932.333	153967.12
17	Providing and fixing 35mm panelled or pannelled glazed shutter for doors, windows ad celestory widows including ISI Marked, M.S. Pressed, but hinges, bright finished of required size with necessary screws excl. pannelling which will be paid for separately all complete.	9.610	Sqm	2856.815	27453.99
18	Providing and fixing paneling or panelig & glazing in pannelled & glazed shutter for doors, windows & clear stove windows. (Area of opening for pannel inserts excluding position inside groves or rebates to be measured). Pannelling for pannelled or panelled glazed shutters Decorative ply wood both sides decorative vaneer and ommericla vane or other type conformig to IS 1328 BWR Tp. (Including all sorts of carriages upto site of work)	7.230	Sqm	1783.270	12893.04
19	Providing and fixing glazed shutters for doors, windows and celestory windows using 10Kg/Sqm (4mm Thick) float glass panes including ISI Marked M.S Pressed but hinges bright finished of requuired size with necessary screws. (Including all sorts of carriages upto site of work)	7.350	Sgm	3440.635	25288.66
20	Providing and fixing 35 mm thick wire gauze shutters using galvanised M.S. wire gauze of average width for aperture 1.4 mm In both directoin with wire of dia. 0.63 mm for doors, windows and clerestory windows with hinges and necessary screws, Second class kail wood. (Including all sorts of carriages upto site of work)	9.010	Sqm	3371.934	30381.1
21	Providing and laying of 1st quality ceramic glazed wall/floor tiles conforming to IS 13753 of minimum thick ness 5mm of approved make like NITCO, ORIENT, SOMANY, KAJARIA or equivalnet nake in all colours, shades except bergundy, bottle green black of any size as approved by Engineer Incharge laid on 20mm thick bed of cement cmortar (1:4) including pointing the joints with white cement and matching pigments etc complete.	36.670	Sqm	1122.901	41176.70
22	Flooring with marble stone of specified thickness as per sampleof marble approved by Engineer Incharge over 20mm (average) thick base of cement mortar 1:4 (1 Cement 4: crse sand) laid and jointed with grey cement slurry including rubbing, polishing and curing complete with Udaipur Green Marble	4.180	Sqm	2037.436	8516.4
23	Finishing walls with water proofing cement paint (Two or more coats) Work applied @3.84Kg/10Sqm	101.730	Sqm	84.768	8623.40
24	Applying One coat of Cement Primer of approved brand manufacture on wall shape	101.730	Sqm	54.804	5575.19
25	Applying Priming coat with ready mixed primer of approved brand and manufacture on wood work (hard and soft wood	37.340	Sqm	54.942	2051.5
26	Painting with synthetic enamel paint of approved brand and manufacture 2 or more coats on new works	37.340	Sqm	112.609	4204.8
27	Providing and Fixing of Hand Rails of approved size by welding extra to steel ladder balcony railing stair case raklling and similar	21.000	Kg	175.621	3688.05





Providing and fixing of Pre colour coated galvanized iron sheets (Size, shape and pitch of corrugations approved by Engineer Incherge at site (0.5mmThick) including self drilling, self tapping, self-spring, self-s	S#	Particulars	Qty	Unit	Rate	Amount
(Size, shape and pitch of corrugationas approved by Engineer Incharge at site (0.5mm/thck) including self drilling, self talpping, screw, EPDM seal or with Ploymer coaled J or L hooks, bolts, and nuts etc inclusing ridges/valleys of rquired width as aaproved by Engineer Incharge at site (2.5mm/thc) and the set inclusing ridges of rapid value with the same and size (Kall wood) Providing ridges or hips of width 60com overall width plain G.S. Sheets fixed with Pymer coaled J or L hooks, bolts and coating not less than 275 gram/m2 limpet and bitumen washers complete 10.670 RM 638.393 feets fixed with Pymer coaled J or L hooks, bolts and coating not less than 275 gram/m2 limpet and bitumen washers complete 10.670 RM 638.393 feets fixed with pymer coaled J or L hooks, bolts and coating not less than 275 gram/m2 limpet and bitumen washers complete 10.670 RM 638.393 feet medium density particle bound or graded particle board IS 3087 marked in clelinyu with necessary nail etc complete. Providing and fixing of vater closet (Indian Type) squatting pan with 10mm dia PR st tepf thing cistern with handle lower with all fittings and fixing of water closet (Indian Type) squatting pan watering ramming consoldating and dressing complete Providing and fixing of water closet (Indian Type) squatting pan fixing and fixing of water closet (Indian Type) squatting pan fixing and fixing of water closet (Indian Type) squatting pan fixing and fixing of water closet (Indian Type) squatting pan fixing and fixing of water closet (Indian Type) squatting pan fixing and fixing of water closet (Indian Type) squatting pan fixing and fixing of water closet (Indian Type) squatting pan fixing consoldating and dressing complete (Indian Type) squatting pan fixing consoldating and dressing complete (Indian Type) squatting pan fixing external/Internal walls 15mm thick cement plaster with curion complete (Indian Type) squatting pan fixing of soil, waste and wash basin 40mm semi right 1,000 No 172,076 100 No 172,076 100 No 172,076 100 No 172,076 100 No	- O#			Oint	Rate	Amount
29 Providing and fixing of plained eves boarding 250X32mm nominal size (Kall wood) Providing ridges or hips of width 60com overall width plain G.S Sheets fixed with Plymer coated J or L hooks, bolts and coating not less than 275 gram/m2 limpet and bitumen washers complete medium density particle bound or graded particle board IS 3087 marked in cleiliny with necessary nate let complete. 20 Providing and fixing of 12 mm thick flat pressed three layer medium density particle bound or graded particle board IS 3087 marked in cleiliny with necessary nate let complete. 31 Providing and fixing of hold fasts embebed in concrete as 8.000 Kgs 103.421 33 marked in cleiliny with necessary nate let complete. 32 Providing and fixing of water closet (Indian Type) squatting pan with 10mm die PR s trap fluhing cistern with handle lower with all fittings and fixitures. 33 With 10mm die PR s trap fluhing cistern with handle lower with all fittings and fixitures. 34 Supply and filling in plinh level with fine sand under floor including watering ramming consoldating and dressing complete 17.260 Cum 727.085 123 providing carried filling in plinh level with fine sand under floor including valenting ramming consoldating and dressing complete 17.260 Cum 727.085 125 providing carried walls 15mm thick cement plaster with 284.200 Sqm 277.438 786 culting complete 11.4mix 284.200 Mm 277.438 786 culting complete 11.4mix 284.200 Mm 277.438 786 culting complete 11.4mix 284.200 Mm 277.438 786 culting complete 12.4mix 284.2	28	(Size, shape and pitch of corrugationas approved by Engineer Incharge at site (0.5mmThick) including self driling, self tapping, Screw, EPDM seal or with Ploymer coated J ort L hooks, bolts, and nuts etc inclusing ridges/valleys of rquired width as aaproved	88.000	Sqm	766.653	67465.45
Sheets fixed with Plymer coated J or L hooks, bolts and coating not less than 275 gram/m2 limpet and bitumen washers complete Providing and fixing of 12 mm thick flat pressed three layer medium density particle bound or graded particle board IS 3087 method in cielinvo with necessary nail etc complete. 2 Providing and fixing of hold fasts embebed in concrete 3 Rypoliting and fixing of hold fasts embebed in concrete 3 Rypoliting and fixing of hold fasts embebed in concrete 3 Rypoliting and fixing of water closet (Indian Type) squatting pan with 10mm dia PR s trap fluhing cistern with handle lower with all fittings and fixtures 3 With 10mm dia PR s trap fluhing cistern with handle lower with all fittings and fixtures 3 Supply and filling in plinth level with fine sand under floor including watering ramming consoldating and dresing complete 17.280 Cum 727.085 122 3 Finishing external/internal walls 15mm thick cement plaster with 284.200 Sqm 277.436 786 3 Finishing external/internal walls 15mm thick cement plaster with 284.200 Sqm 277.436 786 3 Finishing external/internal walls 15mm thick cement plaster with 284.200 Sqm 277.436 786 3 Finishing external/internal walls 15mm thick cement plaster with 284.200 Sqm 277.436 786 3 Finishing external/internal walls 15mm thick cement plaster with 284.200 Sqm 277.436 786 3 Finishing external/internal walls 15mm thick cement plaster with 3 Rypoliting and fixing of soil, waste and went pipes 20.000 M 712.976 106 3 Finishing external/internal walls 15mm thick cement plaster with 3 Rypoliting and Rypoliting an	29	Providing and fixing of plained eves boarding 250X32mm nominal size (Kail wood)	07.000	RM	640.747	24028.02
merlium density particle bound or graded particle board IS 3087 marked in cielinva with necessary nail etc complete. 32 Providing and fixing of hold fasts embebed in concrete 33.080 Kgs 103.421 335 Providing and fixing of water closet (Indian Type) squatting pan with 10mm dia PR s trap fluthing cistern with handle lower with all fittings and fixtures from the fittings and fixtures supply and filling in plinth level with fine sand under floor including watering ramming consolidating and dresing complete fluthing complete suring complete 1:4mix 284.200 Sqm 277.436 786 culting and fixing of soil, wasto and went pipes 20.000 M 830.017 166 36.2 78mm dia pipe 15.000 M 712.976 106 Providing and Fixing white viterous China pedestal for wash basin completely recessed at back for reception of pipes and fittings in completely recessed at back for reception of pipes and fittings are completely recessed at back for reception of pipes and fittings of the fixed particles of the fixed particles are completely recessed at back for reception of pipes and fittings are completely recessed at back for reception of pipes and fittings are completely recessed at back for reception of pipes and fittings are completely recessed at back for reception of pipes and fittings are completely recessed at back for reception of pipes and fittings are completely recessed at back for reception of pipes and fittings with one step cPVC solvent complete complete complete complete solvent complete	30	Sheets fixed with Plymer coated J or L hooks, bolts and coating		RM	638.393	6811.65
Providing and fixing of hold fasts embebed in concrete 38.080 Kgs 103.421 35	31	medium density particle bound or graded particle board IS 3087		Sqm	813.238	7245.95
with 10mm dia PR s trap fluhing cistern with handle lower with all fittings and fixtures 172,000 125	32		38.080	Kgs	103.421	3938.26
watering ramming consoldating and dresing complete 17.260 Cum 727.085 123 35 Finishing external/internal walls 15mm thick cement plaster with cuiring complete 1:4mix 36 Providing and fixing of soil, waste and went pipes 37 Onomola pipe 20.000 M 830.017 166 20.000 M 712.976 106 20.000 No 1153.557 116 20.000 No 1153.557 116 20.000 No 72.025 117 20.000 No 714.250 117 20.000 No 714.250 117 20.000 No 714.250 117 20.000 No 1131.627 22 2	33	with 10mm dia PR s trap fluhing cistern with handle lower with all fittings and fixtures	1.000	No	4674.713	4674.71
cuiring complete 1:4mix 36 Providing and fixing of soil, waste and went pipes 36.1 10mmDia Pipe 20.000 M 830,017 166 36.2 75mm dia pipe Providing and Fixing white viterous China pedestal for wash basin completely recessed at back for reception of pipes and fittings 38 Stainless Steel Kitchen sink with Cl brackets and plug 40mm with drain board. 39 PVC waste pipe for sink and wash basin 40mm semi right 1000 No 2833.111 28 40 Trap for self cleaning design with hinded grating 41 Providing and fixing of 450X450 main hole cover and frame for septic tank 42 Includes jointing of pipes and fittings with complete job 43 Providing and fixing of chlorinated olyviml Chloride (CPVC) pipes having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharace Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (including switch,scokets condiut wiring complete job 44 Providing and fixing of electric wiring 7/20 for electric points (including switch,scokets condiut wiring complete job 45 Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edges round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job 8 Providing and fixing of bends of required degree with excee door,insertion rubber insertion etc 48.1 100mm dia 48.2 175m dia	34		17.280	Cum	727.085	12564.03
36.1 10mmDia Pipe 20.000 M 830.017 1666 36.2 75mm dia pipe 15.000 M 712.976 1066 Providing and Fixing white viterous China pedestal for wash basin completely recesed at back for reception of pipes and fittings 38 Stainless Steel Kitchen sink with CI brackets and plug 40mm with drain board. 39 PVC waste pipe for sink and wash basin 40mm semi right 2.000 No 72.025 140 Trap for self cleaning design with hinded grating 2.000 No 714.250 144 Providing and fixing of 450X450 main hole cover and frame for septic tank Providing and fixing of chlorinated olyviml Chloride (CPVC) pipes having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharge Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (lincluding switch,scokets condiut wiring complete job 20.000 Point 2077.650 415 42 Providing and fixing of electric wiring 7/20 for electric point (including switch,scokets condiut wiring complete job 20.000 Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recangular shape 453°357mm Providing and fixing of 600x120mm x 5mm glass shelf with edges round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job 48.1 100mm dia 48.2 175mm dia 48.2 175mm dia 49.000 No 489.402 19		cuiring complete 1:4mix	284.200	Sqm		78847.18
36.2 75mm dia pipe Providing and Fixing white viterous China pedestal for wash basin completely recessed at back for reception of pipes and fittings 38 Stainless Steel Kitchen sink with CI brackets and plug 40mm with drain board. 39 PVC waste pipe for sink and wash basin 40mm semi right 1 .000 No 2833.111 28 40 Trap for self cleaning design with hinded grating 2.000 No 714.250 14 41 Providing and fixing of 450X450 main hole cover and frame for septic tank Providing and fixing of chlorinated olyviml Chloride (CPVC) pipes having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharge Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (lincluding switch,scokets condiut wiring complete job Providing and fixing of electric wiring 7/20 for electric points (including switch,scokets condiut wiring complete job Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of mounted on wall as required at site complete job Providing and fixing of mounted on wall as required at site complete job Providing and fixing of mounted on wall as required at site complete job Providing and fixing of mounted on wall as required at site complete job Providing and fixing of mounted on wall as required at site complete job Providing and fixing of mounted on wall as required at site complete job Providing and fixing of mounted on anodise aluminium angle frame with op brass brackest and guard rail complete fixed with 40mm long screws complete job 48 Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48.1 100mm dia 49.2 75mm dia						0.00
Providing and Fixing white viterous China pedestal for wash basin completely recesed at back for reception of pipes and fittings Stainless Steel Kitchen sink with CI brackets and plug 40mm with drain board. PVC waste pipe for sink and wash basin 40mm semi right 1.000 No 2833.111 28 2.000 No 72.025 1 40 Trap for self cleaning design with hinded grating 2.000 No 714.250 144 Providing and fixing of 450X450 main hole cover and frame for septic tank Providing and fixing of chlorinated olyvimi Chloride (CPVC) pipes having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharage Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (including switch,scokets condiut wiring complete job Providing and fixing of electric wiring 7/20 for electric points (including switch,scokets condiut wiring complete job Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edegs round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48.1 100mm dia 4.000 No 489.402 19						16600.33
Stainless Steel Kitchen sink with CI brackets and plug 49mm with drain board. 39 PVC waste pipe for sink and wash basin 40mm semi right 40 Trap for self cleaning design with hinded grating Providing and fixing of 450X450 main hole cover and frame for septic tank Providing and fixing of chlorinated olyviml Chloride (CPVC) pipes having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharge Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (including switch,scokets condiut wiring complete job 43 Providing and fixing of electric wiring 7/20 for electric points (including switch,scokets condiut wiring complete job 44 Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edegs round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job 48 Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48.1 100mm dia 49.2 75mm dia		Providing and Fixing white viterous China pedestal for wash basin completely recessed at back for reception of pipes and				10694.63 1153.56
Trap for self cleaning design with hinded grating Providing and fixing of 450X450 main hole cover and frame for septic tank Providing and fixing of chlorinated olyviml Chloride (CPVC) pipes having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharge Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (including switch,scokets condiut wiring complete job Providing and fixing of electric wiring 7/20 for electric points (including switch,scokets conduit wiring complete job Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edegs round of supported on anodise alumininum angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48. Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48. 2 75mm dia 48. 2 75mm dia 48. 2 75mm dia 49. 20.000 No 1131.627 20.000 No 216.214 77. 20.000 No 216.214 77. 20.000 No 216.214 77. 20.000 No 216.214 77. 20.000 No 248.402 78. 20.000 No 248.402 79. 20.000 No 248.4000 No 25.4000 No 25	38	Stainless Steel Kitchen sink with CI brackets and plug 40mm with	1.000	No	2833.111	2833.11
Providing and fixing of 450X450 main hole cover and frame for septic tank Providing and fixing of chlorinated olyvimi Chloride (CPVC) pipes having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharge Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (including switch, scokets condiut wiring complete job Providing and fixing of electric wiring 7/20 for electric points (including switch, scokets condiut wiring complete job Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edegs round of supported on anodise aluminium angle frame with cob providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48. Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48. 1000mm dia 48. 275mm dia	39		2.000	No	72.025	144.05
septic tank Providing and fixing of chlorinated olyviml Chloride (CPVC) pipes having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharge Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (including switch,scokets conduit wiring complete job Providing and fixing of electric wiring 7/20 for electric points (including switch,scokets condiut wiring complete job Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edegs round of supported on anodise aluminium angle frame with cop brass brackest and guard rail complete fixed with 40mm long screws complete job Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48.1 100mm dia 48.2 75mm dia	40		2.000	No	714.250	1428.50
having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharge Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting) (including switch,scokets conduit wiring complete job Providing and fixing of electric wiring 7/20 for electric points (including switch,scokets condiut wiring complete job Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edegs round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48 Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 19 Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 10 No 489.402 19	41		2.000	No	1131.627	2263.25
through conduit (lighting)(including switch, scokets condiut wiring complete job 44 Providing and fixing of electric wiring 7/20 for electric points (including switch, scokets condiut wiring complete job 45 Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edges round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job 48 Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 49 Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 40 No 489.402 19	42	having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharge	36.000	No	216.214.	7783.71
Complete job 10.000 Point 3462.750 3462.750 3462.750 45 Providing and fixing of MCB mounted on wall as required at site complete job Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edegs round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job 1.000 No 784.890	43	through conduit (lighting)(including switch, scokets condiut wiring complete job	20.000	Point	2077.650	41553.00
complete job Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edegs round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job 48 Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48.1 100mm dia 4.000 Point 1385.100 55 1.000 No 1015.740 784.890 784.890 784.890 784.890 784.890 784.890 784.890 785 786 787 788 789 789 780 780 780 784.890 780 780 780 780 780 780 780	44	(including switch, scokets condiut wiring complete job	10.000	Point	3462.750	34627.50
required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm Providing and fixing of 600x120mm x 5mm glass shelf with edegs round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48.1 100mm dia 48.2 75mm dia	45	complete job	4.000	Point	1385.100	5540.40
47 edegs round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job 48 Providing and fixing of bends of required degree with excee door, insertion rubber insertion etc 48.1 100mm dia 48.2 75mm dia 1.000 No 784.890 7	46	required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm	2.000	No	1015.740	2031.48
door, insertion rubber insertion etc 0.000 48.1 100mm dia 4.000 No 489.402 19	47	edegs round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job		No	784.890	784.89
48.2 75mm dia 4.000 No 489.402 19		door,insertion rubber insertion etc			0.000	0.00
				No	489.402	1957.61
4 0001			4.000	No		1292.76
49.1 100mm dia 0.000		100mm dia	2 000			0.00
	49.2	75mm dia				2216.16 1939.14



S#	Particulars	Qty	Unit	Rate	Amount
50	Providing and fixing of floor trapes			0.000	0.00
	100 mm dia	2.000	No .	877.230	1754.46
50.2	75mm dia	1.000	No	720.252	720.25
51	Providing and fixing of water heating gysers I.S.I Mark standard quality 50 liter capacity with inlet outlet connection and electric connection complete job	1.000	No	7848.900	7848.90
52	Providing and fixing of main hole cover with frame 450x450 mm	2.000	No	554.040	1108.08
53	Providing and fixing of bolts of 16mm Dia 25Cm Long fully threaded to be embed in cement concrete with bolts including all sorts of carriages Complete Job	360.000	No	184.680	66484.80
54	Providing and fixing of MS Plates for anchoring of pipe over sadlle/anchor blocks with nuts and bolts already fitted in concrete 4mm thick 200 wide and average length 50cms MS Plate complete job in allI respect	565.000	Kg	94.316	53288.58
55	Carriage of Material from source upto road/dumping site of work by Mechanical Transport including loading unloading and stacking etc complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer		, , , , , ,	0.000	0.00
55.1	Cement and Steel (35Kms)	119.330	Mton	452.577	54005.99
55.2	Sand. (40Kms)	148.860	Cum	554.973	82613.23
55.3	Agg. 20mm (90Kms)	235.390	Cum	1013.709	238616.85
55.4	Agg. 40mm (90Kms	19.540	Cum	1101.755	21528.29
55.5	Bricks (110Kms)	11105.000	No	3.186	35377.53
55.6	Timber (80Kms)	0.740	Cum	1053.969	779.94
56	Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer (3000 Mtrs)			0.000	0.00
56.1	Cement	84.670	Mton	1083.998	91782.09
56.2	Steel	34.660	Mton	2328.686	80712.24
56.3	Sand.	148.860	Cum	2683.640	399486.72
56.4	Agg. 20mm	235.390	Cum	2683.640	631702.13
56.5	Agg. 40mm	19.540	Cum	2901.073	56686.98
56.6	Bricks	11105.000	No	5.005	55578.61
56.7	Stone Soling (500-Mtrs)	150.750	Cum	674.821	101729.22
56.8	Timber	0.740	Cum	1929.195	1427.60
				Total	6087128.44

Rupees Sixty Lakh(s) Eighty Seven Thousand One Hundred Twenty Eight And Paise Forty Four Only

Checked by

Executive Engineer Hydraujic Division Uri