Page 1 of 1

Government of Jammu and Kashmir

OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI

email: urihydraulic@gmail.com

30 of 07/2023 Allotment Order No.

M/S MIR CONSTRUCTIONS COMPANY

Prop:-Mukhtyar Ahmad Mughal

S/O Liagat Ali Mughal Chogata

R/O Kundi Birjala Uri

Registration No. SHEP/CE/AAY/SANITARY/003 of 2018

TIN No./GST No:-01AOAPM8579C2Z3

Construction of Water Supply Scheme Chotali Symali by way of

Construction/Commissioning and Testing of SRs /Intake Chambers Chain Link

Fencing laying and fitting of pipes and other allied works (for providing 100%

FHTC) under JJM (for providing 100% FHTC) under JJM (Part-A)

eNIT No.

12 /Hyd/Uri of 2023-24

TENDER ID

2023 IFC 215240 14

Your Tender Received in :

response to

eNIT No:12/Hyd/Uri of 2023-24 Dated: 17/05/2023 issued under endorsement No:-HDU/CC-02/1178-89 Dated: 05/06/2023 (S. No: 14) Tender ID: 2023 IFC 212582 14

Reference

Name of work

: (i) Constitution of District Jal Jeevan Mission, Administrative Council Decision No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

(ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K, meeting convened on 04-09-2021.

(iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021. (iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033 Dated: 21-02-2022.

(v) UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).

(vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No:

CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

(vii)Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization

issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.

(viii) This Office Letter No: HDU/eNIT-11/1039-40 Dated:- 30/05/2023 (viii) District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No:

SE/Hyd/DB/3317-29 Dated: 22/06/2023

Rcf: to AAA

Ref: to Tech. Sanction

Accorded vide Order No. CE/PHE/DB/240 of 08/2022 Dated: 31/08/2022. Accorded vide Order No. CE/PHE/DB/552 of 09/2022 Dated: 10/09/2022.

LOI Issued under No:-

NIT NO.,12/1543-44 Dated:- 27/06/2023

Advertisement cost

Rs: 77.20 Lacs

Allotted cost

₹ 7891382.40

Rupees Seventy Eight Lakh(s) Ninety One Thousand Three **Hundred Eighty Two And Paise Forty Only**

Time of completion M.H. of Account

120-days

Ref. To CDR/TDR No.

(JJM)

Name of the Bank

Bid Security Declaration Format

For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted/negotiated by you in writing on the comparative statement on the following terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that your Regd. Card is valid/in order in terms of standing rules and free for the capacity of the work

Allotted Rates as "Annexure A" Enclosed"

Terms and Conditions:-

Time of completion is essence of the contract.

Page 2 of 2

- The work shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days from the date of issuance of LOI from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
- An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.

The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department.

Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.

- Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which 8

you have to operate and maintain the executed works to the full satisfaction of the department.

- The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
- Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.

All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.

Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant (GFR-2017 and manual for procurement of works 2019 G.O.I. rules/ guidelines stipulated in General Financial Rules

NO: HDU/CC-04/ 2291-2303

DATED: 10 -07 -2023. Copy to the:


- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- .District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4 Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information.
- 5' Additional District Development Commissioner Baramulla (Member DJJM) for information,
- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7' Divisional Forest Officer Baramulla (Member DJJM) for information.
- Chief Planning Officer Baramulla(Member DJJM) for information.
- Chief Medical Officer Baramulla(Member DJJM) for information.
- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla(Member DJJM) for information
- 11 District Information Officer Baramulla (Member DJJM) for information.
- Assistant Executive Engineer PHE Sub Division Uri for information.
- 13 File.

ítive Engineer vdraulic Division Uri

Annexure "A" to the Allotment Order No. 38 of 07/2023


onstruction of Water Supply Scheme Chotali Symali by way of Construction/Commissioning and sting of SRs /Intake Chambers Chain Link Fencing laying and fitting of pipes and other allied works (for providing 100% FHTC) under JJM (Part-A)

(for providing 100% FHTC) under JJM (for providing	g 100% FH	C) una	Rate	Amount
Particulars	<u> </u>	Unit	Rate	Fillion
E/W in bulk excavation by manual means over areas (exceeding	3			
30-cm in depth, 1.5 in width, as well as 10mm. Sqm on plan	(
including disposal of excavated earth lead upto 50mtr and lifupto 1.5Mtrs as directed by the Engineer Incharge	1			
Tupto 1.5Mills as directed by the Engineer monargo				0040000 63
In all kinds of soils(bulk)	4731.440	Cum	552.240	2612892.63
Filling available excavated earth excluding rock in trenches				
plinth, sides of foundation etc in layers not exceeding 20 cm in	4137.110	Cum	203.449	841690.60
depth consolidating each deposited layer by ramming and	2		į	
watering lead up to 50m and lift up to 1.5m.	21.460	Cum	631.132	13544.09
Providing and laying stone soling 2nd class		Cuiii	0011102	
Providing and laying in position cement concrete in specified				
grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4:8 (1 cement:		Cum	4978.033	65660.25
coarse sand : 8 graded stone aggregate 40-mm nominal size	1			
crushed.	′			
Providing and laying in position cement concrete of specified	L			
grade including cuirring but excluding the cost of centring, and	t l			000005 44
shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 3	40.640	Cum	6619.713	269025.14
coarse sand : 4 graded Stone aggregate 20 mm nominal size)			1	
Draviding and laving in position appaired grade of rainforce	-			
Providing and laying in position specified grade of reinforce cement concrete including cuirring but excluding cost centering	•			
shuttering finishing and reinforcement (all work upto plinth leve	il .	_	7007.400	447070.00
I: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate	14.090	Cum	7987.198	117379.86
20-mm nominal size) crushed			1	
· · · · · · · · · · · · · · · · · · ·	_i			
Reinforced Cement concrete work in wall (any Thickness			1	
including attached plaster, buttresses, plinth and string courses				
fillets, columns, pillars piers, abutments, posts and struts etc		O	0000 000	472404.02
upto floor five level excluding cost of centering shuttering		Cum	9632.989	173104.82
finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: graded stone aggregate 20mm nominal size.	31			
graded storie aggregate zonim nominal size.				
Reinforced cement concrete work in beams, suspended floors	s,			
roofs having slope upto 15% landings, balconies, staircases an	d			
spiral staircases upto floor five level excluding the cost of	of 1.759	Cum	10084.744	17739.07
centering, shuttering, finishing and reinforcement with 1:1.5:3	3(Cum	10004.744	11133.01
1Cement: 1.5coarse sand: 3graded stone aggregate 20mm	n		1	
nominal size)				
Reinforced cement concrete work in arches, archibs, valluts	<u>ا</u>			
shelves, folded plates and roofs having slope more than 15			10050 100	26206.83
floor upto five level inclding curing but excluding cost of	of 2.460	Cum	10653.183	20200.05
centering and shuttering, finshing and reinforcement		İ		
Centering and shuttering including strutting propping etc. an	d	1		0.00
removal of Form work for.			0.000	0.00
Foundations, footings, bases of columns	159.440	Sqm	268.569	42820.64
Retaining walls, return walls, walls (any thickness) including				445000 40
attached pilasters, buttresses, plinth and string courses filled	s 195.860	Sqm	587.565	115080.48
etc.		 	 	
Suspended floors, roofs, landings, balconies and acces	12.400	Sqm	650.791	8069.81
platform. Arches, Domes, walls upto 60 mtr span	19.690	Sqm	2136.675	42071.12
12mm cement plaster of mix 1:4 (1-cement: 4-sand)	211.000		366.556	77343.36
Transit Cernetic plaster of thix 1.4 (1-cement: 4-sand)		1 Odin		





ĕ	Particulars	Qty	Unit	Rate	Amount
	Providing and fixing 4mm thick G.I. chain link fabric fencing of				
	required width in mesh size 50x50 mm including strengthening		r 90		169102.06
	with 2 mm dia wire or nuts, bolts and washers as required	225.160	sqm	751.031	169102.00
	complete as per the direction of Engineer-in				
	Providing and mixing water proofing materials in cement	400.000	Kg	69.216	27686.26
	concrete in doses by weight of cement as per manufacturer specification	400.000	1.9	00.210	
	Structural steel work in single section, fixed with or without			200	
	connecting				
	plate, including cutting, hoisting, fixing in position and applying a	1807.410	kg	104.581	189021.01
168	priming			i	1 4
	coat of approved steel primer all complete				
	Supplying at site Angle iron post & strut of required size including bottom				4.
	to be split and bent at right angle in opposite direction for 10 cm	874.800	kg	97.434	85235.55
	length	074.000	g	07.101	
	and drilling holes upto 10 mm dia, etc. complete.			_	
	Structural steel work welded in built up sections, trusses and				
	framed work, including cutting, hoisting, fixing in position and	350.220	Kg	104.581	36626.41
	applying a priming coat of approved steel primer all complete.	000.220	g	101.001	
1	Reinforcement for DCC works in shulling at sight at a state of				
1	Reinforcement for RCC works including straightening cutting bending, placing in position and binding all complete TMT Bars.	3621.640	Kg	89.253	323243.55
	bording, placing in position and binding all complete TWT bars.	3021.040	Ng	09.255	323243.33
Ī	Providing/fabricating and commissioning of MS Lid for Filtration				
3	Plant /Service Reservoir of approved design as per the	165.870	Kg	104.684	17363.86
1	Instructions of Engineer Incharge at site.				
	Providing and fixing of Sluice Valve (ISI Marked) of approved			!	2.1
3	quality (BIS) including cost of all accessories required and all sorts of carriages of material upto site of work)			0.000	0.00
	our of barriages of material apto site of work)				n 54
1	· · · · · · · · · · · · · · · · · · ·	2.000	Nos	7679.250	15358.50
.2		2.000	Nos	4095.600	8191.20
13		2.000	Nos	3583.650	7167.30
	Providing and fixing GI Bend in dome slab with one and				
0	provided with wire guage mesh. The bends are to be fixed in			0.000	0.00
-1	dome slab during concreting for elevation purpose quality 50mm dia	0.000			
-	Providing and fixing of (8mm Thick) MS Flanges to GI pipes	6.000	Nos	511.950	3071.70
	including cutting of threads welding of flanges to pipe ends				
1	including laying and fitting testing and commissioning including			0.000	0.00
	cost of nuts, bolts, rubber washers including all carraiges upto			0.000	0.00
	site of work complete job.				
.1	100mm dia	145.000	Joints	1331.070	193005.15
.2	80mm dia	182.000	Joints	1228.680	223619.76
.3	65mm dla	45.000		1126.290	50683.05
.4	50mm dia	218.000	Joints	1023.900	223210.20
.5	40mm dia	291.000	Joints	921.510	268159.41
2	Laying and fitting of GI Pipes excluding trenching and refilling etc		-		
				0.000	0.00
	80 mm dia GI pipes	1500.000	Mtr	74.796	112193.84
	65 mm dia GI pipes	500.000	Mtr	74.796	37397.95
	50 mm dia GI pipes	4000.000	Mtr	41.775	167100.48
	40 mm dia GI pipes	7000.000	Mtr	41.775	292425.84
-	25 mm dia GI pipes	3000.000	Mtr	31.383	94147.61
		0000.000			
6	20 mm dia GI pipes 15mm dia GI pipes	3000.000	Mtr	20.734	62201.93 31100.96





# 1	Particulars	Qty	Unit	Rate	Amount
3	Making connection of GI distribution branch with GI main of following sizes, by P/F of tees, incld. cutting and threading the pipe etc. complete			0.000	0.00
1	25 to 40 mm dia nominal bore	20.000	No	682.173	13643.47
2	Above 40 mm nominal bore	2.000	No	1299.073	2598.15
	Carriage of Material from source upto road/dumping site of work by Mechanical Transport including loading unloading and stacking etc complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer			0.000	0.00
5 1	Cement and Steel /Pipes (55-Kms)	120.540	Mton	682.696	82292.12
2 5	Sand. (60Kms)	44.803		818.844	36686.65
	gg. 20mm (80Kms)	68.170	Cum	1022.313	69691.07
	gg. 40mm (80Kms	11.870	Cum	1111.147	13189.31
	tone Soling (07-Kms)	21.460	Cum	284.337	6101.87
S	arriage of material from road/dumping site to actual site of ork by manual labours/ponies including loading unloading and afe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly ecommended by Junior Engineer/Assistant Executive Engineer			0.000	0.00
<u> </u>	Pipes (4000Mtrs)	81.580	Mton	1976.414	161235.83
-	Cement (3000Mtrs)	31.980	Mton	1201.977	38439.21
	Steel (3000Mtrs)	6.641	Mton	2582.071	17147.53
	Sand. (3000Mtrs)	44.803	Cum	2975.658	133318.41
_	Agg. 20mm (3000Mtrs)	68.170	Cum	2975.720	202854.81
_	Agg. 40mm (3000Mtrs)	11.870	Cum	3216.838	38183.86
.7 5	Stone Soling (500Mtrs)	21.460	Cum	748.268	16057.83
			_	Total	7891382.40

Rupees Seventy Eight Lakh(s) Ninety One Thousand Three Hundred Eighty Two And Paise Forty Only

Checked by

Executive Engineer Hydraulic Division Uri