Page 1 of 2

Government of Jammu and Kashmir

OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI

email: urihydraulic@gmail.com

__ of<u>_07</u>/2023 41 Allotment Order No.

MIR CONSTRUCTIONS COMPANY M/S

Mukhtyar Ahmad Mughal Prop. : Liaqat Ali Mughal Chogata S/O

Kundi Barjala Uri R/O

Name of work

SHEP/CEAAY/SANITARY/003 OF 2018 Registration No.

01AOAPM8579C2Z3 TIN No./GST No:-

Retrofitting of Water Supply Scheme Soura Hathlanga by way of laying

: and fitting of pipes and other allied works (for providing 100% FHTC)

under JJM

2022 IFC 212041_8 **TENDER ID** : 09/Hyd/Uri of 2023-24 eNIT No. : eNIT No:09/Hyd/Uri_of_2023-24 Dated: 13/05/2023 issued under endorsement No:-

Your Tender Received HDU/CC-02/779-89 Dated: 13/05/2023 (S. No: 08) Tender ID: 2022_IFC_212041_8 in response to

(i) Constitution of District Jal Jeevan Mission, Administrative Council Decision Reference

No: 28-04-2020 Dated: 05-02-2020 issued vide Govt, order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

(ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K, meeting convened on 04-09-2021.

(iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021. (iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-

22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033 Dated: 21-02-

(v) UT level committee meeting held on 28-04-2022 under the Chairmanship

Development Commissioner Works PW (R&B).

(vi) Chief Engineer Kashmir PHF. Jal Shakti Department Srinagar's office letter No:

CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

(vii)Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization

issued vide No: DDCB/Meeting/ 2022/1214-44 Dated: 24-05-2022.

(viii) This Office Letter No: HDU/eNIT-11/1039-40 Dated:- 30/05/2023 District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No:

SE/Hyd/DB/2560-73 Dated: 10/06/2023

Ref: to AAA : Accorded vide Order No.CE/PHE/DB/240 of 08/2022 Dated:- 31/08/2022.

Ref: to Tech. Sanction Accorded vide Order No. CE/PHE/DB/197 of 08/2022 Dated:- 31/08/2022. LOI Issued under No:-

: NIT NO. 09/1285-86 Dated:- 15/06/2023 Advertisement cost

: Rs: 56.48 Lacs

Allotted cost Rupees Fifty Six Lakh(s) Forty Two Thousand One Hundred ₹ 5642198.46 Ninety Eight And Paise Forty Six Only

Time of completion 120-days M.H. of Account (JJM)

Ref. To CDR/TDR No.

BSDF: Name of the Bank

For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted/negotiated by you in writing on the comparative statement on the following terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that your Regd. Card is valid/in order in terms of standing rules and free for the capacity of the work

Allotted Rates as "Annexure A" Enclosed"

Terms and Conditions:-

Time of completion is essence of the contract.

Page 2 of 2

ork shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days the date of issuance of LOI from this office strictly in accordance with the approved proposals failing which the work Il have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against s contract shall be forfeited.

in agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you. The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of

CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the

The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.

- The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and 11 fitting of pipes will start within 02 days of issuance of pipe material by the department.
- Earnest Money @2% deposited by you in shape of CDR/FDR/Bank Guarantee shall be released after deposition of 03% 12 performance security of the value of the contract

All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.

Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant (GFR-2017 and manual for procurement of works 2019 G.O.I. rules/ guidelines stipulated in General Financial Rules

Head Assistant NO: HDU/CC-04/ 2329-40 DATED: 18 - 07 - 2023

Copy to the:

- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information. 1
- 2 Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- .District Development Commissioner Baramulla (Chairperson D.J.M.) for favour information. 3
- Additional District Development Commissioner Baramulla (Member DJJM) for information. 4
- Assistant Commissioner Development Baramulla (Member DJJM) for information. 5
- Divisional Forest Officer Baramulla (Member DJJM) for information. 6
- Chief Planning Officer Baramulla(Member DJJM) for information. 7
- Chief Medical Officer Baramulla(Member DJJM) for information. 8
- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla(Member DJJM) for information.
- 10 District Information Officer Baramulla (Member DJJM) for information.
- 11 Assistant Executive Engineer PHE Sub Division Uri for information.
- 12 File.

Executive Engineer Hydraulic Division Uri

Annexure "A" to the Allotment Order No. 41 of 072022

trofitting of Water Supply Scheme Soura Hathlanga by way of laying and fitting of pipes and other allied works (for providing 100% FHTC) under JJM

1	Particulars	Qty	Unit	Ra	te	Amount
F	arth work in bulk excavation by manual means over areas					1
16	exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on				- 1	
ĺ	lan) including disposal of excavated earth lead upto 50 meters					
la.	and lift upto 1.5 m, as directed by Engineer-in-Charge.		1	1	1	
1		4185.210	Cum	1 :	555.53	2325011.80
4	n all kinds of soils	4100.210	-			
1	Filling available excavated earth excluding rock in trenches,				204.66	763868.53
١ :	plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and	3732.360	Cun	' '	204.00	
	watering lead up to 50m and lift up to 1.5m.					2405 56
3	Providing and laying stone soling 2nd class	5.49	Cur	n	634.89	3485.56
<u>ა</u>	Providing and laying in position cement concrete in specified				1	
	grade including cuirring but excluding the cost of centering and	11		١,	007.60	16675.61
4	shuttering. All work up to plinth level. 1: 4:8 (1 cement: 4	3.33	0 Cui	m 5	5007.69	10075.01
-4	coarse sand : 8 graded stone aggregate 40-mm nominal size)	1	1		
	lorushed		+		-+	
	Providing and laying in position specified grade of reinforced			1	1	
	cement concrete including cuirring but excluding cos	11	1	İ		40414.96
5	centering shuttering finishing and reinforcement (all work upt	5.03	30 Cu	m	8034.78	40414.90
J	Iplinth level I: 1.5 : 3 (1 cement : 1.5 coarse sand : 5 grade	٩	1			
	stone aggregate 20-mm nominal size) crushed					
	Reinforced Cement concrete work in wall (any Thickness	s)				
	including attached plaster, buttresses, plinth and string course	s,	1	1		
	fillets, columns, pillars piers, abutments, posts and struts et	c.			0000 00	64537.92
6	upto floor five level excluding cost of centering shuttering	g, 6.6	60 C	um	9690.38	04537.92
	finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand:	3				
	graded stone aggregate 20mm nominal size.		1	1		
	The state of the s	re	_	_		
	Reinforced cement concrete work in beams, suspended floo	nd	1	1		
	roofs having slope upto 15 ⁰ landings, balconies, staircases a	of				40000 00
7	spiral staircases upto floor five level excluding the cost centering, shuttering, finishing and reinforcement with 1:1.5	1.	800	Cum	10144.83	18260.69
	centering, shuttering, finishing and reinforcement with 1.1.5	(1	1		1
	10 1 Feeers cond: 3graded stone aggregate 20r	mml		- 1		
	1Cement: 1.5coarse sand: 3graded stone aggregate 20r	mm				
	1Cement: 1.5coarse sand: 3graded stone aggregate 20r	nm	_	_	0.0	0 00
8	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a	nm			0.0	0.00
8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. are removal of Form work for. 1 Foundations, footings, bases of columns	and g	.720	Sqm	0.0 270.1	
	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) includes	and g			270.1	7 2626.04
8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) includes	and g	0.720			7 2626.04
8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20rnominal size) Centering and shuttering including strutting propping etc. are removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses file.	and g			270.1	7 2626.0 07 58941.0
8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses filetc. Suspended floors roofs, landings, balconies and accounts.	and 9			270.1	7 2626.0d 07 58941.0
8. 8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20rnominal size) Centering and shuttering including strutting propping etc. are removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) included attached pilasters, buttresses, plinth and string courses fietc. Suspended floors, roofs, landings, balconies and accomplatform.	and gling llets 99 cess 1	9.720 1.430	Sqm Sqm	270.1 591.0 654.0	7 2626.0d 07 58941.0 67 7482.8
8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) included attached pilasters, buttresses, plinth and string courses fixed. Suspended floors, roofs, landings, balconies and accomplatform.	and gling llets general 1	9.720	Sqm	270.1 591.0	7 2626.0- 07 58941.0 67 7482.8
8. 8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses filetc. Suspended floors, roofs, landings, balconies and acceptations. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in cereins.	and ging llets gess 1 7 ment	0.720 1.430 4.020	Sqm Sqm Sqm	270.1 591.0 654.1 368.	7 2626.0- 07 58941.0 67 7482.8 74 27294.
8. 8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses filetc. Suspended floors, roofs, landings, balconies and acceptation. Suspended floors, roofs, landings, balconies and acceptation. Providing and mixing water proofing materials in certain concrete in doses by weight of cement as per manufactors.	and ging llets gess 1 7 ment	9.720 1.430	Sqm Sqm	270.1 591.0 654.1 368.	7 2626.0d 07 58941.0 67 7482.8
8. 8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses file etc. Suspended floors, roofs, landings, balconies and acceptation. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in ceres of the concrete in doses by weight of cement as per manufactions.	and gding llets gess 1 7 ment sturer 60	0.720 1.430 4.020	Sqm Sqm Sqm	270.1 591.0 654.1 368.	7 2626.0- 07 58941.0 67 7482.8 74 27294.
8. 8. 9	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses file etc. Suspended floors, roofs, landings, balconies and acceptationm. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in cere concrete in doses by weight of cement as per manufact specification Reinforcement for RCC works including straightening concrete.	and gding llets gess 1 7 ment cturer 60	9.720 1.430 4.020 00.000	Sqm Sqm Sqm Kg	270.1 591.0 654. 368.	7 2626.0- 07 58941.0 67 7482.8 74 27294. .63 41776.
8. 8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses file etc. Suspended floors, roofs, landings, balconies and acceptation. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in certain concrete in doses by weight of cement as per manufact specification Reinforcement for RCC works including straightening concrete.	and gding llets gess 1 7 ment cturer 60	0.720 1.430 4.020	Sqm Sqm Sqm Kg	270.1 591.0 654. 368.	7 2626.0- 07 58941.0 67 7482.8 .74 27294.
8. 8.	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses filetc. Suspended floors, roofs, landings, balconies and acceptation. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in cerconcrete in doses by weight of cement as per manufact specification Reinforcement for RCC works including straightening of bending, placing in position and binding all complete TMT Bending, placing in position and binding all complete TMT Bending in position and binding all compl	and gliets 99 cess 1 7 ment cturer 60 utting sars. 156	9.720 1.430 4.020 00.000	Sqm Sqm Sqm Kg	270.1 591.0 654. 368.	7 2626.0- 07 58941.0 67 7482.8 74 27294. .63 41776.
8. 8. 9. 1	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses filetc. Suspended floors, roofs, landings, balconies and acceptation. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in cerconcrete in doses by weight of cement as per manufact specification Reinforcement for RCC works including straightening or bending, placing in position and binding all complete TMT Benoviding/fabricating and commissioning of MS Lid for Filt	and gding llets 99 cess 1 7 ment cturer 60 utting cars. 156	9.720 1.430 4.020 00.000	Sqm Sqm Kg Kg	270.1 591.0 654. 368. 69	7 2626.0- 07 58941.0 67 7482.8 74 27294. .63 41776.
8. 8. 9.	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses file etc. Suspended floors, roofs, landings, balconies and acceptation. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in certain concrete in doses by weight of cement as per manufact specification Reinforcement for RCC works including straightening or bending, placing in position and binding all complete TMT Bending/fabricating and commissioning of MS Lid for Filt Plant /Service Reservoir of approved design as per	and gding llets 99 cess 1 7 ment cturer 60 utting cars. 156	9.720 1.430 4.020 00.000	Sqm Sqm Kg Kg	270.1 591.0 654. 368. 69	7 2626.0- 07 58941.0 67 7482.8 74 27294. .63 41776.
8. 8. 9. 1	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses filetc. Suspended floors, roofs, landings, balconies and acceptation. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in certain concrete in doses by weight of cement as per manufact specification Reinforcement for RCC works including straightening or bending, placing in position and binding all complete TMT Bending/fabricating and commissioning of MS Lid for Filtten Providing/fabricating and commissioning of MS Lid for Filtten Plant / Service Reservoir of approved design as per instructions of Engineer Incharge at site.	and gding llets 99 cess 1 7 ment cturer 60 utting ration r the 2	9.720 1.430 4.020 00.000	Sqm Sqm Kg Kg	270.1 591.0 654. 368. 69	7 2626.0- 07 58941.0 67 7482.8 74 27294. .63 41776.
8. 8. 9. 1	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses file etc. Suspended floors, roofs, landings, balconies and acceptation. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in certain concrete in doses by weight of cement as per manufact specification. Reinforcement for RCC works including straightening or bending, placing in position and binding all complete TMT Bending/fabricating and commissioning of MS Lid for Filt Plant /Service Reservoir of approved design as per instructions of Engineer Incharge at site. Providing and fixing of Sluice Valve (ISI Marked) of approveding and fixing of Sluice Valve (ISI Marked)	and gliets 99 cess 1 7 ment sturer 60 utting sars. 156 ration r the 2	9.720 1.430 4.020 00.000	Sqm Sqm Kg Kg	270.1 591.0 654. 368. 69	7 2626.0- 07 58941.0 67 7482.8 74 27294. .63 41776. 9.80 135048 5.20 2422
8. 8. 1 1	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses filetc. Suspended floors, roofs, landings, balconies and acceptation. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in cere concrete in doses by weight of cement as per manufact specification. Reinforcement for RCC works including straightening or bending, placing in position and binding all complete TMT in the plant /Service Reservoir of approved design as per instructions of Engineer Incharge at site. Providing and fixing of Sluice Valve (ISI Marked) of approved delign and provided and accessories required and accesso	and gliets 99 cess 1 7 ment sturer 60 utting sars. 156 ration r the 2	9.720 1.430 4.020 00.000	Sqm Sqm Kg Kg	270.1 591.0 654. 368. 69	7 2626.0- 07 58941.0 67 7482.8 74 27294. .63 41776.
8. 8. 1 1	1Cement: 1.5coarse sand: 3graded stone aggregate 20r nominal size) Centering and shuttering including strutting propping etc. a removal of Form work for. Foundations, footings, bases of columns Retaining walls, return walls, walls (any thickness) include attached pilasters, buttresses, plinth and string courses file etc. Suspended floors, roofs, landings, balconies and acceptation. 12mm cement plaster of mix 1:4 (1-cement: 4-sand) Providing and mixing water proofing materials in certain concrete in doses by weight of cement as per manufact specification. Reinforcement for RCC works including straightening or bending, placing in position and binding all complete TMT Bending/fabricating and commissioning of MS Lid for Filt Plant /Service Reservoir of approved design as per instructions of Engineer Incharge at site. Providing and fixing of Sluice Valve (ISI Marked) of approveding and fixing of Sluice Valve (ISI Marked)	and gliets 99 cess 1 7 ment sturer 60 utting sars. 156 ration r the 2	9.720 1.430 4.020 00.000	Sqm Sqm Kg Kg	270.1 591.0 654. 368. 69	7 2626.0- 07 58941.0 67 7482.8 74 27294. .63 41776. 9.80 135048 5.20 2422



D	_4	-	

Providing and fixing of (8mm-thick) MS Flanges to GI pipes including cutting of threads welding of flanges to pipe ends including laying and fitting testing and commissioning including cost of ruts, boths, rubber washers including all carrelges upto site of work complete iob. 14.1 80mm dia		Particulars	Qty	Unit	Rate	Amount
site of Work complete job.		including cutting of threads welding of flanges to pipe ends including laying and fitting testing and commissioning including			0.00	0.00
14.2 65mm dia 176.000 Joints 133.00 199408. 14.3 50mm dia 392.000 Joints 1030.00 403760. 14.4 40mm dia 3964.000 Joints 927.00 337428. 15.2 Laying and fitting of GI Pipes with GI fitting excluding trenching and refilling etc. 0.00 0.0 15.1 80 mm dia GI pipes 500.000 Mtr 75.24 37620. 15.2 65 mm dia GI pipes 6000.000 Mtr 75.24 300966. 15.3 30 mm dia GI pipes 6000.000 Mtr 42.02 28448. 15.4 40 mm dia GI pipes 2200.000 Mtr 42.02 28448. 15.5 25 mm dia GI pipes 2500.000 Mtr 20.86 25143. 15.5 25 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.7 15mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.8 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.7 15mm dia GI pipes 1000.000 Mtr 20.86 20857. 15.8 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.8 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.9 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.1 15 mm dia GI pipes 1000.000 Mtr 20.86 20857. 15.2 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.3 15 mm dia GI pipes 1000.000 Mtr 20.86 20857. 15.4 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.4 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.5 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.6 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.7 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.8 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.9 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.1 25 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.2 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.3 15 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.4 25 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.5 25 mm dia GI pipes 2500.000 Mtr 20.86 20857. 15.6 25 mm dia GI pipes 2500	144	site of work complete job.				
14.3 50mm dia 392.000 Joints 1030.00 403760. 14.4 40mm dia 392.000 Joints 927.00 337428. 15						49440.00
14.4 40mm dia 364.000 Joints 927.00 337428.						199408.00
15						403760.00
15.1 80 mm dia Gl pipes	14.4		364.000	Joints	927.00	337428.00
15.2 65 mm dia Gl pipes	15	and refilling etc.			0.00	0.00
15.3 50 mm dia GI pipes			500.000	Mtr	75.24	37620.75
15.4 40 mm dia Gl pipes			4000.000	Mtr	75.24	300966.00
15.5 25 mm dia Gl pipes 2500.000 Mtr 31.57 76923.			6000.000	Mtr	42.02	252144.00
15.6 20 mm dia Gl pipes 2500.000 Mtr 20.86 52143. 15.7 15mm dia Gl pipes 1000.000 Mtr 20.86 20857. Making connection of Gl distribution branch with Gl main of following sizes, by P/F of tees, incld. cutting and threading the pipe etc. complete 0.00 0.00 16.1 25 to 40 mm dia nominal bore 25.000 No 686.24 17155. 16.2 Above 40 mm nominal bore 25.000 No 1306.81 5227. Carriage of Material from source upto road/dumping site of work by Mechanical Transport including loading unloading and stacking etc complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer 17.1 Cement and Steel /Pipes (20 Kms) 103.190 Miton 368.37 38012. 17.2 Sand. (75Kms) 8.230 Cum 977.17 8042. 17.3 Agg. 20mm (120Kms) 12.120 Cum 1437.77 17425. 17.4 Agg. 40mm (120Kms) 2.970 Cum 1444.20 4289. Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer 0.00 0.00 18.1 Cement (1500Mtrs) 6.660 Miton 657.98 4382. 18.2 Steel (1500Mtrs) 1.500 Miton 1413.48 2120. 18.3 Pipes (1500Mtrs) 94.130 Miton 1413.48 133050. 18.4 Sand. (1500Mtrs) 8.230 Cum 1581.28 13013. 18.5 Agg. 20mm (1500Mtrs) 2.970 Cum 1709.42 5076. 18.6 Agg. 40mm (1500Mtrs) 5.490 Cum 752.72 4132. 18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132. 18.8 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132. 18.9 Carriage of material from coad/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly	15.4		2000.000	Mtr	42.02	84048.00
15.7 15mm dia Gl pipes	15.5		2500.000	Mtr	31.57	78923.75
Making connection of GI distribution branch with GI main of following sizes, by P/F of tees, incld. cutting and threading the pipe etc. complete 16.1 25 to 40 mm dia nominal bore 25.000 No 686.24 17155.			2500.000	Mtr	20.86	52143.75
16 following sizes, by P/F of tees, incld. cutting and threading the pipe etc. complete 0.00 0.	15.7	15mm dia GI pipes	1000.000	Mtr	20.86	20857.50
16.1 25 to 40 mm dia nominal bore 25.000 No 686.24 17155.	16	following sizes, by P/F of tees, incld. cutting and threading the			0.00	0.00
Carriage of Material from source upto road/dumping site of work by Mechanical Transport including loading unloading and stacking etc complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer 17.1 Cement and Steel /Pipes (20 Kms) 103.190 Mton 368.37 38012.	16.		25,000	No	686.24	17155.94
by Mechanical Transport including loading unloading and stacking etc complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer	16.2	2 Above 40 mm nominal bore	4.000	No	1306.81	5227.25
17.2 Sand. (75Kms) 8.230 Cum 977.17 8042. 17.3 Agg. 20mm (120Kms) 12.120 Cum 1437.77 17425. 17.4 Agg. 40mm (120Kms) 2.970 Cum 1444.20 4289. Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer 0.00 0. 18.1 Cement (1500Mtrs) 6.660 Miton 657.98 4382. 18.2 Steel (1500Mtrs) 1.500 Mton 1413.48 2120. 18.3 Pipes (1500Mtrs) 94.130 Mton 1413.48 133050. 18.4 Sand.(1500Mtrs) 8.230 Cum 1581.28 13013. 18.5 Agg. 20mm (1500Mtrs) 12.120 Cum 1581.28 19165. 18.6 Agg. 40mm (1500Mtrs) 2.970 Cum 1709.42 5076. 18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132.	17	by Mechanical Transport including loading unloading and stacking etc complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by			0.00	0.00
17.2 Sand. (75Kms) 8.230 Cum 977.17 8042. 17.3 Agg. 20mm (120Kms) 12.120 Cum 1437.77 17425. 17.4 Agg. 40mm (120Kms) 2.970 Cum 1444.20 4289. Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer 0.00 0. 18.1 Cement (1500Mtrs) 6.660 Miton 657.98 4382. 18.2 Steel (1500Mtrs) 1.500 Mton 1413.48 2120. 18.3 Pipes (1500Mtrs) 94.130 Mton 1413.48 133050. 18.4 Sand.(1500Mtrs) 8.230 Cum 1581.28 13013. 18.5 Agg. 20mm (1500Mtrs) 12.120 Cum 1581.28 19165. 18.6 Agg. 40mm (1500Mtrs) 2.970 Cum 1709.42 5076. 18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132.	17.1	Cement and Steel /Pipes (20 Kms)	103,190	Mton	368.37	38012.02
17.3 Agg. 20mm (120Kms) 12.120 Cum 1437.77 17425. 17.4 Agg. 40mm (120Kms) 2.970 Cum 1444.20 4289. Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer 0.00 0. 18.1 Cement (1500Mtrs) 6.660 Mton 657.98 4382. 18.2 Steel (1500Mtrs) 1.500 Mton 1413.48 2120. 18.3 Pipes (1500Mtrs) 94.130 Mton 1413.48 133050. 18.4 Sand.(1500Mtrs) 8.230 Cum 1581.28 13013. 18.5 Agg. 20mm (1500Mtrs) 12.120 Cum 1581.28 19165. 18.6 Agg. 40mm (1500Mtrs) 2.970 Cum 1709.42 5076. 18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132.						
17.4 Agg. 40mm (120Kms) 2.970 Cum 1444.20 4289.	17.3	Agg. 20mm (120Kms)				
Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer	17.4					
18.2 Steel (1500Mtrs) 1.500 Mton 1413.48 2120. 18.3 Pipes (1500Mtrs) 94.130 Mton 1413.48 133050. 18.4 Sand.(1500Mtrs) 8.230 Cum 1581.28 13013. 18.5 Agg. 20mm (1500Mtrs) 12.120 Cum 1581.28 19165. 18.6 Agg. 40mm (1500Mtrs) 2.970 Cum 1709.42 5076. 18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132.		work by manual labours/ponies including loading unloading and safe stacking etc Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly				0.00
18.2 Steel (1500Mtrs) 1.500 Mton 1413.48 2120. 18.3 Pipes (1500Mtrs) 94.130 Mton 1413.48 133050. 18.4 Sand.(1500Mtrs) 8.230 Cum 1581.28 13013. 18.5 Agg. 20mm (1500Mtrs) 12.120 Cum 1581.28 19165. 18.6 Agg. 40mm (1500Mtrs) 2.970 Cum 1709.42 5076. 18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132.	_		6.660	Miton	657.98	A382 49
18.3 Pipes (1500Mtrs) 94.130 Mton 1413.48 133050. 18.4 Sand.(1500Mtrs) 8.230 Cum 1581.28 13013. 18.5 Agg. 20mm (1500Mtrs) 12.120 Cum 1581.28 19165. 18.6 Agg. 40mm (1500Mtrs) 2.970 Cum 1709.42 5076. 18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132.	18.2	Steel (1500Mtrs)				
18.4 Sand.(1500Mtrs) 8.230 Cum 1581.28 13013. 18.5 Agg. 20mm (1500Mtrs) 12.120 Cum 1581.28 19165. 18.6 Agg. 40mm (1500Mtrs) 2.970 Cum 1709.42 5076. 18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132.	18.3 F	Pipes (1500Mtrs)				
18.5 Agg. 20mm (1500Mtrs) 12.120 Cum 1581.28 19165. 18.6 Agg. 40mm (1500Mtrs) 2.970 Cum 1709.42 5076. 18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132.	18.4	Sand.(1500Mtrs)				
18.6 Agg. 40mm (1500Mtrs) 2.970 Cum 1709.42 5076. 18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132.	18.5 A	gg. 20mm (1500Mtrs)				
18.7 Stone Soling (500Mtrs) 5.490 Cum 752.72 4132.	18.6 A	gg. 40mm (1500Mtrs)				
0.100 Gail 102.12 4132.	18.7 S	tone Soling (500Mtrs)				
			3,100	Cum	Total	5642198,46

Rupees Fifty Six Lacs Forty Two Thousands One Hundred Ninety Eight and Paise Forty Six only)

Checked by

Executive Engineer
Hydraulic Division Uri