Page 1 of 2

Government of Jammu and Kashmir

OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI

mail or hydraulic Bemail com Allotment Order No._

_ of_0子/2023

M/S

MOHAMMAD HUSSAIN AKHOON

S/O

Mohammad Amin Akhoon

RVO

Khanpora Baramulla

Registration No.

SE (R&B) SB-B-107 of 2017-18

TIN No./GST No:-

01BNNPA6349D1ZE

Name of work

Construction of Water Supply Scheme Nowshera by way of

Construction/Commissioning and Testing of SSFPs/SRs /Intake Chambers Chain Link Fencing (for providing 100% FHTC) under JJM (for providing

100% FHTC) under JJM (Part-B)

eNIT No.

: 12 /Hyd/Uri of 2023-24

TENDER ID

2023 IFC 215240_11

Your Tender Received in : eNIT No:12 Hyd Uri_of_2023-24 Dated: 17/05/2023 issued under endorsement No:-

response to Reference

HDU/CC-02/1178-89 Dated: 05/06/2023 (S. No: 11) Tender ID: 2023_IFC_212582_11 : (i) Constitution of District Jal Jeevan Mission, Administrative Council Decision

No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020

Dated: 24-04-2020.

(ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K,

meeting convened on 04-09-2021.

(iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021.

(iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033 Dated: 21-02-

2022.

(v) UT level committee meeting held on 28-04-2022 under the Chairmanship

Development Commissioner Works PW (R&B).

(vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No:

CE PHE JJM 2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

(vii) Vinutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization

issued vide No: DDCB: Meeting, 2022/1214-44 Dated: 24-05-2022.

(viii) This Office Letter No: HDU/eNIT-11/1039-40 Dated:- 30/05/2023 District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No:

SEHyd/DB/3317-29Dated: 22/06/2023

Ref: to AAA

: Accorded vide Order No. CE/PHE/DB/240 of 08/2022 Dated: - 31/08/2022. : Accorded vide Order No. CE/PHE/DB/208 of 08/2022 Dated: - 31/08/2022.

Ref: to Tech. Sanction LOI Issued under No:-

: NIT NO. 12/1545-46 Dated:- 27/06/2023

Advertisement cost

: Rs: 47.74 Lacs

Allotted cost

₹ 4226442.08

Rupees Forty Two Lakh(s) Twenty Six Thousand Four

Hundred Forty Two And Paise Eight Only

Time of completion

: 120-days

M.H. of Account

(JJM)

Ref. To CDR/TDR No.

Name of the Bank

BID SECURITY DECLARATION FORMAT

For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted negotiated by you in writing on the comparative statement on the following terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that y Card is valid in order in terms of standing rules and free for the capacity of the work

Allotted Rates as "Annexure A" Enclosed"

Terms and Conditions:-

Time of completion is essence of the contract.

The work shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days from the date of issuance of LOI from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.

An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.

The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department.

Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis. Performance security equivalent to 0.3% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry

The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.

The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.

Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the 11

The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.

All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.

Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

NO: HDU/CC-04/2355-67 DATED: 10 - 07 . 2023. Copy to the:

Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.

Chief Engineer Kashmir PHE Department Srinagar for favour of information.

.District Development Commissioner Baramulla (Chairperson DJJM) for favour information. 3

4 Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. 5

Additional District Development Commissioner Baramulla (Member DJJM) for information.

Assistant Commissioner Development Baramulla (Member DJJM) for information.

Divisional Forest Officer Baramulla (Member DJJM) for information. 7

Chief Planning Officer Baramulla(Member DJJM) for information. 8

Chief Medical Officer Baramulla(Member DJJM) for information. 9

District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla(Member DJJM) for information

District Information Officer Baramulla (Member DJJM) for information.

Assistant Executive Engineer PHE Sub Division Uri for information. 12

13 File.

Executive Engineer


Hydraulic Division Uri

Annexure "A" to the Allotment Order No. 49 of 07/2023

onstruction of Water Supply Scheme Nowshera by way of Construction/Commissioning and Testing of SSFPs/ SRs /Intake Chambers Chain Link Fencing (for providing 100% FHTC) under JJM (for providing 100% FHTC) under JJM (Part-B)

EW in bulk excavation by manual moans over areas (exceeding 30-cm in depth. 1.5 in with, as well as 105gm on plan) including disposal of excavated earth lead up to 50mt and lift upto 1.5Mtrs as directed by the Engineer incharge 1.1 In all kinds of solis(bulk) 1.1 In all kinds of solis(bulk) Filling available excavated earth excluding rock in trenches, plants, sides of foundation etc in layers not exceeding 20 cm in depth. consolidating each deposited layer by ramming and solisting lead up to 50m and lift up to 1.5m. 2 plints, sides of foundation etc in layers not exceeding 20 cm in depth. consolidating each deposited layer by ramming and solisting lead up to 50m and lift up to 1.5m. 3 stones and laying in position coment concrete in specified grade including curring but excluding the cost of centering and shuttering. All work up to plinth level; 1: 4: 3 (1 cement; 2 coarse sand; 3 graded stone aggregate 40-mm nominal size) custing. Providing and laying in position cement concrete of specified grade including curring but excluding the cost of centring, and shutteringfall work upto plinth level), 1: 2: 4 (1 cement; 2 coarse sand; 4 graded 5tone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including curring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level); 1: 5: 3 (1 cement; 1: 5 coarse sand; 3 graded stone aggregate 20 mm nominal size) Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pilars piers, abultments, posts and strust etc. Upto floor five level excluding the cost of centering shuttering, finishing and reinforcements, posts and strust etc. Upto floor five level excluding the cost of centering shuttering, shuttering, finishing and reinforcement with 11:5:31 (cement; 1:5 coarse sand; 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in arches, archibs, valiuts, shelves, fol		S# providing 100% FHTC) under JJM (Part-B)					
Section in depth, 1.5 in width, as well as 105gm on plan) including disposal of excavated earth lead upto 55mtr and lift upto 1.5Mtrs at directed by the Engineer incharge		0#	Particulars	Qty	Unit	Rate	Amount
Filling available excavated earth excluding rock in trenches, plinth, sites of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and vatering lead up to 50m and lift up to 1.5m. 3 Providing and laying stone soling 2nd class including cost of stones. Providing and laying in position coment concrete in specified grade including cuiring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 2. 01 (crement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size). Providing and laying in position cement concrete of specified grade including cuiring but excluding the cost of centring, and shuttering. All work up to plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuiring but excluding cost centering shuttering flinkshing and reinforcement (all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuiring but excluding cost centering shuttering flinkshing and reinforcement (all work upto plinth level). 1: 2: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement vii.1.5.3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 150 landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering shuttering, shuttering, influshing and reinforcement with 1:1.5.3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal		1	disposal of excavated earth lead upto 50mtr and lift upto 1.5Mtrs				
Filling available excavated earth excluding rock in trenches, 2 plinish, sides of foundation et in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m. 3 Providing and laying stone soling 2nd class including cost of stones. Providing and laying in position cement concrete in specified grade including cuiring but excluding the cost of centering and shuttering. All work up to plinish level: 1:4: 2.0 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) cuished. Providing and laying in position cement concrete of specified grade including cuiring but excluding the cost of centring, and shuttering(all work upto plinish level). 1: 2: 4: (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) providing and laying in position specified grade of reinforced cement concrete including cuiring but excluding cost centering shuttering finishing and reinforcement (all work upto plinish level). 1: 2: 4: (1 cement: 2 coarse sand: 3 graded Stone aggregate 20 mm nominal size) providing and laying in position specified grade of reinforced cement concrete including cuiring but excluding cost centering shuttering finishing and reinforcement (all work upto plinish level). 1: 5: 3: (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering, shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) Providing and fixing upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) Providing and stuties finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggreg	·	1.1	In all kinds of soils(bulk)	414,600	Cum	478,188	198256.62
- 3 stones Providing and laying stone soling 2nd class including cost of stones Providing and laying in position cement concrete in specified grade including curring but excluding the cost of centering and shuttering, All work up to plinth level. 1: 4: 0 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) Providing and laying in position cement concrete of specified grade including curring but excluding the cost of centring, and shuttering(all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including curring but excluding cost centering shuttering flail mixing and reinforcement (all work upto plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including curring but excluding cost centering shuttering flainshing and reinforcement (all work upto plinth level). 1: 2: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering. finishing an reinforcement 1:1.5:0 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Reinforced cement concrete work in beams, suspended floors, roots having slope upto 15° landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 cement: 1.5 coarse sand) cost of frequired centring shuttering and curing complete i: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Reinforced cement concrete work in arches, archibs, valluts, shelves, folded plates and roots having slope more than 158 floor five level inclding curing but excluding cost of centering and shutteri		2	Filling available excavated earth excluding rock in trenches, plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m.	75.600			
Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size). Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work up to plinth level). 1: 2: 4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size). Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level 1: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size). Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size). Reinforced Cement concrete work in beams, suspended floors, roofs having slope upto 15® landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing an reinforcement with 1:1.5:3 (1 cement: 1.5coarse sand: 3 graded stone aggregate 20mm nominal size). Providing and fixing upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases atc including hoisting and setting # position with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete 1:1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Reinforced cement concrete work in arches		. 3	Providing and laying stone soling 2nd class including cost of	31 590	Cum	546 500	17263.94
sprace including cuiring but excluding the cost of centring, and stuttering(all move upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded Stone aggregate 20 mm nominal size) Providing and laying in position specified grade of reinforced cement concrete including cuiring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level I: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and strus etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15® landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting **reption** psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Reinforced cement concrete work in arches, archibs, valluts, shelves, folded plates and roofs having slope more than 15% floor five level inclding curing but excluding cost of centering and shuttering, finishing and reinforcement Reinforced cement concrete work in arches, archibs, valluts, shelves, folded plates and roofs having slope more than 15% floor five level inclding curing but excluding cost of centering and shuttering, finishing and reinforcement			Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4 : 8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40-mm nominal size) crushed.				
cement concrete including cuirring but excluding cost centering buttering finishing and reinforcement (all work upto plinth level l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size. Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 150 landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in each concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting frequired centring shuttering and curing complete l: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Reinforced cement concrete work in arches, archibs, valluts, shelves, folded plates and roofs having slope more than 154 floor five level inciding curing but excluding cost of centering and shuttering, finishing and reinforcement		5	grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded Stone aggregate 20 mm nominal size)	54.620	Cum	5732.042	313084.13
including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. 7 upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (toement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15% landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (10cment: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting frequired centring shuttering and curing complete I: 1.5: 3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) Reinforced cement concrete work in arches, archibs, valluts, shelves, folded plates and roofs having slope more than 15% floor five level inclding curing but excluding cost of centering and shuttering, including strutting propaging etc. and control shuttering and shuttering, including strutting propaging etc.		6 S	cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level : 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate	28.630	Cum	6916.154	198009.48
roofs having slope upto 15% landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1 Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size) Providing and fixing upto floor five level precast cement concrete string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting for psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) Reinforced cement concrete work in arches, archibs, valluts, shelves, folded plates and roofs having slope more than 15% floor five level inclding curing but excluding cost of centering and shuttering, finshing and reinforcement Centering and shuttering, including strutting propping etc. and	7	in fil up fir	ncluding attached plaster, buttresses, plinth and string courses, llets, columns, pillars piers, abutments, posts and struts etc. pto floor five level excluding cost of centering shuttering, plishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3)		Cum	8341.252	362844.48
string or lacing, courses copings bed plates anchor blocks plain window sills, shelves, louvers, steps stair cases etc including hoisting and setting for psition with cement mortar 1:3 (1 cement: 3 coarse sand) cost of required centring shuttering and curing complete l: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) Reinforced cement concrete work in arches, archibs, valluts, shelves, folded plates and roofs having slope more than 156 floor five level inclding curing but excluding cost of centering and shuttering, finshing and reinforcement Centering and shuttering, including strutting propring etc. and	8	roo sp cei 1C	ofs having slope upto 150 landings, balconies, staircases and iral staircases upto floor five level excluding the cost of ntering, shuttering, finishing and reinforcement with 1:1.5:3(Cement: 1.5coarse sand: 3graded stone aggregate 20mm minal size)	4.610	Cum	8732.429	40256.50
10 Shelves, folded plates and roofs having slope more than 15th floor five level inclding curing but excluding cost of centering and shuttering, finshing and reinforcement 11 Centering and shuttering, including strutting propring etc. and	9	win hois 3 c	ing or lacing, courses copings bed plates anchor blocks plain adow sills, shelves, louvers, steps stair cases etc including sting and setting for psition with cement mortar 1:3 (1 cement: coarse sand) cost of required centring shuttering and curing applete I: 1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone)	0.440	Cum	8011.663	3525.13
11 Centering and shuttering, including strutting propping etc. and removal of Form work for. 0.000 0.000		floor	r five level inclding curing but excluding cost of centering and tering, finshing and reinforcement	3.220	Cum	9224.643	29703.35
	11	remo	tering and shuttering, including strutting propping etc. and oval of Form work for.			0.000	0.00

1 4	Particulars	Qty	Unit	Rate	Amount
.1	Foundations, footings, bases of columns	24.830	Sqm	232.555	5774.35
	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets etc.	750.710	Sqm	508.775	381942.79
11.3	Suspended floors, roofs, landings, balconies and access platform.	35.080	Sqm	563.523	19768.39
11.4	Arches, Domes, walls upto 60 mtr span	32.630	Sqm	1850.157	60370.62
11.5	Columns, Pilers, abutment, posts and struts.	12.600	Sqm	603.021	7598.06
12	12mm cement plaster of mix 1:4 (1-cement: 4-sand)	522.520	Sqm	317.398	165846.99
13	Providing and mixing water proofing materials in cement concrete in doses by weight of cement as per manufacturer specification	685.000	Kg	59.978	41085.27
_14	Providing and fixing of two M.S surface box for sluice/gate valve one for inlet and one for outlet including embedding of vertical members of iron embedded into concrete blocks with Angle Iron frames 50X50X6mm, Angle Iron Lid Frame 40X40X5mm with M S Sheet of 4mm thick for lid on sides and including locking arrangements handles/hinges Complete Job.	545.000	Kg	90.553	49351.33
15	Structural steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2105.670	Kg	90.553	190674.51
16	Supply at site Angle Iron Post & strut \$ 50mmX50mmX6mm including bottom to be spiit and bent at right angle in opposite direction for 10cm length and driling holes upto 10mm Dia extra complete	695.000	Kg	84.369	58636.35
17	instructions of Engineer Incharge at site.	178.260	Kg	90.553	16141.96
18	Reinforcement for RCC works including straightening cutting bending, placing in position and binding all complete TMT Bars.	8676.860	Kg	77.289	670628.91
19	Providing and Fixing of Hand Rails of approved size by welding extra to steel ladder balcony railing stair case raklling and similar works and applying primer coat	43.600	Kg	168.622	7351.94
20	Providing and fixing of Sluice Valve (ISI Marked) of approved quality (BIS) including cost of all accessories required and all sorts of carriages of material upto site of work)			0.000	0.00
	1 65mm dia	2.000	Nos	4433.000	8866.00
	2 50mm dia	4.000	-	3546.400	14185.60
20	.3 40mm dia	2.000	Nos	3103.100	6206.20
2	Providing and fixing GI Bend in dome slab with one and provided with wire guage mesh. The bends are to be fixed in dome slab during concreting for elevation purpose quality			0.000	0.00
	.1 80mm dia	6.000	Nos	709.280	4255.68
21	.2 50mm dia	6.000	Nos	531.960	3191.76
2	Providing and fixing of PVC ISIS Mark inside concrete wall for inlet and outlet of 40mm/50mm dia ength	30.000	No	177.320	5319.60
2	Providing/Shrouding and laying of filter media of required grade from ganderbal, Sind Nallah source inclusive of all sorts of carriages upto site of work complete job.	f 39.520	Cum	7536.100	297826.67
2	Providing and fixing of (8-mm thick) MS Flanges to GI pipes including cutting of threads welding of flanges to pipe ends including laying and fitting testing and commissioning including cost of nuts, bolts, rubber washers including all carraiges upto site of work complete job.	3		0.000	0.00
	1.1 65mm dia	31.000	Joints	975.260	30233.06





	Particulars	Qty	Unit	Rate	Amount
25	Providing and Fixing of 4mm thick GI chain link fabric fencing of required width in mesh size 50X50mm including strengthening with 2mm wire-huts/bolts and washers as required as perinstruction of Engineer Incharge at site.	194.000	Sqm	650.321	126162.29
26	Carriage of material from road dumping site to actual site of work by manual labours ponies including loading unloading and safe stacking etc. Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer			0.000	0.00
	Cement and Steel (30Kms)	86.640	Mton	395.388	34256.43
26.2	Sand. (35Kms)	96.900	Cum	488.809	47365.61
26.3	Agg. 20mm (60Kms)	154.770	Cum	709.094	109746.45
26.4	Agg. 40mm (60Kms	18.910	Cum	770.713	14574.17
26.5	Stone Soling (07-Kms)	31.590	Cum	246.209	7777.74
27	Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc. Complete and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer Assistant Executive Engineer.			0.000	0.00
27.1	Cement (2000Mtrs)	73.330	Mton	724.521	53129.10
27.2	Steel (2000Mtrs)	13.540	Litton	1511.032	29459.38
27.3	Sand. (2000Mtrs)	96.900	Cum	1766.364	171160.70
27.4	Agg. 20mm (2000Mirs)	154.770	Cum	1766.311	273371.97
27.5	Agg. 40mm (2000Mtrs)	18.910	Cum	1909.444	36107.58
27.6	Stone Soling (500Mtrs)	31.590	Cum	647.927	20468.02
				Total	4226442.08

Rupees Forty Two Lakh(s) Twenty Six Thousand Four Hundred Forty Two And Paise Eight Only

Checked by

Head D(Man

Executive Engineer
Hydraulic Division Uri