

OFFICE OF THE DISTRICT SUPERINTENDING ENGINEER, 

HYDRAULIC CIRCLE KUPWARA -- HEADQUARTER HANDWARA

Fax/Phone: 01955262005 *****00***** email: sehydkupwara@gmail.com
 M/S NEW WANI AND BROTHERS.
 NAME: NAZIR AHMAD WANI.
 S/O: AB. WAHIED WANI
 R/O: SHUMANAGH TRIHGAM KUPWARA
 Registration No: 929/AAV/Civil/Sanitary/CE/KCC/PDC/2009-10.
 GSTIN NO: 01ACBPW3482FZZR
 ALLOTMENT ORDER NO: 19.....-DSE/III/DB OF 2022-23 DT 20/01/2023

Sub: Laying and Fitting of Pipe Network, Dug Well, Headworks, Intake Chambers, Chain Link Fencing, Approach Road, Chowkidar Quarter, MS Boxes for Sluice Valves, Anchor Blocks, Repairs to Existing Structures under JJM for WSS Cherkote Kanthpora B Putshal.

Ref:-

- Minutes of the 8th meeting of Technical Appraisal Committee held on 08.02.2022, minutes Issued thereof vide CE/PHE/44620-41 dated. 12.03.2022.
- Minutes of the 4th & 5th meeting of Apex Committee JJM J&K circulated under endorsement NO:- SMD/JJM/J&K/27/2021-22/771-73, Dt. 29-09-2022
- Accord of Administrative Approval vide Chief Engineer Kashmir PHE Deptt. Srinagar's Order No. CE/PHE/DB/JJM/237 of 08/2022 dated. 01.08.2022
- District Action Plan of District Kupwara by DJJM vide No. DDCK/Plg/JJM/4465-85 dated. 14.07.2022
- Govt. Order No. 19-JK (JSD) of 2022 dated. 04.02.2022
- Technical Sanction Order No. CE/PHE/DB/150 of 08/2022 dated. 25.08.2022
- District Development Commissioner Kupwara's Authorization No. DDCK/Plg/JJM/MoM 11004-14, Dated: 13/12/2022 vide endorsement No.: DDCK/Plg/JJM/11015-31 dated. 13.12.2022

Advertised cost: - Rs : 217.12 LACS


Allotted cost: - Rs : 219.30 LACS

(Rupees Two Crores Nineteen lacs and Thirty Thousand Rupees Only).

For and on behalf of the Lt. Governor of Jammu and Kashmir UT, contract for Laying and Fitting of Pipe Network, Dug Well, Headworks, Intake Chambers, Chain Link Fencing, Approach Road, Chowkidar Quarter, MS Boxes for Sluice Valves, Anchor Blocks, Repairs to Existing Structures under JJM for WSS Cherkote Kanthpora B Putsha is hereby fixed with you on the accepted rates by you as shown in the enclosed Annexure of this allotment. The total cost of the work will be of the order of Rs. 219.30 LACS (Rupees Two Crores Nineteen lacs and Thirty Thousand Rupees Only) on the terms and conditions as laid down in E- NIT No: 15 of 6/2022-23 Dt. 27/06/2022 Issued under endorsement No PHEDK/1053-66 Dt: 27/06/2022 from the Executive Engineer PHE Division Kupwara shall be binding on the contractor.

S.No	Item Description	Quantity	Units	Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: (1 Mtr from cutting edge)	5932.16	CUM	436.00	2586422.00
1	All sorts of soil				


HD


TO


DSE

Scanned by Ca



First class kail wood	1.80	CUM	106894.15	182409.00
Providing hoisting and fixing trusses/purlins /rafters/posts/ post-plates or like components including cost of screws etc. complete				
First class Budloo/Fir wood	7.00	CUM	138685.40	970798.00
Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick				
First Class kail wood	12.00	SQM	2501.75	30021.00
Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-In-charge. (Note: -Butt hinges and necessary screws shall be paid separately). (35mm thick)				

34	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface) excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required 0.63 mm thick with zinc coating not less than 275 gram/m ²	110.00	SQM	951.90	104688.00
35	Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G. I. limpet and bitumen washers complete 0.63 mm thick with zinc coating not less than 275 gram/m ²	40.00	RM	691.75	27870.00
36	Providing 40x5 mm flat iron hold fasts 40 cm long including fixing to frame with 10 mm diameter bolts, nuts and wooden plugs and embeddings in cement concrete block 30x10x15 cm 1:3:6 mix. (1 cement: 3 coarse sand ; 6 graded stone 20 mm nominal size).	40.00	No.	163.04	6522.00
37	Providing and fixing plained eaves boarding. 2nd class kail wood 300x40 mm (nominal size)	45.00	RM	1587.90	71455.00
38	12mm Cement plaster of mix: 1 : 4 (1 cement : 4 fine sand)	635.34	SQM	288.06	181745.00
39	15mm Cement plaster on the rough side of single or half brick wall of mix: 1 : 6 (1 cement : 6 fine sand)	294.36	SQM	306.46	90210.00
40	12mm Cement plaster of mix: 1 : 4 (1 cement : 4 coarse sand)	119.73	SQM	288.06	34250.00
41	12mm Cement plaster finished with a floating coat of neat cement of mix:	401.18	SQM	378.13	185730.00

47	Painting wood work with deluxe multi surface paint of required shade. Two or more coats applied @ 0.90litre/10sqm over an under coat of primer applied @ 0.75litre/10sqm of approved brand and manufacture	80.00	SQM	125.50	10040.000
48	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or Strap, 10 litre low level P.V. C. flushing cistern including flush pipe (of approved make) "manually contro(led device (handle lever) conforming to IS:7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required. Orissa pattern white vitreous china W.C. pan of size 580x440 mm with integral type foot rests.	2.00	No.	3890.25	7380.00
49	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	2000.00	Litres	11.25	22500.00
50	Providing & fixing PVC pipe Grade B along with all PVC bends, Tees, S&P traps fittings, vent cowl, floor traps etc incl, earth work excavation refilling etc complete job 100mm/75 mm dia	50.00	RM	500.00	25000.00
51	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back ,f, or the reception of pipes and fittings	2.00	No	1449.35	2899.00
52	Providing and fixing C.P. brass angle valve for basin mixer & geyser points of approved make conforming to IS : 8931 (15mm nominal bore)	4.00	No.	538.10	2144.00
53	Providing and fixing C.P. brass bib cock of approved quality conforming to IS : 8931 (15 mm nominal bore)	10.00	No.	436.50	4365.00
54	Providing and fixing ball valve (brass) of approved quality complete 15 mm nominal bore	10.00	No.	438.85	4388.00
55	Providing and fixing C.P. brass close hole basin mixer pillar tap of approved quality and make, weighing not less than 1.970 kg.	8.00	No.	2207.60	17661.00
56	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc Concealed pipe including painting with anti corrosive bitumastic paint, cutting chases and making good the wall				
	15 mm dia. nominal bore	62.00	RM	474.21	29401.00
57	Providing and fixing toilet paper holder (C.P Brass)	2.00	No	500.00	1000.00
58	Providing and fixing Salem Stainless Steel A ISI 304 (18/8) kitchen sink as per I.S. 13983 with C.I. brackets and stainless steel plug 40 mm including painting of fittings and brackets, cutting and making good the walls wherever required 610x510mm bowl depth	2.00	No	4575.20	9150.00

	stone aggregate 20 mm nominal size) Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with	25.88	CUM	8408.14	554045.00
1	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)				
12	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with:	24.94	CUM	9849.35	245643.00
1	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)				
3	Providing and laying damp-proof Course 60 mm thick with cement concrete 1:2:4 (1 cement:2 coarse sand: 4 graded stone aggregate 20 mm nominal size) and curing complete	17.82	CUM	10404.52	185409.00
	40.00	SQM	409.81		16392.00
	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) over 75mm bed of dry brick ballast 40mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth and curing complete	64.16	SQM	545.22	34981.00
	Reinforcement for R.C.C work including straightening cutting, bending, placing in position and binding all complete, Thermo-Mechanically treated bars.	15010.00	KG	95.10	1427451.00
	Extra for providing and mixing water proofing material in cement concrete work on doses by weight of cement as per manufacturer's specification.	220.00	KG	57.90	12738.00
	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in				
	Cement mortar 1:6 (1 cement : 6 coarse sand)	44.00	CUM	6802.13	299294.00

+/floattime

S/O: ARDUL
S/O: WAKI
R/o: VAKRI
Registration
Centre No:
ALLOTMENT
Sub:
Ref: 1 2 3 4

68	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering lead upto 50m and lift upto 1.5m.	5449.80	CUM	108.70	1082875.00
69	P/F of MS fabricated boxes for safeguard of sluice valves size 0.50x0.50x0.60 using 40x40x5 angle iron & 3mm thick MS sheet complete job incl, embedding in cement concrete work	10.00	No.	12000.00	120000.00
70	Fabricating of bends of required degree, tees, reducers incl, welding cutting of pipes, testing & commissioning complete job.				
i	125 mm dia				
ii	100mm dia	2.00	No.	1500.00	3000.00
iii	80mm dia	14.00	No.	1400.00	19600.00
71	Dumping of stones incl, cost of stones in horizontal in level	18.00	No.	1300.00	23400.00
72	Constructing vertical bunds with sloping faces, by boulder filling (dry, hand packed tightly); including cost of stones but excluding cost of wirecrates	363.40	CUM	816.15	223909.00
73	Providing & fixing B.A wire crates (16'x16') 100x100mm mesh with both end plain as per proper and standard specification as per requirement of site & directions of Engineer In-Charge.	268.76	CUM	2073.55	557287.00
74	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. (Made of G.I. wire of dia 4 mm)	975.46	SQM	350.00	341411.00
75	Providing and fixing of Electrical points (heating and lighting) incld. cost of wire switches, necessary MCB's switch boards, ceiling roses reputed make ISI mark screws, casing / conduit materials of allsorts of carriage and labour charges required for the job.	273.00	SQM	733.50	200245.00
i	a. Lighting points.	20.00	No	1050.00	21000.00
ii	b. Heating points.	6.00	No	1400.00	8400.00
76	Supplying and stacking at site excluding carriage				
i	Graded crushed stone aggregate of size 80 mm - 45 mm	225.00	CUM	492.75	110869.00
ii	Graded crushed stone aggregate of size 63 mm - 45 mm	168.75	CUM	564.60	95276.00
iii	Graded stone aggregate atsite of size range 53mm- 22.4mm	112.50	CUM	575.30	64721.00
iv	Stone Screening of 13.2 mm nominal size	40.50	CUM	504.40	20428.00
v	Stone Screening of 11.2 mm nominal size	40.50	CUM	504.40	20428.00
vi	Stone Dust	40.50	CUM	258.25	10459.00
77	Supply and fitting of pipe specials as per relevant IS 1239 (Part 2) specifications				
i	15 mm dia GI elbows	70.00	No.	22.00	1540.00

HD

TO

DSE

		141.39	M1	488.17
viii	TMT Steel	15.01	MT	371.28
ix	125 mm DI/GI pipes	124.00	Ton	14.73
x	100 mm DI/GI pipes	3000.00	Ton	12.04
xi	DI/GI pipes below 100 mm	114.81	RM	797.55
81	Providing and Fixing of Sign Board (8'-0" x 6'-0") with Jal Jeevan Mission Logo (1'-5" x 2'-0") at a conspicuous location strictly as per sample in Annexure - 8 in Margdarshika published by ministry of Jal Shakti. This Sign Board shall be of flex type supported on 50x 50 x 6 mm ISA fixed in 1:3:6 mix of Plain Cement concrete Blocks of Size 1'-0" x 1'-0" x 2'-0"	1.00	Job	10000.00
TOTAL IN FIGURES				
Add 1%(one) on all above items				
GRAND TOTAL				