Page 1 of 2

Government of Jammu and Kashmir

OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI

email: urihydraulic@gmail.com

Allotment Order No. 12022

M/S Shafi & Co.

Prop Nazir Ahmad Check

S/O Late Mohammad Shafi Check

R/O Uranbowa

Registration No. 12/SE/Hyd/AAY/Hand/2003-04

TIN No./GST 01ABFFS5250C2ZQ

Construction of Water Supply Scheme Dhani Sayedan by way of

Name of work Construction/Commissioning and Testing Chowkidar Quarter and other allied

eNIT No. **TENDER ID** 2022_IFC_173778_41 : 15/Hyd/Uri of 2022-23 eNIT NO: 15/Hyd/Uri of 2022-23 Dated: 14/06/2022 issued under endorsement No:-Your Tender Received in :

HDU/CC-02/1031-41 Dated: 11/06/2022 (S. No: 41) response to

Reference (i) Constitution of District Jal Jeevan Mission, Administrative Council Decision

No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

(ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K, meeting convened on 04-09-2021.

(iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021. (iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-

22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033 Dated: 21-02-2022.

(v) UT level committee meeting held on 28-04-2022 under the Chairmanship

Development Commissioner Works PW (R&B).

(vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No:

CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

(vii)Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization

issued vide No: DDCB/Meeting/2022/1214-44 Dated: 24-05-2022. (viii) District Superintending Engineer Hyd. Circle Bla/Bpr HO Sopore authorization

No: SE/Hyd/DB/4551-63 Dated:- 22/07/2022

Ref: to Tech. Sanction

Ref: to AAA

: Accorded by Superintending Engineer Hydraulic Circle Sopore vide Order No. 43/SE/Hyd/DB/JJM of 2022-23 ted:- 26/08/2022. issued under Endorsement

: Granted vide Order issued under No. CE/PHE/DB/542 of 09/2022 Dated:-

10/09/2022 endorsed vide No: CE/PHE/DB/21446-50 Dated: 10/09/2022.

No:- SE/Hyd/DB/6240-25 Dated:- 26/08/2022.

HDU/CC-02/1689-1702 Dated:- 28/07/2022

LOI issued under NO:-

Rs:83.62Lacs Advertisement cost

Rupees Eighty Six Lakh(s) Ninety Six Thousand Six Hundred Allotted cost ₹ 8696652.76 Fifty Two And Paise Seventy Six Only

: 120-days Time of completion M.H. of Account (JJM)


2583795 Dated: 21/06/2022 ₹ 167,240.00 Amount: Ref. To CDR No. CDR NO:

Branch Office Salamabad Uri : J&K Bank Ltd. Name of the Bank

For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted/negotiated by you in writing on the comparative statement on the following terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that your Regd.

Card is valid/in order in terms of standing rules and free for the capacity of the work

Allotted Rates as "Annexure A" Enclosed"



erms and Conditions:-

Time of completion is essence of the contract.

- The work shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days from the date of issuance of LOI from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
- An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.

The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department.

Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.

Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of

CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.

of warranty period of the contract.

The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.

9 The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.

10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.

The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.

12 Earnest Money @2% deposited by you in shape of CDR/FDR/Bank Guarantee shall be released after deposition of 03% performance security of the value of the contract

13 All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.

Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

Checked by

Technical Officer to
Executive Engineer
Hydraulic Division Uri

NO: HDU/CC-04/3468-01
DATED: 05-11-2022

DATED: 05 - 11 - 2022 Copy to the:

1 Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.

2 Chief Engineer Kashmir PHE Department Srinagar for favour of information.

3 .District Development Commissioner Baramulla (Chairperson DJJM) for favour information.

Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No: 4551-63 Dated:- 22/07/2022

5 Additional District Development Commissioner Baramulla (Member DJJM) for information.

6 Assistant Commissioner Development Baramulla (Member DJJM) for information.

7 Divisional Forest Officer Baramulla (Member DJJM) for information.

8 Chief Planning Officer Baramulla(Member DJJM) for information.

9 Chief Medical Officer Baramulla(Member DJJM) for information.

10 District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla(Member DJJM) for information

11 District Information Officer Baramulla (Member DJJM) for information.

12 Assistant Executive Engineer PHE Sub Division Uri for information. This is in continuation to this office LOI issued under No: HDU/CC-02/1689-1702 Dated:- 28/07/2022

13 File.

Executive Engineer

lvdraulic Division Uri

Annexure "A" to the Allotment Order No. 70 of 11 /2022

Construction of Water Supply Scheme Dhani Sayedan by way of Construction/Commissioning and Testing Chowkidar Quarter and other allied works

S#	Particulars	Qty	Unit	Rate	Amount
1.00	E/W in excavation by manual means in trenches for foundations, drains, pipes, cables etc (Not exceeding 1.5 mtr in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, depth upto 1.5 mtr including disposal of excavated earth within 1km from cutting edge, disposed earth to be leveled and neatly dressed:) -			
1.10	In all kinds of soils	557.330	Cum	539.000	300400.87
2.00	Filling available excavated earth excluding rock in trenches, plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m.	61.710	Cum	198.700	12261.78
3.00	Providing and laying stone soling 2nd class incl. cost of stones and all sorts of carriages etc.)	55.225	Cum	616.400	34040.69
4.00	Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 4:8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40-mm nominal size) crushed.	35.988	Cum	4861.000	174937.67
5.00	Providing and laying in position cement concrete in specified grade including cuirring but excluding the cost of centering and shuttering. All work up to plinth level. 1: 3: 6 (1 cement: 3 coarse sand: 6 graded stone aggregate 40-mm nominal size) crushed.	29.000	Cum	5437.000	157673.00
6.00	Providing and laying cement concrete work in Retaning wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:3:6 (1cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size.) — 36.560	Cum	7269.000	265754.64
7.00	Providing and laying in position cement concrete of specified grade including cuirring but excluding the cost of centring, and shuttering(all work upto plinth level). 1:2:4 (1 cement: 2 coarse sand: 4 graded Stone aggregate 20 mm nominal size)	400,000	Cum	6465.000	1036274.85
8.00	Providing and laying in position specified grade of reinforced cement concrete including cuirring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level I: 1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20-mm nominal size) crushed	1) Cum	7800.000	127530.0
9.00	Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers abutments, posts and struts etc. upto floor five level excluding cost o centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size.	f	5 Cum	9408.000	218971.2

8 9

My

#	Particulars	04- 1	Hatt I	Data T	
10.00	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 150 landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering finishing and	Qty	Unit	9849.000	Amount 23637.60
	reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size)			ÿ ,	
11.00	Hand-packing stone in wire crates; including cost of stones and crates and all sorts of carriages of material upto site of work	34.840	Cum	2500.000	87100.00
12.00	Centering and shuttering including strutting propping etc. and removal of Form work for.	۰		9	0.00
12.10	Foundations, footings, bases of columns	264.860	Sqm	262.300	69472.78
12.20	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets etc.	913.547	Sqm	573.850	524238.95
	Suspended floors, roofs, landings, balconies and access platform.	74,240	Sqm	635.850	47205.50
12.40	Lintel Beams	10.270	Sqm	502.850	5164.27
12.50	Edges of Slab	117,000	Sqm	242.300	28349.10
12.60	Columns, Pilers, abutment, posts and struts.	28.350	Sqm	680.150	19282.25
13.00	12mm cement plaster of mix 1:4 (1-cement: 4-sand) (Including all sorts of carriages upto site of work)	471.710	Sqm	378.000	178306.38
14.00	Providing and mixing water proofing materials in cement concrete in doses by weight of cement as per manufacturer specification including all sorts of carriages upto site of work complete	800.000	Kg	67.000	53600.00
15.00	Structural steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	7753.750	Kg	114.000	883927.50
16.00	Reinforcement for RCC works including straightening cutting bending, placing in position and binding all complete TMT Bars.	7330.400	Kg	87.000	637744.80
17.00	Providing/fabricating and commissioning of MS Lid for Filtration Plant /Service Reservoir of approved design as per the instructions of Engineer Incharge at site.	4.000	Kg	8800.000	35200.00
18.00	Cement concrete flooring 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, but excluding the cost of nosing of steps etc. complete.50 mmthick with 20mm nominal size stone aggregate. Crushed	42.360	Sqm	508.000	21 <mark>518</mark> .88
19.00	Providing and lying 50mmthick DPC with cement concrete 1: 2: 4 and curing complete	24.000	Sqm	410.000	9840.00
20.00	Providing woodwork in frames of doors, windows, celestory, windows and other frames, wrought frames and fixed in position with hold fast lugs with dash fastness of required dia and length (hold fast lugs or with dash fastness shall be paid for separately Second Class Kail Wood	L) Cum	92065.350	69049.0
21.00	Brick work with common burnt clay F.P.S.(non-modualar) bricks of class designation 75 in foundation and plinth in Cement mortar 1:6 (1 cement:6 coarse sand)	22.210) Cum) — 7507.400	166739.3
22.00	Extra for brick work in seurstructure above pinth level upto flor five V level (By manualmeans)	22.21	0 Cum	7507.400	166739.3
23.00	Providing and fixing 35mm panelled or pannelled glazed shutter for doors, windows ad celestory widows including ISI Marked, M.S Pressed, but hinges, bright finished of required size with necessary screws excl. pannelling which will be paid for separately all complete.	0.04	0 Sqm	3093.800	29731.4

6

Von

#	Particulars Providing and fixing particulars	Qty	Unit	Rate	Amount
24.00	Providing and fixing paneling or panelig & glazing in pannelled & glazed shutter for doors, windows & clear stove windows. (Area of opening for pannel inserts excluding position inside groves or rebates to be measured). Pannelling for pannelled or panelled glazed shutters Decorative ply wood both sides decorative vaneer and ommericla vane or other type conforming to IS 1328 BWR Tp. (Including all sorts of carriages upto site of work)			9_ 1931.200	13962.58
25.00	Providing and fixing glazed shutters for doors, windows and celestory windows using 10Kg/Sqm (4mm Thick) float glass panes including ISI Marked M.S Pressed but hinges bright finished of requuired size with necessary screws. (Including all sorts of carriages upto site of work)	7.350	Sqm	3726.050	27386.47
26.00	Providing and fixing 35 mm thick wire gauze shutters using galvanised M.S. wire gauze of average width for aperture 1.4 mm in both directoin with wire of dia. 0.63 mm for doors, windows and clerestory windows with hinges and necessary screws, Second class kail wood. (Including all sorts of carriages upto site of work)	人 9.000	Sqm)	32864.85
27.00	Providing and laying of 1st quality ceramic glazed wall/floor tiles conforming to IS 13753 of minimum thick ness 5mm of approved make like NITCO, ORIENT, SOMANY, KAJARIA or equivalnet nake in all colours, shades except bergundy, bottle green black of any size as approved by Engineer Incharge laid on 20mm thick bed of cement cmortar (1:4) including pointing the joints with white cement and matching pigments etc complete.	€ 37.000	Sqm	<u>L</u> 1216.050	44993.85
28.00	Flooring with marble stone of specified thickness as per sampleof marble approved by Engineer Incharge over 20mm (average) thick base of cement mortar 1:4 (1 Cement 4: crse sand) laid and jointed with grey cement slurry including rubbing, polishing and curing complete with Udaipur Green Marble	4.180	Sqm	2206.450	9222.96
29.00	Finishing walls with water proofing cement paint (Two or more coats) Work applied @3.84Kg/10Sqm	101.000	Sqm	91.800	9271.80
311 1111 1	Applying One coat of Cement Primer of approved brand manufacture on wall shape	101.000	Šqm	59.350	5994.3
	Applying Priming coat with ready mixed primer of approved brand and manufacture on wood work (hard and soft wood	37.000	Sqm	59.500	2201.5
32.00	Painting with synthetic enamel paint of approved brand and manufacture 2 or more coats on new works	37.000	Sqm	121.950	4512.1
3.00	Providing and Fixing of Hand Rails of approved size by welding extra to steel adder balcony railing stair case raklling and similar works and applying primer coat	21.000	Kg	174.250	3659.2
4.00 F	Providing and fixing of Pre colour coated galvanized iron sheets (Size, shape and pitch of corrugationas approved by Engineer Incharge at site 0.5mmThick) including self driling, self tapping, Screw, EPDM seal or with Ploymer coated J ort L hooks, bolts, and nuts etc inclusing ridges/valleys of quired width as aaproved by Engineeer Incharge at site)_ 88.000	Sqm	830.250	73062.0
5.00 h	Providing and fixing of plained eves boarding 250X32mm nominal size (Kail rood)	37.500	RM	693.900	26021.2
.00 lw	roviding ridges or hips of width 60com overall width plain G.S Sheets fixed ith Plymer coated J or L hooks, bolts and coating not less than 275 gram/m2 mpet and bitumen washers complete	10.670	RM	691.350	7376.7
	roviding and fixing of hold fasts embebed in concrete	38.000	Kgs	112.000	4256.0

1 oces

S#	Particulars	Qty	Unit	Rate	Amount
38.00	Providing and fixing of water closet (Indian Type) squatting pan with 10mm dia PR s trap fluhing cistern with handle lower with all fittings and fixtures	1.000	No	L 5062.500	5062.50
39.00	ramming consoldating and dresing complete	18.000	Cum	787.400	14173.20
40.00	, , , , , , , , , , , , , , , , , , ,	1		,	0.00
	10mmDia Pipe	20.000	М	898.870	17977.40
40.20	75mm dia pipe	15.000	М	772.120	11581.80
41.00	Providing and Fixing white viterous China pedestal for wash basin completely recessed at back for reception of pipes and fittings	1.000	No	1249.250	1249.25
42.00	Stainless Steel Kitchen sink with CI brackets and plug 40mm with drain board.	1.000	No	3068.13	3068.13
43.00	PVC waste pipe for sink and wash basin 40mm semi right	2,000	No	78.000	156.00
44.00	Trap for self cleaning design with hinded grating	2.000	No	773.500	1547.00
45.00	600mm long towel rail	1.000	No	300.000	300.00
46.00	Providing and fixing of 450X450 main hole cover and frame for septic tank	4.000	No	600.000	2400.00
47.00	Providing and fixing of chlorinated olyviml Chloride (CPVC) pipes having thermal stability for hot and brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer incharge) 36.000	No	234.150	8429.40
48.00	Providing and fixing of electric wiring 3/22 for electric point through conduit (lighting)(including switch,scokets condiut wiring complete job	20.000	Point	2250.000	45000.00
49.00	Providing and fixing of electric wiring 7/20 for electric points (including switch, scokets condiut wiring complete job	10.000	Point	3750.000	37500.00
50.00	Providing and fixing of MCB mounted on wall as requried at site complete job	4.000	Point	1500.000	6000.00
51.00	Providing and fixing of mirror of superior (approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board baking (recanguler shape 453*357mm	2.000	No	1100.000	2200.0
52.00	Providing and fixinng of 600x120mm x 5mm glass shelf with edegs round of supported on anodise aluminium angle frame with cp brass brackest and guard rail complete fixed with 40mm long screws complete job	1.000	No	850.000	850.0
53.00	Providing and fixing of bends of required degree with excee door,insertion rubber insertion etc	٠		L	0.0
53.10	100mm dia	4.000	No	1000.000	4000.0
	75mm dia	4.000	No	350.000	
54.00	Providing and fixing double equal junction of required degree	ı			0.0
4.10	100mm dia	3.000	No No	800.000	
	75mm dia	3.000	No_	700.000	-
5.00	Providing and fixing of floor trapes	L		L	0.
	100 mm dia		No	950.000	
5.20	75mm dia	1.00	0 No	780.00	780.
	Providing and fixing of water heating gysers I.S.I Mark standard quality 50 liter	٠.		_	
6.00	capacity with inlet outlet connection and electric connection complete job	1.00	0 No	8500.00	0 8500.

00

Ô

Ly Ly Ly

S#	Particulars	Qty	Unit	Rate	Amount
57.00	Providing and fixing of hardware items,i.e handles tower botts locking arrangement etc as per the direction of in charge engineer complete Job	1.000	Job	30000.000	30000.00
58.00	Providing and fixing of Sluice Valve (ISI Marked) of approved quality (BIS) including cost of all accessories required and all sorts of carriages of material upto site of work)		F-1	g (88)	0.00
58.10	50mm dia	8,000	Nos	4597.900	36783.20
59.00	Providing and Fixing of GI chain link fabric fencing of required width in mesh size 50X50mm including strengthening with 2mm wire/nuts/botts and washers as required as per instruction of Engineer Incharge at site.	546.000	Sqm	733.500	400491.00
60.00	Providing and fixing of bolts of 16mm Dia 25Cm Long fully threaded to be embed in cement concrete with bolts including all sorts of carriages Complete Job	160.000	No	200.000	32000.00
61.00	Providing and fixing of MS Plates for anchoring of pipe over sadlle/anchor blocks with nuts and bolts already fitted in concrete 4mm thick 200 wide and average length 50cms MS Plate complete job in all respect	251.200	Kg	112.000	28134.40
62.00	Providing & fixing White vitreous china water closet squatting pan(Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge. Orissa pattern W.C Pan of size 580x440 mm) 1.000	No	3690.250	3690.25
63.00	Providing and fixing Salem Stainless Steel A ISI 304 (18/8) kitchen sink as per I.S. 13983 with C.I. brackets and stainless steel plug 40 mm including painting of fittings and brackets, cutting and making good the walls wherever required:Kitchen sink with drain board 510 x1040mm Bowl depth 250mm	1.000	No	7259.750	7259.75
	Constructing brick masonry manhole in cement mortar 1:4 (1'cement : 4 coarse sand) R.C.C. top slab with 1:2:4 mix (1 ceme?nt : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size) inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 20mm nominal size) finsihed with a floating coat of neat cement complete as per standard design.Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x61 Omm. internal diamensions total weight of cover and frame to be not less than 38	4.000) NO	8084.300	32337.2
1111	5 Utage 8 Syling BVC coil waste and vent nine		+	2	0.0
	Providing & fixing PVC soil waste and vent pipe.	150.00	0 Rm	250.000	
	100mm	45.00			
	75mm Semi Rigid PVC waste pipe for sink and wash basin 40 mm dia with length not less than 700 mm i/c PVC waste fittings	2.00	00 No	78.00	0 156.0
	Trap for self cleaning design with hinded grating.	2.00	00 Nõ	773.50	0 1547.

67.00 Trap for self cleaning design with hinded grating.

Page 6 of 7

0"	Particula			25° 1 11° 11	
<u>S#</u>	Particulars Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot and cold water supply, including all CPVC plain and	Qty	Unit	Rate	Amount
68.00	brass threaded fittings. This includes jointing of pipes and fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer-in-charge. Internal work-exposed on wall, including fixing the pipe with clamps at 1.00 meter spacing 15mm nominal outer dia pipes.	36.000	Rm	234.150	8429.40
	Providing & fixing of mirror of superior quality and of req shape and size with				
69.00	plate motitiee frame of approved make and shade with 6mm thick hard board backing rectangular shape 453x357mm	2.000	No	1100.000	2200.00
70.00	Providing, flixing of beds of req degree with exceed door insertion, rubber insertion etc	1		- .	0.00
70.10	100mm dia	4.000	No	530.000	2120.00
70.20	75mm dia	4.000	No	350.000	1400.00
71.00	Providing and fixing double equal junction of req degree			1	0.00
71.10	100mm dia	3,000	No	800.00	2400.00
71.20	75mm dia	3.000	No	700.000	2100.00
72.00	Providing and fixing of floor traps	•			0.00
72.10	100mm dia	2.000	No	950.000	1900.00
72.20	75mm dia	1.000	No	780.000	780.00
	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fitting arrangement of approved quality and colour.450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms.	1.000	No	802.700	802.70
74.00	Providing & fixing GI pipes complete with GI fittings and clamps including cutting and making good the walls etc. (Internal works).			<u> </u>	0.0
74.10	15mm dia nominal bore (Light weight)	20.000		278.900	5578.0
74.20	20mm dia nominal bore (light weight)	10.000	Rm	336.200	3362.0
75.00	Providing & fixing GI pipes complete with GI fittings including trenching and refilling etc. (External works).15mm dia nominal bore. (light weight)	35.000	Rm	133.750	4681.2
76.00	Providing & fixing on Terrace (at all floor levels) polyetheline water storage tank ISI 12701 marked indicating the BIS license no. with cover and suitable locking arrangement and making necessary holes for inlet, outlet and over flow pipes but without fittings and the base support for tank (Syntex, Electroplast, Star, Lotus or equivalent having valid ISI license.	500.00	0 Ltr	6.700	3350.0
77.00	Providing & fixing CP brass Bib cock of approved qyality confirming to Is-8931.15mm dia nominal bore.		00 No	318.850	1275.
	Providing & fixing CP brass angle valve for basin mixer and gyser points of approved make confirming to is-8931.15mm dia nominal bore.	f)_ 4.00	ió No	536.100	2144
79.00	Providing & fixing of 50 litre capacity gyser of approved quality (venus make or equivalent).	1.00	00 No	19000.000	19000
	Providing & fixing Lighting points in 1.5 sqmm multistrand PVC wire to be laid in conduits including providing & fixing of 5-A switches complete.	20.0	00 No	1200.000	24000
31.00	Providing & fixing heating points in 2.5 sqmm multistrand PVC copper wire to be laid in conduits including providing & fixing of 16-A switches complete.	3.0	00 No	1500.000	4500

Og.

1 ton

00

				Particulars
Amount	Rate	Unit	Qty	Providing & fixing of 1200mm sweep ceiling fans complete with accessories
7000.00	3500.000	No	2.000	liticidang ammer or for thank complete.
				Providing & fixing of Exaust fan in 1.5 sqmm stand wire to be laid in conduits
5000.00	2500.000	No	2.000	Contract.
1200.00	600.000	No	2.000	Providing & fixing of 16-A MCB of Indocap complete.
			1	Providing & fixing MCB distribution box 10 way main double door system.
5500.00	5500.000	No	1.000	Applying priming and its
22224			540,000	Applying priming coat with ready mixed red oxide of approved brand and
28801.50	52.750	No	546.000	manufacture on steel galvanized iron/steel works
				Carriage of Material from source upto road/dumping site of work by
				Mechanical Transport including loading unloading and stacking etc complete
0.0				and shhall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer
				Engineer Land Surface By Surface Engineer/Assistant Executive Engineer
			L	
91829.3	646.217	Mton	142,103	Cement and Steel from Divisional Store (46 Kms)
117406.7	77,4.400	Cum	15 .610	Sand. (51Kms)
289044.5	1069.090	Cum	270,365	Agg. 20mm (91Kms)
38954.2	1161,600	Cum	33.535	Agg. 40mm (91Kms)
15939.1	264.330	Cum	60.300	Stone Soling
43731.4	3.938	No	11105.000	Bricks (80Kms)
727.5	983.169	Cum	0.740	Timber (30Kms)
				Carriage of material from road/dumping site to actual site of work by manual
				labours/ponies including loading unloading and safe stacking etc Complete
0.0				and shhall be paid strictly as per SSR of Rates 2020 and distance as per
				actual duly recommended by Junior Engineer/Assistant Executive Engineer
			1	
73945.	781.000	Mton	94.680	Cement (100Mtrs)
88366.	1678.600	Mton	52.643	Steel (100Mtrs)
255201.	1905.200	Cum	133.950	Sand.(100Mtrs)
448569.	1905.200	Cum	235.445	Agg. 20mm (100Mtrs)
69055.	2059,200	Cum	33,535	Agg. 40mm (100Mtrs)
221291	2240.700	Cum	98.760	Stone Soling (100Mtrs)
21377	1.925	_	11105,000	Bricks (100Mtrs)
2250	608.234	Cum	3.700	Timber (100Mtrs)
8362166.	Total			

Rupees Eighty Six Lakh(s) Ninety Six Thousand Six Hundred Fifty Two And Paise Seventy Six Only
Checked by

Checked by

NHead D/Man

Executive Engineer
Hydraulic Division Uri