Page 1 of 2

Government of Jammu and Kashmir

OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI

email: urihydraulic@gmail.com

Allotment Order No.

Manzoor Ahmad Khan Mohammad Latief Khan

R/O Niloosa Reshawari

M/S

S/O

Name of work

Reference

Registration No. 13-BK/SE-PWD/BEE/2021-22

TIN No./GST No:-01FZGPP5477J1ZY

Construction of Water Supply Scheme Zamboor Pattan by way of

Construction of Intake Chambers Chambers/Laying and fitting of GI Pipes and other allied works (for providing 100% FHTC) under JJM (for providing 100%

of 07/2023

FHTC) under JJM

2023 IFC 204393 28 eNIT No. TENDER ID : 49 /Hvd/Uri of 2022-23

eNIT No:49/Hyd/Uri_of_2022-23 Dated: 11/01/2023 issued under endorsement No:-Your Tender Received in

HDU/CC-02/5279-89 Dated: 07/02/2023 (S. No: 28) Tender ID: 2023_IFC_204393_28 response to

(i) Constitution of District Jal Jeevan Mission, Administrative Council Decision

No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

(ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K,

meeting convened on 04-09-2021. (iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021. (iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-

22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033 Dated: 21-02-2022.

(v) UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).

(vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No:

CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

(vii)Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization

issued vide No: DDCB/Meeting/ 2022/1214 44 Dated: 24-05-2022, (viii) This Office Letter No: HDU/CC-02/5845-46Dated:- 02/03/2023

(viii) District Superintending Engineer Hyd. Circle Bla/Bpr HQ Sopore authorization No:

SE/Hyd/DB/15614-26 Dated:- 06/03/2023

CORRIGENDUM issued HDU/CC-02/e-NIT-49/5483-93 Dated:- 14/02/2023

under No:-

: NIT NO. 49/39-40Dated: - 05/04/2023 LOI issued under No:-

: Accorded vide Order No. 27/SE/Hyd/DB/JJM of 2022-23 Dated:- 26/08/2022. Ref: to AAA

: Accorded vide Order No.CE/PHE/DB/538 of 09/2022 Dated:- 10/09/2022 Ref: to Tech. Sanction

Advertisement cost Rs:41.47Lacs

Allotted cost Rupees Forty Two Lakh(s) Seventy One Thousand One Hundred

₹ 4271165.13 Sixty Five And Paise Thirteen Only

120-days Time of completion M.H. of Account (JJM)

Ref. To CDR No. **Bid Security Declaration Format** Name of the Bank

For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted/negotiated by you in writing on the comparative statement on the following terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that your Regd Card is valid/in order in terms of standing rules and free for the capacity of the work

Allotted Rates as "Annexure A" Euclosed"

Terms and Conditions:-

Time of completion is essence of the contract.

Page 2 of 2

- The work shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days from the date of issuance of LOI from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
- An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- 1 The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department.
- 5 Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
 Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of
- CDR/FDR/Bank Guarantee within one week after issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
- 9 The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
- 12 All other terms and conditions shall be applicable as laid down in Standard bid Document& PWD form No. 25/33.
- Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.

Head Assistant
NO: HDU/CC-04/ 2794-2006
DATED: 19-07-2028
Copy to the:

Executive Engineer
Hydraulic Division Uri

- 1 Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srianagar/ Jammu for information.
- 2 Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3 .District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4 Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No:SE/Hyd/DB/15614-26 Dated:- 06/03/2023
- 5 Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6 Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7 Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8 Chief Planning Officer Baramulla(Member DJJM) for information.
- 9' Chief Medical Officer Baramulla(Member DJJM) for information.
- 10 District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla(Member DJJM) for information,
- 11 District Information Officer Baramulla (Member DJJM) for information.
- 12 Assistant Executive Engineer PHE Sub Division Uri for information.
- 13 File.

Annexure "A" to the Allotment Order No. $\frac{72}{9}$ of $\frac{07}{2023}$

Instruction of Water Supply Scheme Zamboor Pattan by way of Construction of Intake Chambers
hambers/Laying and fitting of GI Pipes and other allied works (for providing 100% FHTC) under JJM

(for providing 100% FHTC) under JJM

| | Particulars | | I Imia | Deta | Amount | | | | |
|--|---|----------|--------|----------|-----------|--|--|--|--|
| S# | E/W in bulk excavation by manual means over areas (exceeding | Qty | Unit | Rate | Amount | | | | |
| | 30-cm in depth, 1.5 in width, as well as 10 Sqm on plan) | | | i i | | | | | |
| 1 | including disposal of excavated earth lead upto 50mtr and lift | | | | | | | | |
| | upto 1.5Mtrs as directed by the Engineer Incharge | | | 1 | | | | | |
| The same of the sa | | | | | 2 | | | | |
| 1.1 | In all kinds of soils | 1542.901 | Cum | 539.350 | 832163.65 | | | | |
| | Filling available excavated earth excluding rock in trenches, | | | | | | | | |
| 2 | plinth, sides of foundation etc in layers not exceeding 20 cm in | 1354.340 | Cum | 198.700 | 269107.36 | | | | |
| - | depth consolidating each deposited layer by ramming and | 1004.040 | Juin | 100.700 | 200101100 | | | | |
| | watering lead up to 50m and lift up to 1.5m. | | | | | | | | |
| 3 | Providing and laying stone soling 2nd class including cost of | 5.490 | Cum | 616.400 | 3384.04 | | | | |
| | stones Providing and laying in position cement concrete in specified | | | | | | | | |
| | grade including cuirring but excluding the cost of centering and | | | | | | | | |
| 4 | shuttering. All work up to plinth level. 1: 4: 8 (1 cement: 4) | 3.330 | Cum | 4861.835 | 16189.91 | | | | |
| 1 | coarse sand : 8 graded stone aggregate 40-mm nominal size) | | | | | | | | |
| 1 | crushed. | _ | | } | | | | | |
| | Providing and laying in position specified grade of reinforced | | | | | | | | |
| 1 | cement concrete including cuirring but excluding cost centering | | | | | | | | |
| 5 | shuttering finishing and reinforcement (all work upto plinth level | 5.028 | Cum | 7800.760 | 39222.22 | | | | |
| | I: 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate | | | | | | | | |
| 1 | 20-mm nominal size) crushed | | | | | | | | |
| - | Reinforced Cement concrete work in wall (any Thickness) | | | | | | | | |
| 1 | including attached plaster, buttresses, plinth and string courses, | | | ì | | | | | |
| 1 | fillets, columns, pillars piers, abutments, posts and struts etc. | | | ļ | | | | | |
| 6 | upto floor five level excluding cost of centering shuttering, | 6.660 | Cum | 9408.135 | 62658.18 | | | | |
| | finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 | | | | | | | | |
| | graded stone aggregate 20mm nominal size. | | | | | | | | |
| - | Reinforced cement concrete work in beams, suspended floors, | | - | | | | | | |
| | roofs having slope upto 15% landings, balconies, staircases and | | | | | | | | |
| 1 _ | spiral staircases upto floor five level excluding the cost of | 1.797 | Cum | 9849.345 | 17699.27 | | | | |
| 7 | centering, shuttering, finishing and reinforcement with 1:1.5:3(| 1.757 | Cum | 3043.343 | 17033.27 | | | | |
| 1 | 1Cement: 1.5coarse sand: 3graded stone aggregate 20mm | | | | | | | | |
| | nominal size) | | - | | | | | | |
| 8 | Centering and shuttering including strutting propping etc. and | | | [| 0.00 | | | | |
| 8. | removal of Form work for. 1 Foundations, footings, bases of columns | 9.720 | Sqm | 262.300 | 2549.56 | | | | |
| 0. | Retaining walls, return walls, walls (any thickness) including | | | | 2043.30 | | | | |
| 8. | 0.00 1.000 0. | 99.720 | Sqm | 573.850 | 57224.32 | | | | |
| 3. | etc. | | | | | | | | |
| 8 | Suspended floors, roofs, landings, balconies and access | 11.430 | Sqm | 635.600 | 7264.91 | | | | |
| <u> </u> | platform. | 74.070 | Sqm | 357.995 | | | | | |
| <u> </u> | Providing and mixing water proofing materials in cement | | | 337.883 | 26516.69 | | | | |
| | concrete in doses by weight of cement as per manufacturer | 600,000 | V- | 07 | | | | | |
| 1 1 | specification including all sorts of carriages upto site of work | 600.000 | Kg | 67.650 | 40590.00 | | | | |
| <u></u> | complete | | | | | | | | |
| | Reinforcement for RCC works including straightening cutting bending, placing in position and binding all complete TMT Bars. | 1503.960 | K- | | | | | | |
| | 11 bending, placing in position and binding all complete TMT Bars. | 1005.900 | Kg | 87.175 | 131107.71 | | | | |
| - | Providing/fabricating and commissioning of MS Lid for Filtration | | | | | | | | |
| 1 | 12 Plant /Service Reservoir of approved design as per the | 230.220 | Kg | 102.140 | 20- | | | | |
| | instructions of Engineer Incharge at site. | | | 1 70 | 23514.67 | | | | |
| | | | | | | | | | |





| | | 04 | 11-14 | D-4a | Amount |
|-----------------|---|----------|--------|----------|------------|
| | Particulars | Qty | Unit | Rate | 7.1 |
| V _{BU} | Providing and fixing of Sluice Valve (ISI Marked) of approved | | | | |
| | quality (BIS) including cost of all accessories required and all | | | | 0.00 |
| | sorts of carriages of material upto site of work) | | | | |
| | 50mm dia | 3.000 | Nos | 3500.000 | 10500.00 |
| 4.1 | Providing and fixing of 8 mm MS Flanges to GI pipes including | | | | 7376 |
| | cutting of threads welding of flanges to pipe ends including | | | 1 | ** |
| 14 | laying and fitting testing and commissioning including cost of | | | | 0.00 |
| | nuts, bolts, rubber washers including all carraiges upto site of | | | | |
| | work complete job. | | | | |
| 14.1 | 100mm dia | 16.000 | Joints | 1300.000 | 20800.00 |
| | 80mm dia | 80.000 | Joints | 1200.000 | 96000.00 |
| | 65mm dia | 480.000 | Joints | 1100.000 | 528000.00 |
| | 50mm dia | 960.000 | Joints | 1000.000 | 960000.00 |
| | Laying and fitting of GI Pipes excluding trenching and refilling | | | | |
| 15 | etc. | | | 1 | 0.00 |
| 15.1 | | 1550.000 | Mtr | 73.050 | 113227.50 |
| 15.2 | | 4825.000 | Mtr | 40.800 | 196860.00 |
| 15.2 | | 4750.000 | Mtr | 40.800 | 193800.00 |
| | 25 mm dia GI pipes | 5200.000 | Mtr | 30.650 | 159380.00 |
| | 5 20 mm dia GI pipes | 4000.000 | Mtr | 20.250 | 81000.00 |
| | 3 15mm dia Gl pipes | 1500.000 | Mtr | 20.250 | 30375.00 |
| 15.0 | Carriage of Material from source upto road/dumping site of work | 1000.000 | IVIC | 20.200 | |
| | by Mechanical Transport including loading unloading and | | | 1 | |
| | stacking etc complete and shhall be paid strictly as per SSR of | | 8 | 1 | 0.00 |
| 16 | Rates 2020 and distance as per actual duly recommended by | | | 1 | 0.00 |
| - | Junior Engineer/Assistant Executive Engineer | ŀ | | 1 | Ì |
| | dullion Engineerin tooleann Engineerin E | | | | 5040.07 |
| 16 | .1 Cement and Steel (45Kms) | 9.060 | Mton | 578.440 | 5240.67 |
| 16 | .2 Pipes (45Kms) | 108.220 | | 578.440 | 62598.78 |
| 16 | .3 Sand. (50Kms) | 8.220 | | 700.370 | 5757.04 |
| 16 | .4 Agg. 20mm (95Kms) | 12.120 | Cum | 1147.490 | 13907.58 |
| 16 | 6.5 Agg. 40mm (95Kms) | 2.970 | Cum | 1247.190 | 3704.15 |
| | Carriage of material from road/dumping site to actual site of | † | 1 | 1 | |
| | work by manual labours/ponies including loading unloading and | | | | |
| 1 - | safe stacking etc Complete and shhall be paid strictly as per | | | | 0.00 |
| } | SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer | | | | |
| | recommended by Junior Engineer/Assistant Excedence Engineer | | | | |
| 1 | 7.1 Cement (2100mtrs) | 6.660 | Mton | 852.860 | 5680.05 |
| | 7.2 Steel (2100mtrs) | 1.503 | Mton | 1832.130 | 2753.69 |
| | 17.3 Pipes (1250mtrs) | 108.220 | Mton | 693.110 | 75008.36 |
| | 17.4 Sand. (2100mtrs) | 8.220 | Cum | 2083.610 | 17127.27 |
| | 17.5 Agg. 20mm (2100mtrs) | 12.120 | Cum | 2083.610 | 25253.35 |
| | 17.6 Agg. 40mm (2100mtrs) | 2.970 | Cum | 2352.480 | 6986.87 |
| , | 17.7 Stone Soiling (500mtrs) | 5.490 | Cum | 730.800 | 4012.09 |
| L 0 | | T° | | Total | 4147164.90 |
| | Excess (+) | 2.99% | | 42711 | 65.128 |

Rupees Forty Two Lakh(s) Seventy One Thousand One Hundred Sixty Five And Paise Thirteen Only

Checked by

Executive Engineer
Hydraulic Division Uri

Head D/Man