

Government of Jammu and Kashmir
OFFICE OF THE EXECUTIVE ENGINEER HYDRAULIC DIVISION URI
email: urihydraulic@gmail.com

Allotment Order No. 125 of 12/2023

M/S : Manzoor Ahmad Khan
S/O : Mohammad Latief Khan
R/O : Niloosa Reshawari
Registration No. : 13-BK/SE-PWD/BEE/2021-22
TIN No./GST : 01FZGPP5477J1ZY

Name of work : *Retrofitting of Water Supply Scheme Uranbowa by way of Construction of Collection Chambers/Laying and fitting of GI Pipes and other allied works (for providing 100% FHTC) under JJM (for providing 100% FHTC) under JJM*

eNIT No. : 43 /Hyd/Uri of 2022-23 TENDER ID 2022_IFC_200972_8
Your Tender Received in response to : eNIT No:43/Hyd/Uri_of 2022-23 Dated: 09/12/2022 issued under endorsement No:- HDU/CC-02/4249-60 Dated: 27/12/2022 (S. No: 08) Tender ID : 2022_IFC_200972_8

Reference :

(i) Constitution of District Jal Jeevan Mission, Administrative Council Decision No: 28-04-2020 Dated: 05-02-2020 issued vide Govt. order No: 501-JK (GAD) of 2020 Dated: 24-04-2020.

(ii) Minutes of fourth meeting of the Apex committee of Jal Jeevan Mission J&K, meeting convened on 04-09-2021.

(iii) Jal Shakti Department order No: 196 of JK (JSD) of 2021 Dated: 12-10-2021.

(iv) Chief Engineer Kashmir PHE Jal Shakti Department office E-NIT No: 129 of 2021-22 Dated: 21-02-2022 issued under Endtt. No: CE/PHE/DB/41981-42033 Dated: 21-02-2022.

(v) UT level committee meeting held on 28-04-2022 under the Chairmanship Development Commissioner Works PW (R&B).

(vi) Chief Engineer Kashmir PHE Jal Shakti Department Srinagar's office letter No: CE/PHE/JJM/2617-59 Dated: 05-05-2022 & 4169-74 dated: 20-05-2022.

(vii) Minutes of meeting of held on 23-05-2022 under the Chairpersonship of District Development Commissioner Baramulla (Chairperson District JJM Bla) authorization issued vide No: DDCB/Meeting/2022/1214-44 Dated: 24-05-2022.

(viii) District Superintending Engineer Hyd. Circle Bla/Bpr HO Sopore authorization No: SE/Hyd/DB/13229-41 Dated:- 20/01/2023

Ref: to AAA : Accorded vide Order No.27/SE/Hyd/DB/JJM of 2022-23 Dated:- 26/08/2022. issued under Endorsement No:- SE/HYD/DB/6324-29 Dated:- 26/08/2022.

Ref: to Tech. Sanction : Accorded vide Order No.CE/PHE/DB/538 of 08/2022 Dated:- 10/09/2022. issued under Endorsement No:- CE/PHE/DB/21430-34 Dated:- 10/09/2022.

Advertisement cost : Rs:44.00Lacs

Allotted cost : ₹ 4510161.90 Rupees Forty Five Lakh(s) Ten Thousand One Hundred Sixty One And Paise Ninety Only

Time of completion : 120-days

M.H. of Account : (JJM)

Ref. To CDR No. : CDR NO: 3397113 Dated: 06/01/2023 Amount: ₹ 88,000.00

Name of the Bank : J&K Bank Ltd. Branch Office Chandanwari

For and on behalf of LT. Governor of J&K UT the contract for above noted work is fixed with you on the following rates accepted/negotiated by you in writing on the comparative statement on the following terms and conditions as already laid down in the detailed Form No. 25 (double) and NIT subject to the condition that your Regd. Card is valid/in order in terms of standing rules and free for the capacity of the work

Allotted Rates as "Annexure A" Enclosed"

Terms and Conditions:-

1 Time of completion is essence of the contract.

[Handwritten signature]

- 2 The work shall have to be started by you at site immediately & ensure its successful completion within a period of 120 days from the date of issuance of LOI from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
- 3 An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
- 4 The allotted work shall be subject to Check by the third party monitoring agency appointed by the Department.
- 5 Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
- 6 Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract.
- 7 The firm shall be bound for satisfactory performance of work for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed / repaired by any other means and cost involved thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.
- 8 After testing and commissioning of work you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
- 9 The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
- 10 Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
- 11 The date of start of the work shall reckon within 07 days from the date of issue of LOI. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
- 12 Earnest Money @2% deposited by you in shape of CDR/FDR/Bank Guarantee shall be released after depositions of 03% performance security of the value of the contract
- 13 All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
- 14 Any rules/ terms and conditions if no stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I.


Checked by


(21) Head Department
NO: HDUCC-04/5337-49

DATED: 08/02/2023.

Copy to the:

- 1 Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar/ Jammu for information.
- 2 Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3 District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4 Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information. This is with reference to his authorization No:SE/Hyd/DB/13229-41 Dated:- 20/01/2023
- 5 Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6 Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7 Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8 Chief Planning Officer Baramulla (Member DJJM) for information.
- 9 Chief Medical Officer Baramulla (Member DJJM) for information.
- 10 District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information
- 11 District Information Officer Baramulla (Member DJJM) for information.
- 12 Assistant Executive Engineer PHE Sub Division Uri for information.
- 13 File.


Technical Officer to
Executive Engineer
Hydraulic Division Uri


Executive Engineer
Hydraulic Division Uri
(Syed Shafiq)

Annexure "A" to the Allotment Order No. 125 of 02/2023

Retrofitting of Water Supply Scheme Uranbowa by way of Construction of Collection Chambers/Laying and fitting of GI Pipes and other allied works (for providing 100% FHTC) under JJM (for providing 100% FHTC) under JJM

S#	Particulars	Qty	Unit	Rate	Amount
1.00	E/W in excavation by manual means in trenches for foundations, drains, pipes, cables etc (Not exceeding 1.5 mtr in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, depth upto 1.5 mtr including disposal of excavated earth within 1km from cutting edge, disposed earth to be leveled and neatly dressed :				
1.10	In all kinds of soils	2056.777	Cum	436.000	896754.77
2.00	Filling available excavated earth excluding rock in trenches, plinth, sides of foundation etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead up to 50m and lift up to 1.5m.	1662.070	Cum	198.700	330253.31
3.00	Providing and laying stone soling 2nd class, including cost of stones	16.410	Cum	616.400	10115.12
4.00	Providing and laying in position cement concrete in specified grade including curring but excluding the cost of centering and shuttering. All work up to plinth level. 1 : 4 : 8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40-mm nominal size) crushed.	7.920	Cum	4861.835	38505.73
5.00	Providing and laying in position cement concrete of specified grade including curring but excluding the cost of centring, and shuttering(all work upto plinth level). 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded Stone aggregate 20 mm nominal size)	37.800	Cum	6465.195	244384.37
6.00	Providing and laying in position specified grade of reinforced cement concrete including curring but excluding cost centering shuttering finishing and reinforcement (all work upto plinth level : 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20-mm nominal size) crushed	11.760	Cum	7800.760	91736.94
7.00	Reinforced Cement concrete work in wall (any Thickness) including attached plaster, buttresses, plinth and string courses, fillets, columns, pillars piers, abutments, posts and struts etc. upto floor five level excluding cost of centering shuttering, finishing an reinforcement 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size.	15.730	Cum	9408.135	147989.96
8.00	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 150 landings, balconies, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3(1Cement: 1.5coarse sand: 3graded stone aggregate 20mm nominal size)	2.543	Cum	9849.345	25046.88
9.00	Reinforced cement concrete work in arches, archibs, valluts, shelves, folded plates and roofs having slope more than 150 floor five level inclding curing but excluding cost of centering and shuttering, finishing and reinforcement	3.010	Cum	10404.515	31317.59
10.00	Hand-packing stone in wire crates; including cost of stones and crates and all sorts of carriages of material upto site of work	146.630	Cum	2500.000	366575.00

Handwritten signatures and initials.

Handwritten signature: Xen

S#	Particulars	Qty	Unit	Rate	Amount
11.00	Centering and shuttering including strutting propping etc. and removal of Form work for.				0.00
11.10	Foundations, footings, bases of columns	204.090	Sqm	262.300	53532.81
11.20	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets etc.	167.010	Sqm	573.850	95838.69
11.30	Suspended floors, roofs, landings, balconies and access platform.	12.730	Sqm	635.600	8091.19
11.40	Lintel Beams	12.060	Sqm	502.850	6064.37
11.50	Arches, Domes, walls upto 60 mtr span	31.960	Sqm	2086.800	66694.13
12.00	12mm cement plaster of mix 1:4 (1-cement: 4-sand)	233.250	Sqm	358.000	83503.50
13.00	Providing and mixing water proofing materials in cement concrete in doses by weight of cement as per manufacturer specification including all sorts of carriages upto site of work complete	400.000	Kg	67.650	27060.00
14.00	Structural steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	165.440	Kg	102.140	16898.04
15.00	Reinforcement for RCC works including straightening cutting bending, placing in position and binding all complete TMT Bars.	6161.060	Kg	87.175	537090.41
16.00	Providing/fabricating and commissioning of MS Lid for Filtration Plant /Service Reservoir of approved design as per the instructions of Engineer Incharge at site.	277.530	Kg	102.140	28346.91
17.00	Providing and fixing of Sluice Valve (ISI Marked) of approved quality (BIS) including cost of all accessories required and all sorts of carriages of material upto site of work)				0.00
17.10	100mm dia	2.000	Nos	7500.000	15000.00
17.20	80mm dia	2.000	Nos	6000.000	12000.00
17.30	50mm dia	4.000	Nos	3500.000	14000.00
18.00	Providing and fixing GI Bend in dome slab with one and provided with wire guage mesh. The bends are to be fixed in dome slab during concreting for elevation purpose quality				0.00
18.10	80mm dia	6.000	Nos	900.000	5400.00
18.20	50mm dia	6.000	Nos	700.000	4200.00
19.00	Providing and fixing of 8mm MS Flanges to GI pipes including cutting of threads welding of flanges to pipe ends including laying and fitting testing and commissioning including cost of nuts, bolts, rubber washers including all carriages upto site of work complete job.				0.00
19.10	80mm dia	112.000	Joints	1200.000	134400.00
19.20	65mm dia	6.000	Joints	1100.000	6600.00
19.30	50mm dia	96.000	Joints	1000.000	96000.00
19.40	40mm dia	96.000	Joints	900.000	86400.00
20.00	Laying and fitting of GI Pipes excluding trenching and refilling etc.(Including providing and fixing of Pipe Specials/fittings				0.00
20.10	80 mm dia GI pipes	1520.000	Mtr	73.050	111036.00
20.20	65 mm dia GI pipes	20.000	Mtr	73.050	1461.00
20.30	50 mm dia GI pipes	1800.000	Mtr	40.800	73440.00
20.40	40 mm dia GI pipes	1900.000	Mtr	40.800	77520.00
20.50	25 mm dia GI pipes	3000.000	Mtr	30.650	91950.00
20.60	20 mm dia GI pipes	3500.000	Mtr	20.250	70875.00

Amx
 21/2
 21/2

2

Xen

S#	Particulars	Qty	Unit	Rate	Amount
21.00	Making connection of GI distribution branch with GI main of following sizes, by P/F of tees, incld. cutting and threading the pipe etc. complete				0.00
21.10	25 to 40 mm dia nominal bore	35.000	No	666.250	23318.75
22.00	Providing and fixing of bolts of 16mm Dia 25Cm Long fully threaded to be embed in cement concrete with bolts including all sorts of carriages Complete Job	140.000	No	200.000	28000.00
23.00	Providing and fixing of MS Plates for anchoring of pipe over saddle/anchor blocks with nuts and bolts already fitted in concrete 4mm thick 200 wide and average length 50cms MS Plate complete job in all respect	219.800	Kg	112.000	24617.60
24.00	Carriage of Serviceable material	2.000	Job	500.000	1000.00
25.00	Carriage of Material from source upto road/dumping site of work by Mechanical Transport including loading unloading and stacking etc complete and shall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer				0.00
25.10	Cement and Steel (25Kms)	35.110	Mton	401.790	14106.85
25.20	Pipes (20Km)	34.750	Mton	401.790	13962.20
25.30	Sand. (32Kms)	39.870	Cum	521.530	20793.40
25.40	Agg. 20mm (70Kms)	63.730	Cum	899.090	57299.01
25.50	Agg. 40mm (70Kms)	8.820	Cum	977.220	8619.08
25.60	Stone Soling (7km)	10.030	Cum	277.770	2786.03
26.00	Carriage of material from road/dumping site to actual site of work by manual labours/ponies including loading unloading and safe stacking etc Complete and shall be paid strictly as per SSR of Rates 2020 and distance as per actual duly recommended by Junior Engineer/Assistant Executive Engineer				0.00
26.10	Cement (1000Mtrs)	27.960	Mton	460.460	12874.46
26.20	Steel (1000Mtrs)	6.141	Mton	989.138	6074.30
26.30	Pipes (1000Mtrs)	34.750	Mton	580.640	20177.24
26.40	Sand. (1000Mtrs)	39.870	Cum	1078.217	42988.51
26.50	Agg. 20mm (1000Mtrs)	63.710	Cum	1078.217	68693.21
26.60	Agg. 40mm (1000Mtrs)	8.820	Cum	1165.594	10280.54
26.70	Stone Soling (500Mtrs)	188.910	Cum	730.802	138055.81
				Total	4399728.71
Excess (+)				2.51%	4510161.899

Excess (+)

2.51%

4510161.899

Rupees Forty Five Lakh(s) Ten Thousand One Hundred Sixty One And Paise Ninety Only

Checked by

Head of Work

28/11/2020

Executive Engineer
Hydraulic Division Uri