

## OFFICE OF THE EXECUTIVE ENGINEER PHE DIVISION SOPORE

\*\*\*\*\*

M/s Shayar Ahmad Malik  
 S/o: Khazir Mohammad Malik,  
 R/o: Dharam Wari Lolab Kupwara  
 Reg. No.: 30(1)/CPWD/2292-H  
 GST No:  
 Phone No: 9622848754

No:- 5144-49  
 Dated:- 19-09-2022  
 Advt. Cost: 89.43 lacs  
 Allott. Cost: 92.11 lacs  
 Time of Compl.: 90 days

Subject: - Retrofitting of water supply scheme Nathipora by way of laying and fitting, construction of sluice chamber, Revamping of 0.10 MGD Plant Chemical Impregnation of existing OHT and allied works under JJM (issued under Tender ID No: 2022\_PHE\_ \_ )

Ref: 1. Your on-line tender received in response to this office E-NIT No: 14/JJM/JSDS of 06/2022 dated: 09-06-2022  
 2. This office letter of intent issued under No: 4628-32 dated: 05-09-2022.

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, contract for the work mentioned above is here by fixed with you on the following rates, terms and conditions.

## A Rates:

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
1	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge : 15 mm to 40 mm nominal bore.	m	250.00	99.750	24938.00
2	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge : Above 40 mm nominal bore	m	600.00	110.650	66390.00
3	Earth work in excavation by manual means over areas (exceeding 30cm and upto 1.5mtr in depth, 1.5mtr in width as well as 10 sqm on plan) including disposal of excavated earth upto 50m from cutting edge disposal earth to be levelled and neatly dressed . All kinds of soil	cum	52.20	539.350	28154.000


  
 Head Draftsman

  
 Exen

Cont. on Page No: 2<sup>nd</sup>

## W.S.S Nathipora under JJM

	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
	Earth work in excavation by manual means over areas (exceeding 30cm and up to 1.5mtr in depth, 1.5mtr in width as well as 10 sqm on plan) including disposal of excavated earth upto 1m from cutting edge disposal earth to be levelled and neatly dressed. Water Macadem Roads	cum	1370.10	646.050	885153.00
5	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil	cum	2055.10	436.000	896023.00
6	Laying and fitting of G.I Pipes including pipe fittings 65mm ø G.I	m	3650.00	95.280	347772.00
7	Laying and fitting of G.I Pipes including pipe fittings. 50mm ø G.I	m	2650.00	58.300	154495.00
8	Laying and fitting of G.I Pipes including pipe fittings 40mm ø G.I	m	2300.00	54.620	125626.00
9	Laying and fitting of G.I Pipes. including pipe fittings 25mm ø G.I	m	1000.00	39.140	39140.00
10	Laying and fitting of G.I Pipes. including pipe fittings 20mm ø G.I	m	1750.00	26.760	46830.00
11	Laying and fitting of G.I Pipes including pipe fittings 15mm ø G.I	m	1074.00	25.400	27279.00
12	Providing and fixing of 10m thick MS flanges to Gi pipes incl cutting of pipes, incl c/o flanges, nuts, bolts, RI cloth, earthwork, refilling and all sorts of carriage of pipes complete job 80mm	Joint	33.00	1600.000	52800.00
13	Providing and fixing of 10m thick MS flanges to Gi pipes incl cutting of pipes, incl c/o flanges, nuts, bolts, RI cloth, earthwork, refilling and all sorts of carriage of pipes complete job 150mm	Joint	41.70	2100.000	87570.00
14	Providing and fixing of 10m thick MS flanges to Gi pipes incl cutting of pipes, incl c/o flanges, nuts, bolts, RI cloth, earthwork, refilling and all sorts of carriage of pipes complete job 100mm ø G.I	Joint	541.70	1800.000	975060.00
15	Providing and fixing of 10m thick MS flanges to Gi pipes incl cutting of pipes, incl c/o flanges, nuts, bolts, RI cloth, earthwork, refilling and all sorts of carriage of pipes complete job 65mm ø G.I	Joint	38.00	900.000	34200.00
16	Providing and fixing of 10m thick MS flanges to Gi pipes incl cutting of pipes, incl c/o flanges, nuts, bolts, RI cloth, earthwork, refilling and all sorts of carriage of pipes complete job 200	Joint	5.00	2400.000	12000.00
17	Providing and fabrication of MS/Gi bend, TEES, as per various ground profile pipe specials at site made out of GI/MS pipe incl c/o pipe, flanges, nuts, bolts, RI cloth and all sorts of carriage upto site of work complete job Flanged, Tee, bend	Kg	514.10	190.000	97679.00

  
Draftsman

  
Exen

Cont. on Page No: 3<sup>rd</sup>

**W.S.S Nathipora under JJM**

Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
Rethreading of damaged ends of various dia pipes	Ends	35.00	40.000	1400.00
Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering lead upto 50m and lift upto 1.5m	M3	3083.00	198.700	612592.00
Making connections of G distribution branch with GI main of following size by providing and fixing Tee including cutting and threading the pipe etc complete 25 to 40mm nominal bore	each	20.00	666.750	13335.00
21 Making connections of G distribution branch with GI main of following size by providing and fixing Tee including cutting and threading the pipe etc complete 50 to 80mm nominal bore	each	5.00	1268.750	6343.00
22 Cutting of road and making good the same incl all aggregates required to complete the job	cm	14.20	3365.600	47791.00
23 Providing , laying and fixing /jointing (rich mix concrete) of spun pipe NP3 type including earthwork excavation of trenches as specified to withstand the traffic load including cushioning by 2nd class sand and cost of pipe . The job includes concreting of damaged road of rich mix of 1:15:3 mix all sorts of carriage & head load upto site of work 300mm	m	36.00	2500.000	90000.00
24 Providing , laying and fixing /jointing (rich mix concrete) of spun pipe NP3 type including earthwork excavation of trenches as specified to withstand the traffic load including cushioning by 2nd class sand and cost of pipe . The job includes concreting of damaged road of rich mix of 1:15:3 mix all sorts of carriage & head load upto site of work 450	m	18.00	4500.000	81000.00
25 Providing and laying of dry stone soling tightly hand packed.	cum	14.90	816.400	12164.00
26 Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	cum	7.20	4861.835	35005.00
27 Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement. All work upto plinth level. 1 : 1.5 : 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm nominal size)	cum	1.40	7800.760	10921.00
28 Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc upto floor five level excluding cost of centering, shuttering finishing and reinforcement 1 : 1.5 : 3 ( 1 cement : 1.5 coarse sand : 3 graded crushed stone aggregate 20mm nominal size).	cum	6.40	9408.130	60212.00

  
Draftsman


  
Exen

Cont. on Page No:4<sup>th</sup>

**W.S.S Nathipora under JJM**

	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	cum	23.90	6465.195	154518.00
30	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing e excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	cum	12.20	9849.345	120162.00
31	Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded stoneaggregate) finished with a floating coat of neat cement including cementslurry and curing complete, but excluding the cost of nosing of steps etc.complete. 50 mm thick with 20mm nominal size stone aggregate.	Sqm	25.90	555.500	14387.00
32	Reinforcement to RCC works including bending ,binding ,cutting straightening and placing in position complete. T.M.T	kg	1482.20	87.170	129203.00
33	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	kg	4053.50	91.020	368949.00
34	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded	kg	2813.10	102.130	287301.00
35	Centering and shuttering including straightening propping etc, and removal of form work for: Foundations, footing, bases of columns etc for mass concrete	Sqm	88.00	262.300	23082.00
36	Centering and shuttering including straightening propping etc, and removal of form work for: Walls (any thickness) including attached pilasters, buttresses, plinth and string courses	Sqm	45.80	573.850	26282.00
37	Centering and shuttering including straightening propping etc, and removal of form work for: Suspended floors	Sqm	88.80	635.600	56441.00
38	12mm Cement plaster in 1:4 nominal mix.	Sqm	33.40	286.050	9554.00
39	15mm thick cement plaster finished with floating coat of cement of mix 1 : 3 (1 cement : 3 fine sand)	Sqm	540.80	378.120	204487.00
40	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 ( 1 cement : 4 coarse sand) including pointing the joints with whitecement and matching pigment etc., complete. In all colours, shades, except White, Ivory, Fume Red Brown	Sqm	15.00	1115.800	16737.00


  
Draftsman

  
Exen

Cont. on Page No: 5<sup>th</sup>

**W.S.S Nathipora under JJM**

Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
Providing and laying rectified Glazed Ceramic floor tiles of size 500 x 500 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, laid on 20 mm thick cement mortar 1:4 (1Cement : 4 Coarse sand), including grouting the joints with white cement and matching pigments etc., complete.	Sqm	3.80	1161.05	4412.00
42 Dry random rubble masonry with hard stone in foundation and plinth: using quarry stone with bond stone	cum	9.50	2497.50	23726.00
43 Providing & fixing water closet squatting pan(Indian type) along with "S" or "P" trap 10 litre low level flushing cistern incl flush pipe of approved make manually controlled device with all operations including all necessary materials, labour all complete as per the direction of Engineer-in charge.	Job	1.00	4000.00	4000.00
44 Providing & fixing 15 mm nominal bore C.P brass Bib cock brass bib cock of approved quality	each	3.00	350.00	1050.00
45 Providing and fixing of ISI marked double flanged sluice valves including c/o nuts, bolts RI cloth ,tail pieces and all sorts of carriage upto site of work complete job ( W/o, Supply & Over flow)	Job	13.00	24000.00	312000.00
46 Providing and fixing of ISI marked double flanged sluice valves including c/o nuts, bolts RI cloth ,tail pieces and all sorts of carriage upto site of work complete job ( W/o, Supply & Over flow)	Job	1.00	51000.00	51000.00
47 Providing and fixing of ISI marked double flanged sluice valves including c/o nuts, bolts RI cloth ,tail pieces and all sorts of carriage upto site of work complete job (W/o, Supply & Over flow) 150mm	Job	2.00	41000.00	82000.00
48 Brick masonry with common burnt clay F.P.S (non-modular) bricks of class designation 75 in foundation and plinth in : Cement mortar 1 : 4 (1 cement : 4 coarse sand)	Cum	29.30	6502.12	190512.00
49 Extra for brick work in super structure above plinth level upto floor V level (by manual means)	cum	25.80	1323.65	34150.00
50 Providing corrugated G.S sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I limpet washers filled with white lead and including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface) excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.50mm thick with zinc coating not less than 275gm/m <sup>2</sup>	sm	272.00	830.250	225828.00

  
Draftsman


  
Exen

Cont. on Page No: 6<sup>th</sup>

**W.S.S Nathipora under JJM**

	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 25x25 mm made of G.I. wire of dia 3 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge	sm	35.80	733.52	26260.00
52	Drilling of holes upto depth of 400mm with power driven hammer drill for anchorage of supports /embedding the Iron supports complete incl concreting of same	Job	8.00	500.00	4000.00
53	Finishing walls with water proofing cement paint of approved brand and manufactured of required shade to give an even shade new work(two or more coats) applied @3.84kg/10sqm	sm	486.10	91.80	44624.00
54	Providing ridges or hips of width 60cm over all width plain G.S sheets with polymer coated J or L hooks, bolts and nuts 80mm dia G.I limpet and bitumen washers complete job	Mtr	21.50	626.70	13474.00
55	Providing and fixing at site Eaves boarding of 200mm wide coloured including cost of holders, angle supports complete job	Mtr	34.40	250.00	8600.00
56	Supplying and fixing rolling shutters of approved make, made of required size M.S laths interlocked together through their entire length and jointed together at the end by end locks mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete including the cost of providing and fixing necessary 27.50cm long wire springs manufacture from high tensile steel wire of adequate strength confirming to IS 4454 part 1 and M.S top cover of required thickness for rolling shutters. 80x1.25mm M.S laths with 1.25mm thick top cover	sm	8.20	3238.20	26553.00
57	Providing and fixing ball bearing for rolling shutters	each	4.00	483.10	1932.00
58	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): second class kail wood		0.60	92065.35	55239.00
59	Providing and fixing glazed shutters for doors, windows and clerestory windows using 10kg/sqm (4mm thick) float glass panes including ISI marked M.S pressed butt hinges bright finished of required size with necessary screws. Second class kail wood	sm	12.10	3093.80	37435.00

  
Draftsman


  
Exen

Cont. on Page No: 7<sup>th</sup>

**W.S.S Nathipora under JJM**

Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
Providing and fixing 30mm thick wire gauze cutters using galvanized M.S wire gauze of average width for aperture 1.4mm in both direction with wire of dia 0.63mm for doors, windows and clerestory windows with hinges and necessary screws. ISI marked M.S pressed bright finished butt hinges with necessary screws of required size. Second class kail wood	sm	10.80	2966.15	32034.420
Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture.	sm	12.50	179.80	2247.500
Distempering with oil bound washable distemper of app brand and manufacture	sm	160.80	149.05	23967.240
Providing and fixing aluminium handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade with necessary screws etc complete 100 mm	Each	10.00	52.30	523.000
64 Providing and fixing aluminium tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc complete 100 x 10mm	Each	20.00	57.35	1147.000
65 Providing and fixing of stainless steel sink of approved brand and manufacture including all fixtures complete job	no	1.00	2500.00	2500.000
66 P/ F of Hold fasts	no	84.00	60.00	5040.000
67 P/F of Pvc pipes , vent etc with pv bends , traps etc complete job as per the requirement at site	L.S	2.00	4000.00	8000.000
68 P/ F of Sliding door bolts	no	1.00	300.00	300.000
69 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	ltr	1000.00	11.25	11250.000
70 Providing and fixing of Gi pipes complete job as directed by site Engineer 15mm dia.	m	37.20	344.05	12798.660
71 Providing & fitting of lighting points for ( machine room , operators room,) as per site requirement in 1.5 mm <sup>2</sup> multistranded single core 1100 volts, pvc insulated copper conductor through pvc conduit pipe by way of p / f of pearl or non-ploy carbonate angle holders , pvc gang box, switches, socket modules , regulators ,indicators, 08/10 watt LED lamps Surface light Make(/Havells/Phillips/GM/syska). Make items Anchor, klick, S S K, Indo Asian, Philips, Havells .Included is cost on account of modular switch boards with the wooden frames as per site requirements	No	20.00	800.00	16000.00

  
Draftsman


  
Exen

Cont. on Page No:8<sup>th</sup>

**W.S.S Nathipora under JJM**

	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
	Providing fitting of heating points in 2.5mm <sup>2</sup> multistranded single core 1100 volts, pvc insulated copper conductor through pvc conduit by way of p / f of 15 Amp switches, 6 pin socket on modular fitting of Anchor, Philips, GM ,make as per site requirements. Heating points are to be connected from main control panel. All accessories required is to be provided by the firm.	No	7.00	1000.00	7000.00
73	Providing, fitting of Distribution Board of reputed make 4 way S P N single door powder coated sheet steel enclosure for surface mounting fitted with bus bar, DIN channel, neutral link and incoming contact. the above DB is to be provided /fitted with double pole 40 amp MCB for Main. 32 A for heating circuit & rest 3 of 16/6 amps each for premises luminary, auxiliary circuit Of make indo Asian, Havells. Further job includes providing / fitting 4 mm <sup>2</sup> multistranded single core 1100 volts, pvc insulated copper conductor through pvc conduit as service line from main panel as per site requirements. Connections should be made in such a way Lighting points is to be connected via automatic transformer by way of p/f switch socket arrangement with allied fixtures & and heating points to main panel. Job includes dismantling of existing damaged conduit , wires, conduit and cleaning the surface properly. one job at each stage	job	1.00	5500.00	5500.00
74	Providing/fitting/testing/commissioning of power backup systems with pure sine wave home ups coupled with an inbuilt environmentally friendly zero maintenance tubular SMF VRLA gel batteries in a single console. The batteries should be sealed for life that is they should not have any requirement for water topping up or any spillage. The power bus should be equipped with a multi colored LCD user interface for better usage & monitoring. Technical specification. o Inverter rating = 850VAo Inverter Type = home UPSo Battery capacity = 150 Ah.o Battery Model = Tubular Type.o No Batteries = 01 No.o Output voltage at no load = 220+/-7o Output frequency = 50 HZ +/- 1o Output wave form = pure sine waveMake: Exide, Phillips, Microtek, luminous.Warranty:-UPS = 02 years ,Batteries = 03 yearsThe combo unit is to be provided with warranty card for on door service during warranty period.Further job includes providing/fitting of separate circuit involving 2.5mm square multi stranded copper conductor form main auxiliary panel, 16 amp switch, socket separate modules, wooden blocks, hylum sheets, 03 pin top, earthing conductor from main earthing station, desired conduits, pvc channels & all allied items as per site requirement.	job	1.00	25000.00	25000.00

  
Draftsman


  
Exen

Cont. on Page No: 9<sup>th</sup>



**W.S.S Nathipora under JJM**

Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
Providing and fixing wash basin with C.I. brackets, 15mm C.P brass pillar taps, 32mm C.P brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required: White Vitreous China Wash basin size 63x450mm with a pair of 15mm C.P, brass pillar taps	each	1.00	2582.70	2583.00
Providing and fixing of 15 mm Gate Valve complete Job	each	3.00	1200.00	3600.00
Providing and fixing 15 mm nominal bore Steel angle valve for basin mixer and geyser points of approved make conforming to IS : 8931	each	2.00	1500.00	3000.00
Providing and fixing PTMT soap dish holder	each	2.00	228.000	456.00
Extra for plastering exterior walls of the height more than 10m from ground level for every add height of 3m or part herof ( Qty Item no 1 ) 266.85 x3	sm	800.60	65.05	52079.00
Extra for plastering on circular work exceeding 6m in radius	sm	268.50	34.35	9223.00
Scaffolding of 16 mtr staging height OHT by bamboo poles including tying and tightening the the joints for making proper work space including all precautionary measures and all accessories required for completion of job and including removal of the same after completion of work	sm	522.10	200.00	104420.00
82 Dismantling of Old Rusted flanged pipe of OHT including stacking at site complete 150mm flanged	m	35.00	150.00	5250.00
83 Providing , fixing, & hoisting of 150mm dia flanged GI pipe incl c/o pipe , flanges , nuts , bolts and all sorts of carriage , lead and lift & cost of pipe complete job 150mm	Joint	35.00	1800.00	63000.00
84 Providing and fixing of 1mm thick M.S sheet door for frame 40x40x6mm incld. locking arrangements (0.9x2.2)complete job (OHT)	job	1.00	6000.00	6000.00
85 Providing and fixing of angle iron frame with 25x25mm G.I wire mesh including hoisting and fixing at required spots of OHT's complete job. Size (0.175x0.175)	job	1.00	2000.00	2000.00
86 Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50meters.	sm	266.90	35.35	9435.00
87 Making holes in reinforcement cement concret walls then fixing 15mm dia G.I bends and making good the area round the bend	No	170.00	350.00	59500.00
88 Chemical impregnation of RCC walls on inner side of wall avert leakages by way of providing mixing and impregnation compound of admixtures comprising of aqua guard , DR. Fixed demoposeal, Nitto Bend & white cement @ 1 kg/ ltr of each chemical per 50 Kg of OPC including cost of materials complete Job	No	170.00	1800.00	306000.00

  
Draftsman


  
Exen

Cont. on Page No: 10<sup>th</sup>

**W.S.S Nathipora under JJM**

	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
	Removal of chocked filter media from filter beds using buckets and rope method including disposal of (50Mtr) unserviceable material and stacking of serviceable material complete job	Cum	10.90	2500.00	27250.00
90	Washing, grading including stacking and laying of serviceable Gravel (Media) complete job	Cum	4.40	700.00	3080.00
91	Providing, stacking, laying of new filter media as per grade and CPHEEO guidelines including all sorts of carriage, head load complete job	Cum	9.10	7000.00	63700.00
92	Providing and fixing of 65mm dia PVC under drainage system with required perforation and specified make of 1.5kg/m (standard quality) with end caps. (To be paid as per actual)	m	12.00	400.00	4800.00
93	Providing and Installation of 65mm equal tee with end caps for under drainage (as per actual)	No	12.00	100.00	1200.00
94	Providing, Installation of air blower capable of providing compression@ 4.8cum /sm with suitable 3-phase induction electric motor of kirlosker/Crompton/greaves make complete. The job includes dismantling of older/existing blower, cement concrete block as per direction of incharge , base plate air/check valve, NRV complete. The job includes necessary repair work of existing air blower for stand by arrangements complete job and providing and fixing compatible starter includes testing and successful commission of job	Job	2.00	110000.0	220000.00
95	P/F of Mech . Equipments required for bleaching tank with electrically driven paddle assembling fitted with suitable reduction gear mechanism coupled with 3-phase electric motor 1HP Capacity Kirloskar /Greaves/Crompton make along with p/f of 40mm dia pvc pipe and pipe fitting upto clear water chamber ,inlet water arrangement from back wash tank by 25mm dia GI pipe with necessary pipe specials ,Gate valves of reputed make heavy duty complete job	Job	1.00	35000.00	35000.00
96	P/F of Mech . Equipments required for bleaching tank with electrically driven paddle assembling fitted with suitable reduction gear mechanism coupled with 3-phase electric motor 1HP Capacity Kirloskar /Greaves/Crompton make along with p/f of 40mm dia pvc pipe and pipe fitting from Alum Tank to flash mixer and p/f of 25mm dia GI inlet water line from back wash to alum Tank with GI pipe specials and gate valves and wash out arrangements complete job	Job	1.00	35000.00	35000.00
97	supply and Installations and successful commissioning mono block pumping unit Kirloskar/Greaves/Crompton make with 3-phase induction motor coupled with pumping unit of 3000Gallons discharge /hr along with all accessories like foot valve ,non-return valves, cement concrete block ,base plate, suction pipe ,65mm dia GI pipe (class B) with heavy duty gate valves and other pipe specials complete job with standby arrangement of same capacity .	Job	1.00	60000.00	60000.00

  
Draftsman


  
Exen


Cont. on Page No: 11<sup>th</sup>

**W.S.S Nathipora under JJM**

	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
	P/F of Mech. Equipments required for Flash Mixer with electrically driven agitator assembling fitted with suitable reduction gear mechanism coupled with 3-phase electric motor 1HP Capacity Kirloskar /Greaves/ Crompton make on cement concrete Bed with base plate (Kirloskar Or Crompto Greaves)	Job	1.00	35000.00	35000.00
99	P/F testing and commissioning of drive assembly unit for churners of flocculator with 3phase induction motor 3HP Capacity with Radicon reduction gear system and paddle set fixed on cement concrete with base plate Kirloskar /Greaves/Crompton	Job	1.00	65000.00	65000.00
100	Replacement of Electric gadgets viz switch fuse unit for Clariflocculator /flocculator/alum tank /Bleaching tank/Flush mixer /back Wash motor 7.5 HP oil immersed starter of above said motors incl preventives measuring devices , volt meter , Amp Meter/ indicator lamps , 100 Amp ,MCB,MCCB, Bus Bar, Change Over etc with internal wiring complete & Earthing of all gadjates complete	Job	1.00	20000.00	20000.00
101	Finishing walls with water proofing cement paint of required shade: Old work (one or more coats applied @ 2.20 kg/10sqm) over priming coat of primer applied @ 0.80 liters/10sqm complete including cost of priming coat.	sm	449.50	86.60	38926.00
102	Providing and fixing of aluminum framed Glass lids to cover the module chambers including locking arrangement complete(1.0*1.00)	Job	2.00	3500.00	7000.00
103	Painting with anti-corrosive paint of approved brand and manufacture to give an even shade, one or more coats on old work steel	sm	342.70	69.90	23954.00
104	<b>Carriage of Materials by Mechanical transport from different sources to nearest dumping site of work including loading, unloading</b>				
105	i) Cement/Steel for avg. lead 12kms	Cum	28.1	271.251	7622.00
106	ii) Sand for avg. lead 20kms	Cum	53.61	277.725	14888.00
107	iii) Stone agg. 40mm for avg. lead 20kms	Cum	4.83237	439.875	2125.00
108	iv) Stone agg. 20mm for avg. lead 20kms	Cum	40.65	402.293	16353.00
109	v) Stone soling for avg. lead 10kms	no	23.61	330.418	7801.00
110	vi) Bricks for avg. lead 75kms	MT	13900	2.530	35167.00
111	vii) Pipe from from divisional store by avg lead of 12km	MT	36.1	271.251	9792.00
	<b>Total</b>				<b>8943293.0</b>
	<b>3% on all items</b>				<b>268299.00</b>
	<b>Allotted Cost</b>				<b>9211591.0</b>


Checked by :



  
Head Draughtsman



  
Executive Engineer  
Jal Shakti PHE Division  
Sopore
Cont. on Page No: 12<sup>th</sup>

**W.S.S Nathipora under JJM****Terms and conditions:**

08. The total amount of the work should in no case exceed beyond **Rs.9211591.00** (**Rs.Ninety two lacs eleven thousand five hundred ninety one only**) which includes all taxes, levies etc.
09. The work shall have to be completed by you within a period of **90 days** failing which the panality under rules shall be imposed upon you
10. Performance security @ **3%** of allotted cost i.e **Rs.276347.00** in shape of CDR/BG/FDR shall have be deposited by you in this office within seven days from the date of issue of this allotment from this office failing which action shall be initiated as per SBD of the NIT.
11. An agreement shall have to be drawn by you with the department within a period of 07 days from the date of issuance of allotment, failure to execute such a formal deed shall not however prevent the contract from being enforced upon you. However payment on account of this work shall not be considered in absence of agreement .
12. The earnest money amounting to **Rs.178900/=** deposited by you in this office as a bid security against the contract vide CDR No: **3221136** dated : **21-6-2022** shall be considered for release once the performance security @ **3%** of allotted amount is deposited by you.
13. The allotted work shall have to be monitored by Third Party Monitoring Agency (WAPCOAS) appointed by the department.
14. All other terms and conditions shall remain same as laid down in E-NIT/ Standard bidding document/PWD from No 25 and GFR-17.

  
Asstt. Accounts  
Officer

  
Technical  
Officer

  
Executive Engineer  
Jal Shakti PHE Division  
Sopore

**Copy to the:**

01. Chief Engineer Kashmir Jal Shakti PHE Department Srinagar for favour of information.
02. District Development Commissioner Baramulla ( Chairman DJJM) for favour of information.
03. Superintending Engineer Hydraulic Circle Baramulla/Bandipora (Member Secretary JJM) for favour of information.
04. Assistant Executive Engineer PHE Sub Division Sopore for information and necessary action.
05. M/S WAPCOAS Ltd Corporate office 76-C intuitional area sector 18 Gurgon for information.
06. File Concerned.