ENGINEER JAL SHAKTI PHE (HYD) DIVISION BANDIPORE OFFICE OF THE

Laying/ Fitting of pipe network, construction of protection wall, anchor/ saddle blocks, crate protection works at head site WSS Weaven.

This office E-NIT No 04-PHE/Hyd/Bpr of 2022-23 issued under endorsement No PHE/Hyd/Bpr/397-407 dated 18/04/2022.

Revised District Action Plan of District Bandipore approved by DJJM vide No DDCB/BPR/2022/2056 2.

Minutes of Meeting held with District Development Commissioner Bandipore (Chairman DDJM) on 3. 04/07/2022 minutes issued vide order No 154-DDCB of 2022 dated 28/07/2022 issued under endorsement No DDCB/JJM/2022-23/2279-82 dated 28/07/2022 4.

Amendment in operational guidelines for the implementation of Jal Jeevan Mission issued by NJJM, DDW&S Ministry of Jal Shakti GOI vide F. No W-11016/10/2022-JJM-IV-DDWS Dated 21/06/2022

Modus operandi communicated by Chief Engineer Jal Shakti PHE Kashmir vide Circular No CE/PHE/MC/DB/13745-83 Dated 26/07/2022

Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore's Authorization No SE/Hyd/DB/4901-14 dated 29/07/2022

7. Letter of intent issued vide this office No PHE/Hyd/Bpr/JJM/4096-4109 dated 30/07/2022

8. Administrative Approval Accorded by Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore vide order No 73/SE/Hyd/DB/JJM of 2022-23 dated 24/09/2022 issued under endorsement No SE/Hyd/DB/8243-48 dated 24/09/2022.

9. Technical Sanction issued by Chief Engineer Jal Shakti (PHE) Department Kashmir's Order No CE/PHE/DB/751 of 11/2022 Dated 16/11/2022 issued under endorsement No CE/PHE/DB/30216-22 dated 16/11/2022.

> Executive Engineer PHE-(Hyd) Division

Bandipore

ORDER NO. PHE/HYD/BPR/45 OF 2022-2023 /2022 DATED 28/1)

Major Head of Account: JAL JEEVAN MISSION

Advertised Cost: Rs.90.63 Lacs Allotted Cost: Rs.92,43,880.00 Time of Completion: 90 Days (GST No: -01ARRPD7568C2ZU)

For and on behalf of the Lieutenant Governor of Union Territory of Jammu and Kashmir, contract for the work "Laying/ Fitting of pipe network, construction of protection wall, anchor/ saddle blocks, crate protection works at head site WSS Weaven is hereby fixed with Mr. Fayaz Ahmad Dar S/o Kh. Abdul Rahim Dar R/o Aithmulla Bandipore bearing Regd No CE/UEED/AAY/Civil/03/2015-16, on the allotted cost of Rs.92,43,880.00 (Rupees Ninety Two Lac Forty Three Thousand Eight Hundred Eighty only) on the rates quoted and subsequently negotiated / accepted by bidder on percentage basis as per the Annexure "A" of this allotment order with the standard terms and conditions as laid down in Annexure "B" of this allotment and Detailed E-NIT and SBD.

Technical Officer

No: - PHE/Hyd/Bpr/CC/ 8223-36 Dt: -28/11 /2022

Copy to the: -

Chief Engineer Jal Shakti PHE Department Srinagar for favour of information. 01.

District Development Commissioner Bandipore (Chairman DJJM) for favour of information.

Additional District Development Commissioner Bandipore (Member DJJM) for favour of information. 02. Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore (Member Secretary DJJM) for favour of information. 03.

Assistant Commissioner Development Bandipore (Member DJJM) for favour of information. 04.

Divisional Forest Officer Bandipore (Member DJJM) for favour of information. 05.

Chief Planning Officer Bandipore (Member DJJM) for favour of information. 06. 07.

Chief Medical Officer Bandipore (Member DJJM) for favour of information.

08. Chief Education Officer Bandipore (Member DJJM) for favour of information. 09.

District Social Welfare Officer Bandipore/District Tribal Welfare Officer Bandipore (Member DJJM) for favour of 10. District Information Officer Bandipore (Member DJJM) for favour of information.

11.

Assistant Executive Engineer PHE Sub-Division Bandipore for information. 12.

WAPCOS Bandipore for information. 13.

Office File. 14.

OFFICE OF THE

ECUTIVE ENGINEER PHE (HYD) DIVISION BANDIPORE

re "A" TO ALLOTMENT Order No. _ __PHE/HYD/BPR/2022-23 Dated 28/11 /2022 of Work:-

"Laying / Fitting of pipe network, construction of protection wall, Anchor/ saddle blocks, crate protection works at head site for WSS Veewan Under JJM"

Adv. Cost :- 90.63 Allotted Cost :- 9243880.00

/ 10	Particulars	Qty.	Unit	Alloted Rate	Amount
No 1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil	1456.93	Cum	444.72 987.21	647925.91 587960.75
1.1	Ordinary Rock	595.58	Cum	987.21	387 755 5
1	Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50			257.09	89128.31
2	metres::All kinds of soil :	346.68	Cum	112.86	79004.10
3	Dismontlling of G.I. Pipe: Above 40 mm nominal bore	700.00	mtr	112.00	~ .
-3-	Laying and fitting of G.I. pipes (all classes) complete excluding cost	1000 00	mtr	41.62	49939.20
4	of pipes, fittings and Earth work:- 50mm dia G.I pipe	1200.00	mtr	41.62	62424.00
4.1	40mm dia G.I pipe		mtr	31.26	31263.00
4.2	25mm dia G.I pipe	1000.00 2500.00	mtr	20.66	51637.50
4.3	20mm dia G.I pipe	2000.00	mtr	20.66	41310.00
4.4	15mm dia G.I pipe Providing and fixing of 12mm thick M.S flanges G.I pipe incld. Cost	2000.00			
1	threads excld. Earth work and refilling:	500.00	joints	1071.00	535500.00
5	80mm dia	167.00	joints	816.00	136272.00
5.1	65mm dia Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions incld. Tailpeices ,tapers, Gi pipe etc.	8.00	No	10200.00 7140.00	81600.00 21420.00
6	complete :-50mm dia	3.00	No	7140.00	
6.1	25mm dia G.I Providing and fixing of CI sluice valve with cap including all accessories like nuts, bolts rubber insertion etc and tail pieces of Kirloskar make including successful testing and commissioning. :100mm dia	4.00	No No	45900.00 30600.00	183600.00 122400.00
7	80mm dia	3.00	No	25500.00	76500.00
7.1	65 mm dia Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore	110.00	Nos Nos	679.58 1294.13	74753.25 12941.25
8.1	50 to 80 mm nominal bore	. 5.55			12240.00
0.1	I fining gun metal gate valve will cir.	6.00	. No	2040.00	22950.00
9	approved quality (screwed end) 50 mm nominal bore	9.00	No	2550.00	22930.00
9.1					
7.1	Constructing masonry Chamber of specified size, in Brick work common burnt clay (non modular) bricks of class designation 7.5 incement mortar 1:4 (1 cement :4 coarse sand) and R.C.C. top slab 1:1.5:3mix (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mmnominal size) including necessary xcavation, foundation concrete 1:5:10 (1 cement :5 fine sand : 10 graded stone aggregate 40 mmnominal size) and inside plastering with cement mortar 1:3 (1 cement : 3				
	coarse sand) 12 mm mick limisted with a meaning				
	coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand) 12 mm thick finished with a floating coal of the coarse sand (and the coarse sand) 12 mm thick finished with a floating coal of the coarse sand (and the coarse sand floating coarse sand floating coarse sand (and the coarse sand floating coarse sand floating coarse sand floating coarse sand floating coarse sand (and the coarse sand floating coar	1	No	21892.11	21892.11

Conts. On 2nd

Executive Engineer

p-2[™]

"Laying / Fitting of pipe network, construction of protection wall , Anchor/ saddle blocks , crate protection works at head site for WSS Veewan Under JJM"

	protection works at head site for WSS Veewan Unc	ler JJM''	, meno	i/ saddle bloc	.ks , craie
		286.78	Cum	628.73	180306.62
	programmes into wire crates incld cost of stones but excld.	200.70	Com	020./3	180306.62
	packing stories	58.32	Cum	752.20	43868.25
	, 40163			752.25	40000125
	ost of cavailable excavated earth (excluding rock) in available plinth, sides of foundations etc. in layers not exceeding trenches, in depth, consolidating each deposited layer by ramming and	i			
/	plinth, sides of foundations etc. in layers not exceeding trenches, depth, consolidating each deposited layer by ramming and 20 cm in lead upto 50 m and lift upto 1.5 m				
	100 cm = 1 upto 50 m and lift upto 1.5 m	1960.06	Cum	202.67	397253.20
1/3	watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead opto 30 m and in opto 40 m watering, lead	14.44	Cum	832.73	12024.59
		- 1	1		
	L unto plinto level with 1:4:0 (1 cement 1 4 course sond 1 0)			(050.00	22514.21
	and stone aggregate 40 mm nominal size)	4.54	Cum	4959.08	22314.21
1 15	sinforcement for R.C.C. work including straightening, cutting,				
[bending, placing in position and binding all complete upto plinth levels	1092.00	kg	88.92	97104.57
16	Thermo-Mechanically Treated bars of grade Fe-500D or more	1072.00	- 19		
	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns etc. for mass	1	i		75.47.07
		282.00	sqm	267.55	75447.97
17	concrete. Walls (any thickness) including attached pilasters, buttresses, plinth			505.22	746877.25
	and string courses etc.	1276.00	sqm	585.33	230901.00
	12mm Cement plaster of mix: 1:4 (1 cement: 4 fine sand)	870.50	sqm	265.25	250707.00
19	Partition and laying in position specified grade of reinforced cement				
	including curing but excluding the cost of comounty		ă		1
	the state and reinforcement. All WORKS UPIO PHILIT IC. O. I	-	1		194399.51
	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm	27.31	Cum	7118.25	194399.51
20		2,,,,,			1
	- refaining walls, leight walls,				
1	walls (any thickness)including affached phasicis, or lacing courses,			1	
	abutments, pillars, posts, struts, buttesses, struts, plain window sills,	-			
	parapets, coping, bed blocks, anchors blocks, parapets, coping, bed blocks, anchors blocks, parapets, parapets, coping, bed blocks, anchors blocks, parapets, parapets				2195232.86
	I . I Having and finishing will 1.0.0 \	296.07	Cum	7414.57	2195232.80
21	6 graded stone aggregate 20 mm nominal size) 6 graded stone aggregate 20 mm nominal size) 6 graded stone aggregate 20 mm nominal size)	2,0		00.04	24250.50
-21	6 graded stone aggregate 20 mm nominal size) Providing and fixing of nuts ,bolts and chips incld one end fix to	300.00	kg	80.84	1530.00
22	anchor block	15.00	mtr	102.00	
23	onchor block Providing & fixing of 80mm dia PVC pipe for aeration purpose Welding, including transportation of plant at site etc. complete By		1	6.27	26032.95
	Welding, including transportation of promi	4150.00	cm	21.42	58404.63
24	electric plant	2726.64	sqm	21.42	
25	supply of crate mesh Carraige of materials from source to road site of work including Carraige of materials from source to road site of work including		}		
	Carraige of materials from source to road site of the soling for an av loading, unloading and stacking: Stone / stone soling for an av	140.11	Cum	337.03	47221.05
		12.99	Cum	886.62	11517.26
26	lead of 10 km 40mm aggregate for an av lead of 55 km	291.04	Cum	815.72	237408.49
26.1	20mm aggregate for an av lead of 55 km		Cum	714.38	127252.05
26.2	20mm aggregate for all and a second of 50km	178.13	MT	454.88	17626.57
26.3	sand for an av lead of 50km	38.75	MT	454.88	56377.73
26.4	Pipes for an av lead of 30 km	123.94	_	364.79	507.06
26.5	cement for an av lead of 30 km	1.39	MT	309.72	182.74
26.6	steel for an av lead of 20 km	0.59	MT	307.72	
26.7	crates for an av lead of 15 km Carraige of materials from road site to site of work by manual Carraige of materials from road site to site of work by manual			1	
	Carraige of materials from road site to site of warman lead of labour including loading, unloading and stacking for an av lead of	14011	Cum	2390.55	334940.46
	labour including loading, unloading and the same soling	140.11	Cum	2196.74	28535.70
27	2000 Mtrs. Stone / stone soling	12.99		2032.08	591417.96
27.1	40mm aggregate	291.04	Cum	2032.08	361975.27
27.2	20mm aggregate	178.13	Cum	1051.13	40731.30
27.3	sand	38.75	MT	1031.13	20 2
27.4	pipes				M20/

ead Draftsman

Conts. On 3rd

Executive Engineer

"Laying / Fitting of pipe network, construction of protection wall, Anchor/ saddle blocks, crate protection works at head site for WSS Veewan Under JJM"

	100.0			1	
eel / GS Sheets	123.94	MT	1051.13	130277.10	
	1.39	МТ	1790.61	2488.95	
crates Providing, erecting and fixing of sign board 2'6"x4' made up of	0.59	MT	833.53	491.78	
ingle iron frame work 50x50x6mm with 1mm thick M.S sheet including priming, painting and proper lettering and embeding with 3:6 cement concrete complete job.	1.00	job	6120.00	6120.00	
Pumass /NU.			TOTAL	0242990 00	
Rupees (Ninety Two Lac Forty Three Thousand Eight Hundred Eighty only)					

Head Draftsmar

Executive Engineer PHE (Hyd) Division Bandipora.

ANNEXURE "B"

of pipe network, construction of protection wall, anchor/ saddle blocks, crate Filling at head site WSS Weaven

MS AND CONDITIONS

02.

The work shall be executed strictly as per approved design / drawing, specifications and JJM Guidelines. Any deviation or change in proposal/location is subject to the prior approval from the competent authority.

The rates allotted are inclusive of all taxes applicable as per norms amended by competent authorities from time to time. Labour cess and royalties shall have to be borne by the executing agency/contractor.

The execution of work shall be subject to check by the third party monitoring agency (TPIQM) 03. appointed by the Department

No liability should be created on this account.

04. This letter of allotment will constitute a legal contract between the government and the 05. contractor and the conditions as laid down in the master NIT for 2022-2023 and PWD Form No. 25 (Double) will also hold good even before the drawl of an agreement between the Government and the contractor.

That the date of start of the work shall be reckoned within two days from the date of issue of Letter of Intent issued vide this office No PHE/Hyd/Bpr/JJM/4096-4109 dated 30/07/2022 06. and in case of delay on the part of the contractor in execution of the work within stipulated time of completion a penalty upto 10% of contract value shall be imposed upon him.

The total amount of work should not exceed Rs.92,43,880.00 in any case.

The bidder shall furnish a performance security equivalent to 03% of the value of the contract 07. within one week of the issuance of allotment order in the shape of CDR/FDR/Bank Guarantee, 08. valid for a period of 24 Months, which shall be released after successful fulfilment of the laid

In case the contractor fails to execute the work, the work shall be put to fresh tenders on the risk and cost of the contractor & the excess cost if involved shall be recovered from the contractor 09. and strict action as warranted under contractual obligation shall be taken against the defaulter The time of completion of the work is reckoned 90 Days (Ninety Days) as per the condition

10.

The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty period any 11. malfunctioning/ defects arise, the firm shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm to remove the defect, the department may get the defects removed/ repaired by any other agency and cost thereof shall be recovered from the firm and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting

After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to 12. operate and maintain the executed work to the full satisfaction of the Department

The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be 13. responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months

In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the 14. event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time

Inforce in the UT: inate the contract after 15 days' notice Recover the amount of loss caused by damage, failure or default, as be determined by the department. diajor

c). Recover the extra cost, if any, involved in allotting contract to other party. d). Impose Liquidated damages on account of delay beyond the schedule completion d). The delayed portion of contract every week but not exceeding 10% value of the contract. and/or Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department or bidder one against the other if such failure of commission arises from the 'ACT OF GOD' which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer-in-charge, be terminated by notice in writing posted at the The bidder should ensure the safety of the water supply lines, sewer lines, telephone cables, power cables, storm water drains etc., pipe laying alignment and, if any damage occurs during execution it should be attended immediately at the cost of the bidder. Failing to attend immediately, the same will be got done by the Department at the risk and cost of the allotee All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the The bidder shall not sublet the whole or part of the work. The bidder shall not assign the work or any part thereof or any benefit or any interest thereon or any claim arising of the contract, without prior written consent of the allotting authority From the commencement of the work to the completion thereof the same shall be under the bidder's charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the The bidder shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions

The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ materials at sites till its

erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of

The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the

Department for the protection of the work or safety and convenience of the Public etc

of all labour laws and the rules framed there under

15.

17.

18.

19.

20.

21.

22.

23.

/firm shall make his own arrangement, at his own cost, for all lines, power points, etc. to the machinery and plant required by him for the testing and commissioning of the equipment ordered on him. The bidder for all electrical energy consumed by him for this purpose at the pay electricity tariff in J&K State. Such charges shall be paid by the firm directly to the Power Corporation and the bidder's final bill shall be bidder's final bill shall be settled only after he gets a no outstanding certificate from the concerned Electric Division.

The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the execution/Hydro-testing/ water tightness Test/ Curing, labour colony, Site Office etc

Forfeit the performance security and blacklist the firm 25.

Geo Tagged Photographic evidences of the work; pre-execution, during execution 26. and post execution should be maintained by the agency on his own expenses

agency/contractor must execute the work as executing 27. requirements/specifications detailed in the relevant/applicable IS codes

The tests for concrete and allied materials shall have to be carried out at reputed 28. institute as per directions of Engineer in-charge and the charges for the same shall have to be borne by the executing agency/contractor

All Environmental norms, labour laws and all other guidelines issued by competent

authorities shall be followed in letter and spirit

The payment of work shall be made as and when the funds are available to the 30. tune within available provision of DPR by the competent authority under the proper

scheme/ account head.

29.

32.

As soon as letter of award is communicated to the firm, the contract shall be 31. complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.

Nothing shall be paid to the contractor on account of dewatering/ diversion even if

involved at site of work.

If the Contractor have not start the work within 15 days of issuance of this letter of 33. intent, the contract shall be cancelled at the risk and cost of contactor without serving any notice. The Assistant Ex. Engineer concerned shall intimate this office regarding the same.

All other terms and conditions as laid down in Master E-NIT, Tender documents and 34.

PWD form 25 shall remain in force.

Technical Officer

Executive Engineer

Bandipore