OFFICE OF THE

UTIVE ENGINEER JAL SHAKTI PHE (HYD) DIVISION BANDIPORE

Construction including successful testing and commissioning of 0.40 Lac gallon capacity RCC Service Reservoir with sluice chamber, Laying/ Fitting of pipe network, construction of protection wall, chain link fencing, anchor/ saddle blocks, intake/ collection chamber WSS Chattibanday.

Reference: -

- This office E-NIT No 03-PHE/Hyd/Bpr of 2022-23 issued under endorsement 1. No PHE/Hyd/Bpr/386-96 dated 18/04/2022.
- Revised District Action Plan of District Bandipore approved by DJJM vide No 2. DDCB/BPR/2022/2056 dated 16/07/2022.
- 3. Minutes of Meeting held with District Development Commissioner Bandipore (Chairman DDJM) on 04/07/2022 minutes issued vide order No 154-DDCB of 2022 dated 28/07/2022 issued under endorsement No DDCB/JJM/2022-23/2279-82 dated 28/07/2022
- Amendment in operational guidelines for the implementation of Jal Jeevan Mission issued 4. by NJJM, DDW&S Ministry of Jal Shakti GOI vide F. No W-11016/10/2022-JJM-IV-DDWS Dated 21/06/2022
- Modus operandi communicated by Chief Engineer Jal Shakti PHE Kashmir vide Circular No 5. CE/PHE/MC/DB/13745-83 Dated 26/07/2022
- Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore's Authorization No 6. SE/Hyd/DB/4901-14 dated 29/07/2022.
- Administrative Approval Accorded by Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore vide order No 101/SE/Hyd/DB/JJM of 2022-2023 dated 19/11/2022 issued under 7. endorsement No SE/Hyd/DB/10598-603 dated 19/11/2022.
- Technical Sanction issued by Chief Engineer Jal Shakti (PHE) Department Kashmir's Order No CE/PHE/DB/779 of 12/2022 Dated 17/12/2022 issued under endorsement No 9. CE/PHE/DB/35273-79 dated 17/12/2022.

ORDER NO. PHE/HYD/BPR/ 69 OF 2022-2023 DATED: 28/12/2022

Major Head of Account: JAL JEEVAN MISSION

Advertised Cost: Rs.96.11 Lacs Allotted Cost: Rs.98,03,375.00 Time of Completion: 90 Days (GST No: -01ACRPW7516N1ZW)

For and on behalf of the Lieutenant Governor of Union Territory of Jammu and Kashmir, contract for the work "Construction including successful testing and commissioning of 0.40 Lac gallon capacity RCC Service Reservoir with sluice chamber, Laying/ Fitting of pipe network, construction of protection wall, chain link fencing, anchor/ saddle blocks, intake/ collection chamber WSS Chattibanday" is hereby fixed with Tasleem-ul-Haq Wani S/o Kh. Bashir Ahmad Wani R/o Nadihal Bandipore bearing Regd No CE/I&FC/Sgr/05/(Five)/AAY (Civil& Sanitary)/2022-23, on the allotted cost of Rs.98,03,375.00 (Rupees Ninety Eight Lac Three Thousand Three Hundred Seventy Five only) on the rates quoted and subsequently negotiated / accepted by bidder on percentage basis as per the Annexure "A" of this allotment order with the standard terms and conditions as Leid down in Annexure "B" of this allotment and Detailed E-NIT and SBD.

Executive Engineer PHE (Hyd) Division

Bandipore

Technical Officer

No: - PHE/Hyd/Bpr/CC/9237-50

Dt: - 28 / 12/2022

Chief Engineer Jal Shakti PHE Department Srinagar for favour of information. Copy to the: -

- District Development Commissioner Bandipore (Chairman DJJM) for favour of information. Additional District Development Commissioner Bandipore (Member DJJM) for favour of information. 01. 02.
- Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore (Member Secretary DJJM) for favour of information.
- Assistant Commissioner Development Bandipore (Member DJJM) for favour of information. 03.
- Divisional Forest Officer Bandipore (Member DJJM) for favour of information. 04.
- 05.
- Chief Planning Officer Bandipore (Member DJJM) for favour of information. 06. 07.
- Chief Medical Officer Bandipore (Member DJJM) for favour of information. District Social Welfare Officer Bandipore/District Tribal Welfare Officer Bandipore (Member DIJM) for favour of 08.
- 09. District Information Officer Bandipore (Member DJJM) for favour of information. 10.
- Assistant Executive Engineer PHE Sub-Division Bandipore for information. 11.
- Tasleem-ul-Haq Wani S/o Kh. Bashir Ahmad Wani R/o Nadihal Bandipore for information. 12.
- 13. 14.

OFFICE OF THE

LITIVE ENGINEER PHE (HYD) DIVISION BANDIPORE

_PHE/HYD/BPR/2022-23 Dated <u>20/ (2</u>/2022 re "A" TO ALLOTMENT Order No.

of Work:- "Construction including successful testing and commisioning of 0.40 lac Gallon Capacity RCC service resorvoir with sluice chamber, Laying / Fitting of pipe network, construction of protection wall, chainlink fencing, Anchor/ saddle blocks, intake/ collection chamber for WSS Chittaybanday"

Adv. Cost :- 96.11 lacs

		Allotted Cost :- 9803375.00					
S. No	Particulars	Qty.	Unit	Rate	Amount		
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil	1965.20	Cum	436.00	856827.20		
1.1	Ordinary Rock	836.10	Cum	967.85	809219.39		
	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-	Ŀ					
2	Charge. All kinds of soil	260.53	Cum	188.75	49175.04		
2.1	Ordinary Rock	111.66	Cum	378.35	42246.56		
	Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50		, .				
3	metres::All kinds of soil :	178.15	Cum	252.05	44902.71		
3.1	Ordinary Rock	6.86	Cum	470.00	3224.20		
. 4	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material: All kinds of soil:	11.34	Cum	81.65	925.91		
4.1	Ordinary or hard rock	102.08	Cum	146.45	14949.62		
5	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge: 15 mm to 40 mm nominal bore	1370.00	^				
5.1	Above 40 mm nominal bore		mtr	99.75	136657.50		
6	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work:- 50mm dia G.I pipe	350.00 15550.00	mtr	110.65 40.80	38727.50 634440.00		
6.1	40mm dia G.I pipe	2750.00	mtr	40.80	112200.00		
6.2	25mm dia G.I pipe	3720.00	mtr	30.65	114018.00		
6.3	20mm dia G.I pipe	4350.00	mtr	20.25	88087.50		
6.4	15mm dia G.I pipe	4500.00	mtr	20.25	91125.00		
7	Providing and fixing of 12mm thick M.S flanges G.I pipe incld. Cost of flanges, rubber gaskets, nuts bolts, welding charges cutting of threads excld. Earth work and refilling:100mm dia	250.00	joints	1200.00	300000.00		
7.1	80mm dia	137.00	joints	1100.00	150700.00		
8	Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions incld. Tailpeices ,tapers, Gi pipe etc.	10,100	Jonns	1100.00	130700.00		
8.1	complete :- 50mm dia	3.00	No	10000.00	30000.00		
0.1	25mm dia G.I	4.00	No	7000.00	28000.00		
9	Providing and fixing of CI sluice valve with cap including all accessories like nuts, bolts rubber insertion etc and tail pieces of Kirloskar make including successful testing and commissioning. :100mm dia				2000.00		
9.1	80mm dia	2.00	No	45000.00	90000.00		
	Somm dia	3.00	No	30000.00	90000.00		

Head Dra

contd. On 2nd

Executive Engineer

Construction including successful testing and commissioning of 0.40 lac Gallon Capacity RCC service resorvoir with sluice chamber, Laying / Fitting of pipe network, construction of protection wall, chainling fencing, Anchor/ saddle blocks, intake/ collection chamber for WSS Chittaybanday"

		Making connection of G.I. distribution branch with G.I. main of	ber for Ws	Structioi	n of protection	wall, chainlink
		following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm paging like.		China	lybanday"	
	10	threading the pipe etc. complete 25 to 40 mm nominal bore				
1	10.1	50 to 80 mm nominal bore	35.00	Nos	666.25	
	F.,	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) 50 mm powing like.	10.00	Nos	1268.75	23318.75
-	11	approved quality (screwed end) 50 mm nominal bore		, , , , ,	1208./3	12687.50
-	11.1		0.00	No	2000.00	
		Constructing masonry Chamber of specified size, in brick work with	5.00	No	2500.00	12000.00
		common burnt clay (non modular) bricks of class designation 7.5			2300.00	12500.00
		incement mortar 1:4 (1 cement :4 coarse sand) and R.C.C. top slab				
		1:1.5:3mix (1 cement : 1.5 coarse sand) and R.C.C. top slab 20 mmnominal size) including recoggregate		- 1		
1		20 mmnominal size) including necessary xcavation, foundation	1			
1					ŀ	
1		40 mmnominal size) and inside plastering with cement mortar 1:3 (1		1		
1						
١						
1	12			1		
ŀ	13		1.00	NI-	01.440.00	
ŀ	13	simplify stone including cost of stones, in Horizontal on level	108.59	No	21462.85	21462.85
-		timing dydlidble excavated carety	100.57	Cum	616.40	66934.88
1		mericiles, plinth, sides of foundations at a l		1	1	
	14	" " " Colisolidullid edich deposited laver L.	ľ			
1	15	1 January 10 day opio 50 iii diid liff Upio 1.5 m	2773.67	Cum	198.70	551100 00
ı		Providing & laying stone soling in horizontal on level.	37.20	Cum	816.40	551128.23
_ 1		Providing and laying in position cement concrete of specified grade including guring but excluding the			010,40	30370.08
		The state of the contract of contract of the c				
	16	work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)		l	-	
		Providing and laying in position and size)	28.22	Cum	4861.84	137201.12
		Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering finishing and activities.				.0, 201.12
		shuttering, finishing and reinforcement. All works upto plinth level:				
		1:11/2:3 (1 cement : 11/2 coarse sand : 3 graded stone aggregate 20		2		
	17	min nominar size)	30.08	_		
		Reinforced cement concrete work in walls (any thickness) including	30.08	Cum	7800.76	234646.86
		direction pilosters, buttresses, plinth and string courses fillets columns	7.4.			
		piliars, piers, abutments, posts and struts upto floor five level including	t t	1		V
		corning but excluding cost of centering shuttering finishing and				
		Tellhorcement.	1			
	18	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20				
	-10	min horningi size)	27.21	Cum	9408.14	255995.49
		Reinforced cement concrete work in beams, suspended floors, roofs		100		255775.47
		having slope upto 15°, landings, balconies, shelves, chajjas, lintels,				
		bands, plain window sills, staircases and spiral stair cases upto five			1	
		level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with:				
		1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20		٠		
	19	mm nominal size)	0.70	·	*	
		Reinforced cement concrete work in arches, archribs, domes, vaults	8.72	Cum	9849.35	85886.33
		shells, folded plate and roofs having slope more than 15° upto floor				
		Tive level level including curing but excluding the cost of centering		Ì		
×		shortering finishing and reinforcement with-]			
		1:11/2:3 (1 cement: 11/2 coarse sand: 3 graded stone aggregate 20	1			
	20	min nominal size)	9.73	Cum	10404.52	10102500
	2.	Providing & fixing of main hole cover 0.90 x 0.90 of standard quality	T	Com	10404.32	101235.98
	21	with different frame incld all necessary fittings complete	4.00	No	4500.00	18000.00
		Steel reinforcement for R.C.C. work including straightening cutting		1	1000.00	10000.00
	22	bending, placing in position and binding all complete upto plinth levels				
		Inermo-Mechanically Treated bars of grade Fe-500D or more	9231.24	kg	87.18	804779.50
		Structural steel work in built up sections, trusses and framed work				
	23	including cutting, hoisting, fixing in position and applying a priming	1		(00
ı		coat of approved steel primer all complete Welded	410.50	kg	102.14	/ / 41928.47
		0 L				IV O / \

construction including successful testing and commissioning of 0.40 lac Gallon Capacity RCC service resorvoir with sluice chamber, Laying / Fitting of pipe network, construction of protection wall, chainlink fencing, Anchor/ saddle blocks, intake/ collection chamber for WSS Chittaybanday"

1,5,5	fencing, Anchor/ saddle blocks, Intake/ collection chan	nber for W	iss c	hittayb	anday"		
	plate, including cutting, hoisting, fixing in position and applying a		1	1	1		1
/	priming coat of approved steel primer all complete	3523.00	100		91.03	320	0698.69
24	Centering and shuttering including strutting, propping etc. and removal	3323.00	kç	9	71.03	- 02	3070.07
1	of form for: Foundations, footings, bases of columns etc. for mass		1		1		
25	concrete.	395.00	sc	m	262.30	10	3608.50
	Walls (any thickness) including attached pilasters, buttresses, plinth			1			
25.1	and string courses etc.	592.30		ım	573.85	33	39891.36
25.2	Suspended floors, roofs, landings, balconies and access platforms	10.87	_	lm	635.60		6908.97
25.3	Lintel, beams, plinth beams, girders, bressumers and cantilevers	24.68		qm	502.85		12410.34 63563.38
25.4	Arches, domes, vaults upto 6 m span	78.38 184.51		qm	2086.80 114.76		21174.37
25.5	Extra for shuttering in circular works- walls	35.73		cym Rm	242.30	-	8657.38
25.6	Edges of slabs and breaks in floors and walls: Under 20 cm wide	8.64	_		680.15	-	5876.50
25.7	Columns, pillars, piers, abutments, posts and struts. Providing and fixing of 50mm dia G.I half bend of standard quality	6.04	- 3	qm	000,13	1	307 0.30
26	to be fixed in dome for aeration purpose	35.00		No	250.00		8750.00
20	Providing and incorporating PGI sheets strips 0.8mm thick at	00.00					
27	construction joints incld. All carriages complete job	7.45		Sqm	500.00		3725.00
_=-	Providing and laying in position cement concrete of specified grade						-
	including curing but excluding the cost of centring and shuttering. All			3		1	
	work upto plinth level with: 1:3:6 (1 cement : 3 coarse sand : 6		- 1			1	
28	graded stone aggregate 20 mm nominal size)	67.50	-	Cum	5437.74		367047.45
	Providing and laying in position cement concrete of specified grade		-	1			
	including curing but excluding the cost of centring and shuttering. All		1	1			1
	work upto plinth level with: 1:2:4 (1 cement : 2 coarse sand : 4		1	_			14202 20
29	graded stone aggregate 20 mm nominal size)	2.52		Cum	6465.20	,	16292.30
	12mm Cement plaster finished with a floating coat of neat cement of				343.75		37668.13
30	mix:1:3 (1 cement 3 sand)	109.5	8	sqm	343./3		37000.13
	Providing and fixing G.I. chain link fabric fencing of required width in		}-			1	
	mesh size 50x50 mm including strengthening with 2 mm dia wire o		1	_			
21	nuts, bolts and washers as required complete as per the direction o	270.0	0	cam	733.50	1	198045.00
31 32	Engineer-incharge. Made of G.I. wire of dia 4 mm 12mm Cement plaster of mix: 1 : 4 (1 cement : 4 fine sand)	630.		sqm	260.0		163982.33
3Z	Providing and laying in position specified grade of reinforced cemer		00	sqm	200.0	-	103702.33
	concrete including curing but excluding the cost of centering				1		1
	shuttering, finishing and reinforcement. All works upto plinth leve			Le .		1	
	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mi					1	1
33	nominal size)	7.3	4	Cum	6978.	68	51223.51
	Providing and laying cement concrete in retaining walls, return wall		·		0770.	-	31220.31
	walls (any thickness)including attached pilasters, columns, pier			1		1	
	abutments, pillars, posts, struts, buttresses, string or lacing course				1	1	1
	parapets, coping, bed blocks, anchors blocks, plain window sil			1		1	
	fillets etc upto floor V level, including curing but excluding the cost			1	1	1	V
	centring, shutteringand finishing with 1:3:6 (1 cement : 3 coarse sand	4.		1		1	1
34	6 graded stone aggregate 20 mm nominal size)		.25	Cur	n 7269	210	507000 00
	Supply and filling GSB (granular sub-base) in layer not exceedi		.23	1	/ / / / / /	7.17	597890.88
	22cm in thickness & aggregate size does not exceed 90mm inc	ng				T	1
35	carriage		3.3	-	000	200	A 100 CT
	Providing & laying damp-proof Course 40 mm thick with cem	3.	11	Cu	m 800	0.00	2488.00
i	concrete 1-2-4 (1 company 2 course 40 mm thick with cem	ent					
36	concrete 1:2:4 (1 cement:2 coarse sand: 4 graded stone agg 12.5 rominglesiss) and autism		a and	1	1	1	
55	nominal size) and curing complete	3	.97	sc	m 34	1.61	1356.19
	Brick work with common burnt clay (non-modular) bricks of cl	ass					
27	designation 7.5 in foundation and plinth including curing in : Cem	ent					
37	mortar 1:6 (1 cement : 6 coarse sand)	1 2	5.77	. 10	um 68	02.13	39248.29
	Extra for brick work with common burnt clay bricks/cement conci	rete					3, 2, 3, 2
- 1	bricks in superstructure above plinth level upto floor five le	evel					
38			5.77	1	Cum 14	156.02	8401.2
	Ø.		0.77		Juli 12	10.02	0401.2

Head Draftsman

contd. On 4th

onstruction	including	Successful 4	
rvoir with	, uning	Successful	7

	fencing, Anchor/saddle chamber, Laying / Fig.	ioning of			
1	resorvoir with sluice chamber, Laying / Fitting of pipe n and other frames, wrought framed and fixed to	letwork a	0.40 lac	Gallon Cana	210
	and other frames, wrought framed windows, clarest	nber for W	Instructio	in of protection	ily RCC service
	resorvoir with sluice chamber, Laying / Fitting of pipe n fencing, Anchor/saddle blocks, intake/collection chamber and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs wood Cement are Construction including successful testing and commission fencing, Anchor/saddle blocks, intake/collection chamber and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs wood	INCL TOT AN	SS Chitt	aybanday"	on wall, chainlink
39	wood street's shall be postal to and length that it				
0,	Cement		1 1		
	Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded including cement slurry and curing coat of next serial posing of		1 1		/
		0.21	L		ľ
	including cement slurry and curing complete, but excluding the cost of near cement nosing of steps etc. complete, 50 mm thick with 20mm posts of steps etc.		Cum	92065.35	10222.70
40	nosing of steps etc. complete, 50 mm thick with 20mm nominal size Providing and fixing papelled.		1		19333.72
	I stolle doors		1 1		ľ
	Froviding and the	es ese o	1 1		/
	doors winds	5.23	_sqm	555.50	1
	required size with necessary screws and fixing with but hinges of			333.50	2905.27
	required size with necessary screws, excluding panelling which will be charge. (Note: -Butt hinges and necessary screws shall the separately). First class her?		1)		
41	charge. (Note: -Butt hinges and necessary screws shall be paid Providing and fixing		1)		
 -	separately). First class kail wood (35mm) Providing and fixing an		1 1		
	Providing and fixing panelling or new little	214	1 1	I	
	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory grooves or robots.	3.14	sqm	3093.80	071160
	windows (Area of opening for panel inserts excluding portion inside panelled and opening for panelled grooves or rebates to be measured). Panelling for panelled and observe the panelled and observ		4		9714.53
	grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick. Similarly wood				
42	panelled and glazed shutters 25 mm to 40 mm thick. First Class kail		1		
44] ,	í I	
		2.78			
12	Providing hoisting and fixing trusses/purlins /rafters/posts/ post- plates or like components including cost of screws etc. complete. First	2.70	sqm	2501.75	6954.87
43		x	1		
44	Toylding and fixing of	0.52	Cum		
	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or I hooks by the coated J	20.00	No	138685.40	72116.41
	surface fixed with polymer rooting including vertical/guryed	20.00	140	130.00	2600.00
	didmeter with bitumen and out in 100ks, bolts and nuts 8mm		1	l l	il
	washers tilled with white lead to washers or with G.I. limpet		1	l l	
	primer and two coats of annual a coal of approved steel	•:	'	l j	
	complete (upto any pitch		1 7	1	1
	surface)excluding the cost of multi-		1		i
·	cutting to size and shape wherever required to a consist of the control of the co		1		1
45	coating not less than 275 gram (=2			1	i
	Providing & fixing colour corrients 1	18.12	sqm	951.80	17044
	overall width plain G.S. sheets fixed with polymer coated J. or L		1	/51.00	17246.62
4.5	hooks, bolts and nuts 8mm dia C.L. lime polymer coated J. or L		14	1	l
46		4		1	Ĺ
	Described to the second second property of the second seco	10.10			(
		12.19	Rm	691.35	8427 54
47	mm (nominal size)		Rm	691.35	8427.5
	mm (nominal size) Providing and fixing of of Hardware items.	21.25	Rm Rm	693.90	
47	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower balts ISI			693.90	14745.3
47	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than arade AC 10 marked anodized	21.25	Rm		
47	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than arade AC 10 marked anodized	21.25	Rm	693.90	14745.3
47	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws	21.25	Rm	693.90	14745.3
47	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws	21.25 2.00	Rm	693.90	14745.3
47 48	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. Tower bolt (150x10 mm) long	21.25 2.00	Rm	693.90	14745.3 800.0
47 48 49	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Tower bolt (100x10 mm) long	21.25 2.00	Rm No	693.90 400.00	14745.3 800.0
47 48 49	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: Tower bolt (150x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary complete:	21.25 2.00	Rm No	693.90 400.00	14745.3 800.0
47 48 49	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1869) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long	21.25 2.00	Rm No	693.90 400.00	14745.3 800.0
47 48 49 49.1	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Tower bolt (100x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary completes	21.25 2.00	Rm No	693.90 400.00	14745.3 800.0
47 48 49 49.1	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Tower bolt (100x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete. 125mm	21.25 2.00	Rm No	693.90 400.00 80.35 57.35	14745.3 800.0 160.7 286.7
47 48 49 49.1 50	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Tower bolt (100x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc.	21.25 2.00 2.00 5.00	Rm No No	693.90 400.00 80.35 57.35	14745.3 800.0 160.7 286.7
47 48 49 49.1 50 50.1 50.2	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Tower bolt (100x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete. 125mm 100 mm Air hooks	21.25 2.00 2.00 5.00 2.00 3.00	Rm No No No	693.90 400.00 80.35 57.35 66.35 52.30	14745.3 800.0 160.7 286.7
47 48 49 49.1 50	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Tower bolt (100x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete. 125mm 100 mm Air hooks	21.25 2.00 2.00 5.00 2.00 3.00 4.00	Rm No No No No	693.90 400.00 80.35 57.35 66.35 52.30 45.00	14745.3 800.0 160.7 286.7 132.7 156.9
47 48 49 49.1 50 50.1 50.2	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Tower bolt (100x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete. 125mm 100 mm Air hooks Sliding door bolt (almunium)	21.25 2.00 2.00 5.00 2.00 3.00	Rm No No No	693.90 400.00 80.35 57.35 66.35 52.30	14745.3 800.0 160.7 286.7
47 48 49 49.1 50 50.1 50.2	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete. 125mm 100 mm Air hooks Sliding door bolt (almunium) Providing and applying white cement based putty of specified	21.25 2.00 2.00 5.00 2.00 3.00 4.00	Rm No No No No	693.90 400.00 80.35 57.35 66.35 52.30 45.00	14745.3 800.0 160.7 286.7 132.7 156.9
47 48 49 49.1 50 50.1 50.2	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete. 125mm 100 mm Air hooks Sliding door bolt (almunium) Providing and applying white cement based putty of specified thickness, of approved brand and manufacturer, over the plastered	21.25 2.00 2.00 5.00 2.00 3.00 4.00	Rm No No No No	693.90 400.00 80.35 57.35 66.35 52.30 45.00	14745.3 800.0 160.7 286.7 132.7 156.9
49 49.1 50 50.1 50.2 50.3	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: Tower bolt (150x10 mm) long Tower bolt (100x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete. 125mm 100 mm Air hooks Sliding door bolt (almunium) Providing and applying white cement based putty of specified thickness, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. (2)	21.25 2.00 5.00 5.00 2.00 3.00 4.00 8.00	Rm No No No No No No	693.90 400.00 80.35 57.35 66.35 52.30 45.00 800.00	14745.3 800.0 160.7 286.7 132.7 156.4 180.0 6400.0
47 48 49 49.1 50 50.1 50.2	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws Tower bolt (150x10 mm) long Tower bolt (100x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete. 125mm 100 mm Air hooks Sliding door bolt (almunium) Providing and applying white cement based putty of specified thickness, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. (2 mm thick)	21.25 2.00 2.00 5.00 2.00 3.00 4.00	Rm No No No No	693.90 400.00 80.35 57.35 66.35 52.30 45.00	14745.3 800.0 160.7 286.7
49 49.1 50 50.1 50.2 50.3	mm (nominal size) Providing and fixing of of Hardware items Aldrops 150mm dia Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: Tower bolt (150x10 mm) long Tower bolt (100x10 mm) long Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete. 125mm 100 mm Air hooks Sliding door bolt (almunium) Providing and applying white cement based putty of specified thickness, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. (2)	21.25 2.00 5.00 5.00 2.00 3.00 4.00 8.00	Rm No No No No No No	693.90 400.00 80.35 57.35 66.35 52.30 45.00 800.00	14745.3 800.0 160.7 286.7 132.7 156.4 180.0 6400.0

Head Draftsman

contd. On 5th

Executive Engineer

construction including successful testing and commissioning of 0.40 lac Gallon Capacity RCC service resorvoir with sluice chamber, Laying / Fitting of pipe network, construction of protection wall, chainlink fencing, Anchor/ saddle blocks, intake/ collection chamber for WSS Chittaybanday" ding and fixing of pyc pines cabl

	nordding and	fixing of pvc pipes, cables with all pvc fittings incld.	er fo	r WSS	Chitt	avbane	lav"	all, chainlink
	renching and	refilling etc (external with flateral 100mm dia pvc				/	1	
63	ipe) along wi	th bends, sockets etc (prince quality)	2.0				ľ	
			30.48	8	Rm	750.	00	22840.00
	nanutacture, I	raving low VOC (Volatile Organic Compound) content.						22860.00
	With ready m	ixed pink or grey primer on wood work (hard and soft				1	1	1
54	wood) having	VOC content less than 50 grams/ liter		1		1	1	1
			22.0	1	sqm	59.	50	1200 (0
55	manufacture t	o give an even shade Two or more coats on new work					-	1309.60
- 1	Providing &	fixing White vitreous china water closet squatting	22.0	01	sqm	121	.95	242432
1	pan(Indian ty	pe) along with "S" or "P" trap including dismantling of				1~		2684.12
	old WC seat	and "S" or "P" trap at site and including dismantling of		1			1	I i
	including all	and "S" or "P" trap including dismantling of and "S" or "P" trap at site complete with all operations necessary materials, labour and disposal of dismantled		1		1	1	1
	material i/c	malba, all complete as per the direction of Engineer-in		1			1	
56	charge Long	pattern W.C Pan of size 580x440 mm		l		1	1	1
	i i i i i i i i i i i i i i i i i i i	IN DIUCINO ON TERROSCO (et -II ()	1.0	00	No	29	79.40	2979.40
į.	water storag	the tank ISI: 12701 marked indicating the BIS License No.						277 7.40
	with cover of	and suitable locking arrangements the BIS License No.		1		1	1	1 5
1	holes for in	and suitable locking arrangement and making necessary		3		1	1	
1						1	1	
57		the base support for tank [Sintex, Electroplast, Star, Lotus at having valid ISI license]				1	1	1
			50	0.00	litre	e	8.00	4000.00
1	to IS : 15	and fixing 1st quality ceramic glazed wall tiles conforming						4000.00
1	approved	522 (thickness to be specified by the manufacturer), of	1			1	1	1
1			t		4		1	1
1	risers of ste	ny size as approved by Engineer- in-Charge, in skirting,	1		1		1	1
		Po dila dados over 17 mm thick had at a	L.		1	1	1	1 .
1	3.3 kg per	: 3 coarse sand) and jointing with grey cement slurry @	1			1	1	1
58	of matchin	sqm, including pointing in white cement mixed with pigment	*			1	1	1
	o, marchini	g shade complete, (wall / floor tiles)	1 1	0.40	·Sc	am	1161.05	12074.92
1	lightning	and fixing of electric and heating points including wiring for		4				120, 4.72
1	mm PVC i	points in 1.5 sq. mm, PVC insulated copper wire and 2.5 sq.	- 1		1	1	1	Į.
1	mm thick	isulated multi strand copper wire, 6mm one way switches, 2	2		1	1		1
1	nole MCS	VC conduit/ channel with bends, junction boxes etc 6amp S	S			1		- 1
1	wooden l	, 10 Amp DP MCB, 2 way for housing MCB, hylan sheet with	h		- }	1		1
59	point	pox recessed in walls with accessories complete: Lighting	g \		1	1		1
59		The state of the s		4.00	1	No	1150.00	4600.00
				2.00		No	1650.00	3300.00
59		an 12" x12"		2.00		No	2500.00	
1	Applying	priming coat:- With ready mixed red oxide Zinc Chroma	te		_	.,,	2500.00	5000.00
	primer o	approved brand and manufacture on steel work (secon	nd		1	1		1 1
6	coat			279.80)	cam	29.00	000.00
1	Painting	with aluminum paint of approved brand and manufacture	to		-	sqm	28.90	8086.22
1 .	give				1	1		
6		shade. Two or more coats on new work	- 1	279.8	0	200000	110.10	
	Providing	and fixing of nuts ,bolts and chips incld one end fix	to	27 7.0	0	sqm	119.40	33408.12
6	2 anchor b	lock	10	70.0	•	No.		1
6	3 Providin	g & fixing of 80mm dia PVC pipe for aeration purpose		70.0		kg	79.25	5547.50
	Welding	, including transportation of plant at site etc. complete		50.0	0	mtr	100.00	5000.00
1 6	4 electric	plant	RA		- 1		1	
				1800	.00	cm	6.15	11070.00
	5 No. Bibe	g and fitting of 2 No. water Gysers, 5 No. water mixer	rs. 6					
 `	Provide:	cock s, Mirrors, Jugs/ mugs & other bathroom accessories e	tc	1.0	0	job	30000.0	00.0000
1 2	LIGAIZIO	Tor Providing and tixing of pipe specials of standard au	ality					22000.00
	o inclu. le	sting complete	1	1.0	00	job	60000.0	00.0000
1	Carraig	e of materials from source to road site of work inclu	dina			1	-3000	00000.00
1	loading	, unloading and stacking: Stone / stone soling for a	n av			1	1	
	/ ledd of	15 KM	- T	145	5.79	Cum	4401	1 (7071.00
6	.01 40mm	aggregate for an av lead of 40 km		*				
6	.02 20mm	aggregate for an av lead of 40 km			.38	Cum		
6	.03 sand fo	or an av lead of 25 km			2.17	Cun		
-		or an av lead of 10 km			0.11	Cun	519.	77 72824.97
				4	1.19	M	287.	
	\sim	i i						(-) V

contd. On 6th

Construction including successful testing and commissioning of 0.40 lac Gallon Capacity RCC service resorvoir with sluice chamber, Laying / Fitting of pipe network, construction of protection wall, chainlink fencing, Anchor/ saddle blocks, intake/ collection chamber for WSS Chittaybanday"

(Rupees Ninety Eight Lac Three Thousand Three Hundred Seventy Five only)						
				TOTAL	9611152.00	
	1:3:6 cement concrete complete job.	1.00	job	6000.00	6000.00	
69	including priming pointing is will thin thick M.S. shoot				1846.40	
	Providing, erecting and fixing of sign board 2'6"x4' made up of including the sign board 2'6"x4' made up of	2885.00	No	0.64	147.48	
	Providing practice 1 to	0.73	Cum	202.03	5134.52	
80.8	Bricks	13.22	MT	388.39	25122.29	
58.07	Wood	110.20	TM	227.97	9390.08	
8.06	Steel / GS Sheets	41.19	MT	227.97	48548.12	
8.05	Cement	140.11	Cum	346.50	73516.91	
8.04	pipes	212.17	Cum	346.50	9507.09	
8.03	sand	25.38	Cum	374.59	59428.38	
8.02	20mm aggregate	145.79	Cum	407.63		
8.01	labour including loading, unloading and stacking for an av lead of 40mm aggregate	Ì			767.50	
68	Carraige of materials from road site to site of work by manual 150 Mtrs. Stone / stone self.	0.73	cum	1051.37	8395.35	
	Carraige of materials from road at	2885.00	ol1	2.91	3795.46	
.08	WOOD for an - 1	13.22	MT	287.10	31638.42	
.07	bricks for an av load at The	110.20	MT	287.10		
.06	cement for an av lead of 10 km steel for an av lead of 10 km			, sanday.	wall, chainlink	

Head Draftsman

Executive Engineer PHE (Hyd) Division Bandipora

ANNEXURE "B"

on including successful testing and commissioning of 0.40 Lac gallon capacity RCC Service with sluice chamber, Laying/ Fitting of pipe network, construction of protection wall, chain link encing, anchor/ saddle blocks, intake/ collection chamber WSS Chattibanday

TERMS AND CONDITIONS

- The work shall be executed strictly as per approved design / drawing, specifications and JJM Guidelines. Any deviation or change in proposal/location is subject to the prior approval from the competent authority. 02.
- The rates allotted are inclusive of all taxes applicable as per norms amended by competent authorities from time to time. Labour cess and royalties shall have to be borne by the executing 03.
- The execution of work shall be subject to check by the third party monitoring agency (TPIQM) 04.
- No liability should be created on this account.
- This letter of allotment will constitute a legal contract between the government and the 05. contractor and the conditions as laid down in the master NIT for 2022-2023 and PWD Form No. 25 (Double) will also hold good even before the drawl of an agreement between the Government and the contractor.
- 06. That the date of start of the work shall be reckoned within two days from the date of issue of Letter of Intent issued vide this office No PHE/Hyd/Bpr/JJM/4166-79 dated 30/08/2022 and in case of delay on the part of the contractor in execution of the work within stipulated time of completion a penalty upto 10% of contract value shall be imposed upon him. 07.
- The total amount of work should not exceed Rs.98,03,375.00 in any case.
- The contractor has deposited 3% Performance Security amounts to Rs.3,02,000.00 bearing No. 08. 359381 dated 07/05/2022 in shape of earnest money (FDR) through J&K Bank Branch Unit Main Branch Bandipore and which has been retained in the divisional office and shall be released after the successful completion/ commissioning of work and after observing DLP 09.
- In case the contractor fails to execute the work, the work shall be put to fresh tenders on the risk and cost of the contractor & the excess cost if involved shall be recovered from the contractor and strict action as warranted under contractual obligation shall be taken against the defaulter
- The time of completion of the work is reckoned 90 Days (Ninety Days) as per the condition 10. laid down in the e-NIT. 11.
- The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty period any malfunctioning/ defects arise, the firm shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm to remove the defect, the department may get the defects removed/ repaired by any other agency and cost thereof shall be recovered from the fim and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting
- 12. After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department
- 13. The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months
- 14. In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the

conditions of the contract, the Department shall with or without aice to any other remedies available to it under any law for the time ing enforce in the UT:

Terminate the contract after 15 days' notice

and/or

b). Recover the amount of loss caused by damage, failure or default, as may be determined by the department.

- c). Recover the extra cost, if any, involved in allotting contract to other party. and/or
- d). Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract.

and/or

- Any failure or commission to carry out the provision of the contract shall not 15. give rise to any claim by the department or bidder one against the other if such failure of commission arises from the 'ACT OF GOD' which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency
- In the event of the death or insanity or insolvency or imprisonment of the bidder or 16. where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer-in-charge, be terminated by notice in writing posted at the site of the works
- The bidder should ensure the safety of the water supply lines, sewer lines, telephone cables, power cables, storm water drains etc., pipe laying alignment 17. and, if any damage occurs during execution it should be attended immediately at the cost of the bidder. Failing to attend immediately, the same will be got done by the Department at the risk and cost of the allotee
- All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the 18.
- The bidder shall not sublet the whole or part of the work. The bidder shall not assign the work or any part thereof or any benefit or any interest thereon or any 19. claim arising of the contract, without prior written consent of the allotting authority
- From the commencement of the work to the completion thereof the same shall be under the bidder's charge. The bidder shall be held responsible for and make 20. good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the
- The bidder shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions 21. of all labour laws and the rules framed there under
- The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of 22. Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of The bidder shall in connection with the work provide and maintain at his own cost all
- 23.

ards, fencing and watching, when and where necessary or required by the fment for the protection of the work or safety and convenience of the Public etc bidder/firm shall make his own arrangement, at his own cost, for all lines, dividual power points, etc. to the machinery and plant required by him for the erection, testing and commissioning of the equipment ordered on him. The bidder shall pay for all electrical energy consumed by him for this purpose at the prevalent electricity tariff in J&K State. Such charges shall be paid by the bidder/firm directly to the Power Corporation and the bidder's final bill shall be settled only after he gets a no outstanding certificate from the concerned Electric

The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the execution/Hydro-testing/ water tightness Test/ Curing, labour colony, Site Office etc

- Forfeit the performance security and blacklist the firm 25.
- Geo Tagged Photographic evidences of the work; pre-execution, during execution 26. and post execution should be maintained by the agency on his own expenses
- agency/contractor must execute the as executing 27. requirements/specifications detailed in the relevant/applicable IS codes
- The tests for concrete and allied materials shall have to be carried out at reputed institute as per directions of Engineer in-charge and the charges for the same shall 28. have to be borne by the executing agency/contractor
- All Environmental norms, labour laws and all other guidelines issued by competent 29. authorities shall be followed in letter and spirit
- The payment of work shall be made as and when the funds are available to the tune within available provision of DPR by the competent authority under the proper 30.
- As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute 31. an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.
- Nothing shall be paid to the contractor on account of dewatering/ diversion even if 32.
- If the Contractor have not start the work within 15 days of issuance of this letter of intent, the contract shall be cancelled at the risk and cost of contactor without serving any notice. The Assistant Ex. Engineer concerned shall intimate this office 33. All other terms and conditions as laid down in Master E-NIT, Tender documents and

34. PWD form 25 shall remain in force.

Technical Officer