

OFFICE OF THE SUPERINTENDING ENGINEER,  
HYDRAULIC DIVISION, JAMMU AND KASHMIR  
Member Secretary District Jal Jeevan Mission Baramulla/Bandipora

Tantray Constructions

Mushtaq Ahmad Tantray

Abdul Jabbar Tantray

Ajar Bandipora

GT No: - 01AHAPT2241F1ZZ.

Order No: 46/AAV/CE/CID/PDC/2010-11.

Advertised Amount: ₹218.55lac

Allotted Amount:- ₹1,93,62,226.00

Major Head:-4215-JJM

Time of completion: 150days

**[ORDER No: 24/SE/HYD/SPR/JJM of 2023-24]**

**Dated: -25-7-2023**

Subject: Fixation of Contract for:

Construction and successful testing and commissioning of 0.30 MGD RSFP (cost includes PST, Filter House & Wash Water Disposable Chamber) for WSS Datiwas. (Tender ID:- 2022\_PHE\_196755\_1)

Reference:

1. Chief Engineer Jal Shakti (PHE) department Kashmir's e-NIT CE/PHE/KMR/JSD/08 of 2022-23 dated:- 19-11-2022 issued under endorsement No CE/PHE/JJM/30776-826 Dated: 19-11-2022.
2. Revised District Action Plan (DAP) approved by the Chairman DJJM Bandipora circulated vide No: DDCB/BPR/2022/2056 Dated: 16-07-2022
3. Minutes of Meeting held with District Development Commissioner Bandipora (Chairman DDJM) on 08-06-2023 minutes issued vide order No. 289-DDCB of 2023 Dated: 24/07/2023, under endorsement No. DDCB/JJM/2023-24/2298-2301 Dated: 24-07-2023.
4. Administrative Approval Accorded by Chief Engineer Jal Shakti (PHE) Department Kashmir vide Order No: CE/PHE/DB/JJM/335 of 02-2023 Dated: - 13-02-2023.
5. Technical Sanction issued by Chief Engineer Jal Shakti (PHE) Department Kashmir's Order No: - CE/PHE/DB/824 of 02/2023 Dated: 17-02-2023.
6. UT Level committee meeting held on 01-06-2022 under the chairmanship of Development Commissioner Works PW(R&B).
7. Amendments in operational guidelines for the implementation of Jal Jeevan Mission issued by NJJM, DDW&S ministry of Jal Shakti GOI vide F. No W-11016/10/2022-JJM-IV-DDWS Dated: - 21-06-2022.
8. Chief Engineer Jal Shakti PHE Department Kashmir's Letter No:- CE/PHE/K/E&T/JJM/41276-306 dated:- 06-02-2023.

Dear Sir,

For and on behalf of Lieutenant Governor of Union Territory of Jammu and Kashmir, the contract for above subject work is hereby fixed on the rates quoted and subsequently negotiated and accepted by you on Percentage rate basis as per the Annexure "A" of this allotment order with standard terms and conditions as laid down in the Annexure "B" of this allotment order. The total cost of work shall be ₹1,93,62,226.00 (One Crore Ninety-Three Lac Sixty-Two Thousand Two Hundred and Twenty-Six Only).

No: - SE/HYD/JJM/ 4676-90

Dated:- 25/7/2023.

Superintending Engineer  
Hydraulic Circle Baramulla/Bandipora  
H.Q Sopore

Copy to the:-

1. Chief Engineer Kmr. Jal Shakti (PHE) Department Srinagar for favour information.
2. District Development Commissioner Bandipora (Chairperson DJJM) for favour of information.
3. Additional District Development Commissioner Bandipora (Member DJJM) for information.
4. Assistant Commissioner Development Bandipora (Member DJJM) for information.
5. Divisional Forest officer Bandipora (Member DJJM) for information.
6. Chief Planning Officer Bandipora (Member DJJM) for information.
7. Chief Medical Officer Bandipora (Member DJJM) for information.
8. Chief Educational Officer Bandipora (Member DJJM) for information.
9. District Social Welfare Officer Bandipora/District Tribal Welfare Officer Bandipora (Member DJJM) for information.
10. District Information officer Bandipora (Member DJJM) for information.
11. Executive Engineer PHE Hydraulic Division Bandipora (Member DJJM) for information and necessary action.
12. Executive Engineer Jal Shakti PHE Mech. Division North Sopore (Member DJJM) for information.
13. Executive Engineer Ground Water Division Srinagar (Member D.JJM) for information.

and successful testing and commissioning of 0.30 MGD RSEP (cost includes PST, Filter House and Disposable Chamber) for WSS Dativas. (Tender ID:- 2022\_PHE\_196755\_1)  
Annexure "A" with Order No: /SI/HYD/JIM of 2023-24 Dated:- -2023

Description	Unit	Quantity	Alloted Rate	Amount
Work in bulk excavation by mechanical means (hydraulic excavator) in areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm area) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m as directed by Engineer-in-Charge	Cum	11541.250	₹ 188.75	₹ 21,78,410.94
Removal of available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each layer by ramming and watering lead upto 50 m and lift upto 1.5 m	Cum	449.0000	₹ 198.70	₹ 89,216.30
Spreading and laying hand packed stone soling 50 mm nominal size including spreading, dressing, ramming, all leads lifts and all carriages complete.	Cum	102.312	₹ 1,320.00	₹ 1,35,051.84
Supply and filling of filter media from approved source - Gravel (Graded) size ranging from 2.0mm to 40.00 mm) in filter beds. Including all carriages complete job	Cum	11.880	₹ 7,700.00	₹ 91,476.00
Supply and filling of filter media from approved source - Sand (Coarse filter) in filter beds. Including all carriages, complete job	Cum	7.430	₹ 7,968.00	₹ 59,202.24
Supplying and filling in plinth with fine sand under floors including, spreading, ramming, consolidating and dressing complete.	Cum	14.550	₹ 787.40	₹ 11,456.67
Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:				
1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)	Cum	33.985	₹ 6,434.01	₹ 2,18,659.83
1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size)	Cum	34.115	₹ 5,399.02	₹ 1,84,187.57
1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	Cum	51.890	₹ 4,861.84	₹ 2,52,280.88
Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level				
1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	76.100	₹ 7,800.76	₹ 5,93,637.84
Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				
1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	19.657	₹ 9,408.14	₹ 1,84,935.81
Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with:				
1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	54.515	₹ 9,849.35	₹ 5,36,937.32
Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. Note: - Cement in this item is @ 330 kg/ cum. Excess or less cement used as per design mix is content considered payable or recoverable separately.				
All works upto plinth level	Cum	63.416	₹ 7,911.26	₹ 5,01,700.46
All works above plinth level upto floor V level	Cum	160.831	₹ 9,302.98	₹ 14,96,207.58
Extra for providing richer mixes at all floor levels. Note:- Excess/ less cement over the specified cement content used is payable/ recoverable separately. Providing M-30 grade concrete instead of M-25 grade BMC/RMC. (Note:- Cement content considered in M-30 is @ 340 kg/cum)	Cum	224.247	₹ 111.87	₹ 25,086.51
Add or deduct for using more or less cement in the items of design mix over and above the specified cement content therein.	Quintal	159.012	₹ 1,074.37	₹ 1,70,837.72
Centering and shuttering including strutting, propping etc. and removal of form for:				
01 Foundations, footings, bases of columns etc. for mass concrete.	sqm	190.876	₹ 262.30	₹ 50,066.77
02 Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	sqm	1448.830	₹ 573.85	₹ 8,31,411.10
03 Suspended floors, roofs, landings, balconies and access platforms.	sqm	334.598	₹ 635.60	₹ 2,12,670.17

De

and successful testing and commissioning of 0.30 MGD RSTP (cost includes PST, Filter House & Disposable Chamber) for WSS Dahiwas. (Tender No: 2022\_PHE\_106755\_1)  
Annexure "A" with Order No: /SI/HYD/HM of 2023-24 Dated: - 2023

Description	Unit	Quantity	Alotted Rate	Amount
Beams, plinth beams, girders, brusses and cantilevers	sqm	218.500	₹ 502.85	₹ 1,09,872.73
Columns, pillars, abutments, posts and struts (excluding landings) except spiral staircases	sqm	210.390	₹ 680.15	₹ 1,49,218.11
for shuttering in circular work Foundation	sqm	36.746	₹ 807.50	₹ 29,672.40
for shuttering in circular work Walls	sqm	17.770	₹ 52.46	₹ 932.21
for shuttering in circular work Beams	sqm	321.680	₹ 114.77	₹ 36,919.21
of slabs and breaks in floors and walls	sqm	22.080	₹ 100.57	₹ 2,220.59
Providing and mixing water proofing material in cement concrete work in accordance with weight of cement as per manufacturer's specification (1 kg of water proofing material in 50 kg of cement)	RM	413.530	₹ 242.30	₹ 1,00,198.32
Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete upto & above plinth level.	kg	3607.490	₹ 57.90	₹ 2,08,873.67
Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	35101.200	₹ 87.18	₹ 30,60,122.62
Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in:				
Cement mortar 1:4 (1 cement : 4 coarse sand)	Cum	37.913	₹ 7,476.38	₹ 2,83,451.99
Providing wood work in frames of doors, windows, clerestory windows and door frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately):				
Best class kail wood	Cum	1.540	₹ 1,06,894.15	₹ 1,64,616.99
Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge.				
Best class kail wood (30 mm thick shutter)	mm/sqm	30.630	₹ 2,784.10	₹ 85,276.98
Providing and fixing fly proof wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions all complete.				
With Galvanized M.S. Wire gauge with wire of dia 0.63 mm	sqm	27.480	₹ 925.00	₹ 25,419.00
Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. chequered plate wherever required, all complete.				
Stringers, treads, landings etc. of stair cases, including use of chequered plate wherever required.	Kg	1719.730	₹ 114.68	₹ 1,97,218.64
Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.				
M.S. tube	Kg	1001.470	₹ 172.90	₹ 1,73,154.16
Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	681.180	₹ 91.03	₹ 62,007.82
Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.				
Welded	Kg	5500.000	₹ 102.14	₹ 5,61,770.00
Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS:4454 part-1 and M.S. top cover of required thickness for rolling shutters				
80x1.25 mm M.S. laths with 1.25 mm thick top cover	sqm	3.750	₹ 3,238.20	₹ 12,143.25
Cement concrete flooring 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete.				
50 mm thick with 20mm nominal size stone aggregate.	sqm	217.780	₹ 505.00	₹ 1,09,978.90
Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1:4 (1 cement : 4 coarse sand) including skirting in vertical & pointing the joints with white cement and matching pigment etc., complete				
In colour such as White, Ivory, Grey, Fume, Red Brown (as directed by the Engineer incharge)	sqm	64.900	₹ 1,210.66	₹ 78,571.83

*[Handwritten signature]*

on and successful testing and commissioning of 0.30 MGD RSEP (cost includes PST, Filter House, Disinfection Chamber) for WSS Datiwas. (Tender ID: 2022\_PHE\_196755\_1)  
Annexure "A" with Order No: /SE/HYD/JIM of 2023-24 Dated: -2023

Description	Unit	Quantity	Allocated Rate	Amount
with marble stone of specified thickness as per sample of marble by Engineer-in-charge, over 20 mm (average) thick base of cement 1:4 (1 cement 4 coarse sand) laid and finished with grey cement including skirting in vertical rubbing polishing and curing complete				
White Second quality (16mm)	sqm	60.240	₹ 6,175.39	₹ 3,72,005.49
pre finished nosing to treads of steps of marble stone	sqm	15.000	₹ 579.31	₹ 8,689.65
Cement plaster finished with a floating coat of neat cement of mix (1 cement 4 fine sand)	sqm	1020.500	₹ 325.45	₹ 3,32,121.73
PLASTER WITH A FLOATING COAT OF NEAT CEMENT 15mm plaster on the rough side of single or half brick wall of mix. (1 cement 4 fine sand)	sqm	546.020	₹ 300.45	₹ 1,64,051.71
(1 cement 6 fine sand)	sqm	519.120	₹ 278.60	₹ 1,44,626.83
washing walls with water proofing cement paint of required shade on New (two or more coats applied @ 3.84 kg/10sqm)	sqm	1145.470	₹ 91.80	₹ 1,05,154.15
Applying priming coat				
with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and soft wood)	sqm	97.500	₹ 59.50	₹ 5,801.25
with ready mixed red oxide Zinc Chromate primer of approved brand and manufacture on steel galvanized iron/steel works	sqm	950.000	₹ 52.75	₹ 50,112.50
with ready mixed red oxide Zinc Chromate primer of approved brand and manufacture on steel work (second coat)	sqm	950.000	₹ 28.90	₹ 27,455.00
with synthetic enamel paint of approved brand and manufacture to even shade.				
more coats on new work	sqm	116.990	₹ 121.95	₹ 14,266.93
with Epoxy paint (two or more coats) at all locations prepared and as per manufacturer's specifications including appropriate priming preparation of surface, etc complete				
on steel work	sqm	225.800	₹ 188.80	₹ 42,631.04
on concrete work	sqm	25.000	₹ 183.43	₹ 4,585.75
with oil bound washable distemper of approved brand and manufacture to give an even shade on New work (two or more coats) over including priming coat with water thinnable cement primer.	sqm	491.000	₹ 149.05	₹ 73,183.55
Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc.complete				
125 mm	each	5.000	₹ 66.35	₹ 331.75
100 mm	each	55.000	₹ 52.30	₹ 2,876.50
Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete :				
125 mm	each	15.000	₹ 80.35	₹ 1,205.25
100 mm	each	120.000	₹ 57.35	₹ 6,882.00
Providing corrugated G. S. sheet roofing including vertical/curved surface with polymer coated J or L hooks, bolts and nuts 8mm diameter with G.I limpet washers or with G.I. limpet washers filled with white cement including a coat of approved steel primer and two coats of approved enamel on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface)excluding the cost of purlins, rafters and including cutting to size and shape wherever required.				
50 mm thick with zinc coating not less than 275 gram/m <sup>2</sup>	sqm	157.190	₹ 830.25	₹ 1,30,507.00
Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J, or L hooks, bolts and nuts 8mm dia G.I. limpet and limpet washers complete				
68 mm thick with zinc coating not less than 275 gram/m <sup>2</sup>	m	59.650	₹ 691.35	₹ 41,239.03
Providing and fixing plained eaves boarding. 2nd class kail wood				
250x32 mm (nominal size)	m	63.150	₹ 693.90	₹ 43,819.79
Providing and fixing of 0.5mm Color GS Sheet Soffit boarding including backing, supports etc complete job	m	48.170	₹ 600.00	₹ 28,902.00
Providing and applying white cement based putty of specified thickness, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.				
2 mm thick	sqm	521.760	₹ 172.40	₹ 89,951.42
Providing and fixing G.I. pipes (B medium) complete with G.I. fittings including trenching and refilling etc. (external work)				
80 mm dia, nominal bore	m	25.000	₹ 840.00	₹ 21,000.00
100 mm dia, nominal bore	m	25.000	₹ 1,234.95	₹ 30,873.75

*Handwritten signature*

tion and successful testing and commissioning of 0.30 MGD RSEP (cost includes PST, Filter House  
Water Disposable Chamber) for WSS Dattiwasi. (Tender ID: 2022\_PHE\_196755\_1)  
Annexure "A" with Order No: /SE/HYD/IJM of 2023-24 Dated: -2023

Description	Unit	Quantity	Alotted Rate	Amount
Providing and fixing DI sluice valves (with cap) complete with bolts, nuts, gasket, rubber insertions etc. (the tail pieces if required will be paid separately) conforming to IS 14046 read with latest amendments	Each	1.000	₹ 13,164.00	₹ 13,164.00
150 mm dia Class 1	Each	3.000	₹ 20,243.00	₹ 60,729.00
200 mm dia Class 1	Each	6.000	₹ 31,698.00	₹ 1,90,188.00
300 mm dia Class 1	Each	3.000	₹ 50,356.00	₹ 1,51,068.00
Providing and fixing of MS flanged joints (12mm thick) to double flanged DI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and all sorts of carriages, complete job.	Each	3.000	₹ 62,066.00	₹ 1,86,198.00
100 mm dia. pipe	Joint	5.000	₹ 1,520.00	₹ 7,600.00
150 mm dia. pipe	Joint	20.000	₹ 2,150.00	₹ 43,000.00
200 mm dia. pipe	Joint	5.000	₹ 3,400.00	₹ 17,000.00
300 mm dia. pipe	Joint	8.000	₹ 5,030.00	₹ 40,240.00
Providing & fixing of 0.63mm thick PGI sheets at construction joints including all leads and lifts complete job as directed by Engineer-in-charge	sqm	99.140	₹ 800.00	₹ 79,312.00
Providing and fixing aluminum work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate sections and other sections of approved make conforming to IS: 733 and IS: 285, fixed with dash fastener of required dia. and size including necessary filling up of gaps at junctions i.e. at top, bottom and sides with required EPDM rubber / neoprene gasket felt etc. Aluminum sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including set angle, Aluminum snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-Charge (glazing, panelling and dash fasteners to be paid for separately.)				
Polyester powder coated aluminum (minimum thickness of polyester powder coated 50 microns)	Kg	79.500	₹ 504.13	₹ 40,078.34
Polyester powder coated aluminum (minimum thickness of polyester powder coated 50 microns)	Kg	38.300	₹ 598.35	₹ 22,916.81
Providing and fixing glazing in aluminum door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per architectural drawings and the directions of engineer-in-charge. (Cost of aluminum snap beading shall be paid in basic item.)				
49. With float glass panes of 5.0 mm thickness (weight not less than 12.50 kg / sqm)	sqm	16.050	₹ 1,395.96	₹ 22,405.16
50. Carriage of materials by mechanical transport including loading, unloading, stacking of materials -				
51. Cement & Steel for an average lead of 15km	MT	292.9500	₹ 303.65	₹ 88,954.27
52. Aggregate 20mm & Sand for an average lead of 50km	Cum	686.887	₹ 700.37	₹ 4,81,077.11
53. Bricks from Budgam for an average lead of 90 Km	No	18009.000	₹ 2.92	₹ 52,586.28
54. 40mm aggregate for an average lead of 50 Km	Cum	46.247	₹ 761.25	₹ 35,205.53
55. Electrical Items: Supplying and fixing of 25mm dia. medium class PVC conduit with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.	m	150.000	₹ 103.50	₹ 15,525.00
56. Providing and carrying out wiring for light point/ fan point/ exhaust fan point / call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required. (excl. cost of conduit)	Point	20.000	₹ 824.55	₹ 16,491.00
57. Providing and carrying out wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2-way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required. (excl cost of conduit)	Point	15.000	₹ 1,215.55	₹ 18,233.25
58. Providing and carrying out wiring for heating points with 4.0 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, modular combined S&S 16Amp along with modular plate, suitable GI box and earthing the point with 2 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required. (excl cost of conduit)		8.0000	₹ 1,300.00	₹ 10,400.00

2  
A.

... and successful testing and commissioning of 0.30 MGD RSEP (cost includes PST, Filter House, Water Disposable Chamber) for WSS Dativas. (Tender No: 2022\_PHE\_196755\_1)  
Annexure "A" with Order No: /SE/HYD/JIM of 2023-24 Dated: -2023

Description

Description	Unit	Quantity	Allotted Rate	Amount
... and carrying out circuit/ submain wiring along with earth wire in the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required (excl cost)				
... sq mm + 1 x 4 sq mm earth wire				
... and fixing suitable size GI box with modular plate and cover in on surface or in recess, including providing and fixing 6 pin 5/6A & A modular socket outlet and 15/16 A modular switch connections etc	No.	150.000	₹ 230.00	₹ 34,500.00
... and fixing of two module stepped type Electronic Fan regulator on existing modular plate switch box including connections but excl cost	No.	15.000	₹ 569.25	₹ 8,538.75
... and fixing single pole 5 A to 32 A rating, 240V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load in the MCB DB complete connections, testing and commissioning etc. as required.	No.	6.000	₹ 393.30	₹ 2,359.80
... and fixing double pole 63 Amp 240V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load in MCB DB complete with connections, testing and commissioning etc. as required.	No.	20.000	₹ 228.85	₹ 4,577.00
... and fixing 3 pin, 5 A ceiling rose on the existing junction box/ junction block including connections etc. as required	No.	5.000	₹ 442.75	₹ 2,213.75
... of 24-Watt LED slim aluminum panel surface type complete in all respects.	No.	6.000	₹ 74.75	₹ 448.50
... of 1200 mm sweep Ceiling Fans complete in all respects. Confirming to relevant Indian Standards	No.	10.000	₹ 600.00	₹ 6,000.00
... of 200 mm nominal sweep Exhaust Fans including shutter from inside complete. Confirming to relevant Indian Standards	No.	5.000	₹ 2,125.00	₹ 10,625.00
... fluorescent fitting of all types, complete with all accessories and lamp etc. directly on ceiling/ wall, including connections with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable and earthing etc. as required.	No.	5.000	₹ 1,550.00	₹ 7,750.00
... and commissioning of ceiling fan, including wiring the leads of standard length (up to 30 cm) with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable etc. as required.	No.	5.000	₹ 193.20	₹ 966.00
... of exhaust fan in the existing opening, including making good the ceiling, connection, testing, commissioning etc. as required.	No.	5.000	₹ 196.65	₹ 983.25
... and fixing 12-way double door, single pole and neutral, sheet MCB distribution board, 240 V, on surface/ recess, complete with copper bus bar, neutral bus bar, earth bar, din bar, interconnections, painted including earthing etc. as required. (But without MCCB/Isolator)	No.	5.000	₹ 417.45	₹ 2,087.25
... fitting and testing of LED flood light IP65 30W rating to pre-wired points on the outside of the Filter House building.	No.	5.000	₹ 2,360.95	₹ 11,804.75
... and laying of armoured cable 95mm, 3.5 core for main service line routed make in P.V.C pipes of required dia to accommodate the service including bends etc., from main transformer to the main panel board including copper thimbles, earth work excavation and filling for laying of complete.	m	6.000	₹ 1,500.00	₹ 9,000.00
... providing and fitting at site 3-phase, Voltage stabilizer of following ratings, of standard make and quality including accessories as required. Includes making of connections with main panel board and service to be paid in fitted and finished form after testing on full load capacity, complete job.	Job	110.000	₹ 325.00	₹ 35,750.00
... providing and fitting of panel board with angle iron supports and A.C. sheets of MCCB, change over switch, bus bars etc. The job includes nuts and embedding of supports in cement concrete blocks complete job.	Job	1.000	₹ 47,000.00	₹ 47,000.00
... providing and fitting of: ... 4 pole change over of reputed make.	Job	5.000	₹ 4,250.00	₹ 21,250.00
... 250 Amp-Copper bus bar	No.	1.000	₹ 7,598.00	₹ 7,598.00
... 400 Amp MCCB	No.	1.000	₹ 4,550.00	₹ 4,550.00
... 250 Amp MCCB	No.	3.000	₹ 3,300.00	₹ 9,900.00
... 400 Amp MCCB	No.	3.000	₹ 2,700.00	₹ 8,100.00
... 250 Amp MCCB	No.	3.000	₹ 2,100.00	₹ 6,300.00
... 400 Amp MCCB	No.	5.000	₹ 1,250.00	₹ 6,250.00
... phase indicator points	No.	5.000	₹ 630.00	₹ 3,150.00
... phase voltmeter and Amperemeters	No.	5.000	₹ 445.00	₹ 2,225.00
	No.	3.000	₹ 1,190.00	₹ 3,570.00

Annexure "A" with Order No: /SI/HVD/IIM of 2023-24 Dated: -2023

Description	Unit	Quantity	Alloted Rate	Amount
Installation & fixing of PVC under drainage laterals with specifications conforming to IS 4905 & IS 15101, 8mm thick fabricated out of approved material with nominal dia of 9mm perforations as per design of bed provided at 90 degrees along with PVC Tees and end caps grouted in concrete, the pressure rating of 10kg/sq.cm	m	121.000	₹ 1,420.00	₹ 1,71,820.00
Installation & fixing of following items for Flash Mixer: Mixing device with reduction gear system				
3 phase electrically driven motor:				
7.5 HP	No	2.000	₹ 4,800.00	₹ 9,600.00
Foundation / Base plate	Set	1.000	₹ 4,548.00	₹ 4,548.00
Installation & fixing of following items for Alum Dosing Unit:				
Mixing device with reduction gear system.				
3 phase electrically driven motors:	Set	1.000	₹ 2,500.00	₹ 2,500.00
7.5 HP	No	1.000	₹ 4,800.00	₹ 4,800.00
Foundation / Base plate	Set	1.000	₹ 4,548.00	₹ 4,548.00
Starter along with necessary wiring upto motor	No	1.000	₹ 1,680.00	₹ 1,680.00
100mm dia outlet, overflow system with fittings upto point of application	Lot	1.000	₹ 530.00	₹ 530.00
100mm dia drain out let	Lot	1.000	₹ 530.00	₹ 530.00
100mm dia Service water piping.	Lot	1.000	₹ 1,350.00	₹ 1,350.00
Instant dosing unit with time device	Lot	1.000	₹ 530.00	₹ 530.00
Manually operated hoist	Set	1.000	₹ 1,500.00	₹ 1,500.00
Installation & fixing of following items for Chlorine Dosing Unit:				
Mixing device with reduction gear system.	Set	1.000	₹ 10,000.00	₹ 10,000.00
3 phase electrically driven motors:				
7.5 HP	No	1.000	₹ 2,800.00	₹ 2,800.00
7.5 HP	No	1.000	₹ 3,400.00	₹ 3,400.00
7.5 HP	No	1.000	₹ 4,800.00	₹ 4,800.00
Foundation / Base plate.	Set	1.000	₹ 4,548.00	₹ 4,548.00
100mm dia outlet, overflow system with fittings upto point of application.	Lot	1.000	₹ 530.00	₹ 530.00
Starter along with necessary wiring upto motor	No	1.000	₹ 1,680.00	₹ 1,680.00
100mm dia Drain out let	Lot	1.000	₹ 1,350.00	₹ 1,350.00
100mm dia service water piping	Lot	1.000	₹ 530.00	₹ 530.00
Instant dosing unit with time device.	Set	1.000	₹ 1,500.00	₹ 1,500.00
Installation and fixing D.I. sluice valves Class 1 (with cap) complete with rubber insertions, bolts, nuts, extension rod, joint connector, supporting bracket with base plate, top plate and necessary anchoring bolts etc. (the pieces if required will be paid separately). Confirming to IS:14846 read latest amendments.				
150mm dia.	Each	2.000	₹ 26,720.00	₹ 53,440.00
150mm dia.	Each	3.000	₹ 42,300.00	₹ 1,26,900.00
150mm dia.	Each	2.000	₹ 66,440.00	₹ 1,32,880.00
Installation and commissioning of air blower standard make ISI capable of providing compression @ 0.35 kgs/sqcm coupled with suitable 3 phase induction electric motor complete with auxiliary pipe upto filter beds with pressure gauge, Nozzles, foundation block, base plate, air check valve, non- return valve, Starter etc				
150mm dia 150mm Air blower with 7.5 HP Motor.	No	1.000	₹ 1,25,000.00	₹ 1,25,000.00
Installation and commissioning of mono block dosing unit standard make ISI mark coupled with 2 phase induction motor with appropriate pumping capacity so as to fill the tank within the max. of 2 hours with nominal dynamic head of 25m along with all accessories like foot valves, non- return valves, foundation block, base plate, suction pipe, riser pipe, rising main with nominal dia 50mm (class-B) with heavy duty and other accessories required for the job.				
150mm dia Pumping unit with 7.5 HP Motor.	Set	1.000	₹ 29,115.00	₹ 29,115.00
Installation and commissioning of MS Rotating Desludging Bridge comprising following items:				
Structural steel work in built up sections, trusses and framed work, including hoisting, fixing in position and applying a priming coat of approved primer all complete for the Installation Testing and Commissioning of Desludging Bridge with Central Drive mechanism, scrapper and churners for 150mm dia Clarifer.				
	Kg	1034.490	₹ 102.14	₹ 1,05,662.81

AK

and successful testing and commissioning of 0.30 MGD RSFP (cost includes PST, Filter House  
 water Disposable Chamber) for VJSS Dativas. (Tender ID:- 2022\_PHE\_196755\_1)  
 Annexure "A" with Order No: /SE/HYD/IJM of 2023-24 Dated :- -2023

Description	Unit	Quantity	Alotted Rate	Amount
Painting with Epoxy paint (two or more coats) at all locations prepared and finished as per manufacturer's specifications including appropriate priming and preparation of surface, etc complete				
General work				
General axle turn table with double bearing and guide for incoming cable	sqm	75.000	₹ 188.80	₹ 14,160.00
General drive assembly with following motors, gear box, rollers, drive (60.1 reduction gear box).	Set	1.000	₹ 4,800.00	₹ 4,800.00
Winding unit with 2.0 HP Motor.				
Winding unit with 7.5 HP Motor.				
Winding unit along with necessary wiring upto motor	Set	1.000	₹ 19,120.00	₹ 19,120.00
Winding unit drive assembly with crown wheel, pinion sets, reduction gear	Set	1.000	₹ 33,115.00	₹ 33,115.00
Winding unit with motors complete job.	No	1.000	₹ 1,680.00	₹ 1,680.00
Winding cable, telescopic electric pole with rotary current collector	No	1.000	₹ 7,300.00	₹ 7,300.00
Winding and laying/fixing S&S Centrifugally Cast (Spun)/ Ductile Iron Pipes Class K-7 conforming to IS : 8328	Set	1.000	₹ 6,500.00	₹ 6,500.00
Winding 300 mm dia				
Winding 300 mm dia	m	20.000	₹ 2,504.80	₹ 50,096.00
Winding and laying D.I. standard specials such as tees, bends, collars, elbows, caps etc. suitable for flanged jointing as per IS : 9523 (as per site requirement)	m	10.000	₹ 3,129.20	₹ 31,292.00
Winding 300 mm dia				
Winding/ Fixing, installation, successful commissioning of double flanged pipes/specials to be fabricated from MS tube heavy quality nominal thickness 6mm, conforming to relevant Indian Standard IS-1239 and/or IS standard with up to date amendments. The pipe material should be of standard quality and must withstand all the anticipated design pressure ratings. The work should be leakproof and should be painted with anti-rust primer. Complete Job.	Quintal	6.000	₹ 7,823.70	₹ 46,942.20
	Kg	1368.680	₹ 147.00	₹ 2,01,195.96


**Total**

**Add @ 7.00% as Tender Appreciation** ₹ 1,80,95,539

**Grand Total** ₹ 12,66,688

**(Rupees One Crore Ninety Three Lac Sixty Two Thousand Two Hundred and Twenty Six Only)** ₹ 1,93,62,226

Head Draftsman

  
 Superintending Engineer  
 Hydraulic Circle Baramulla/Bandipora  
 H. Q Sopore




GOVERNMENT OF JARAWAY  
OFFICE OF THE SUPERINTENDING ENGINEER,  
HYDRAULIC CIRCLE DISTRICT BARAMULLA/BANDIPORA  
Member Secretary District Jal Jeevan Mission Baramulla/Bandipora

Annexure "B" with ORDER No: /SE/HYD/SPR/JJM of 2023-24 Dated:- 2023

**Terms and Conditions**

1. The work is executed strictly as per approved design / drawing, specifications and JJM Guidelines. Any deviation or change in proposal/location is subject to the prior approval from the competent authority.
2. The Executive Engineer will draw the formal agreement with the contractor within 07 Days from the date of issuance of this allotment order.
3. The rates allotted are inclusive of all taxes applicable as per norms amended by competent authorities from time to time. Labour cess and royalties shall have to be borne by the executing agency/contractor.
4. The execution of work shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department.
5. The executing agency/contractor shall be bound for satisfactory performance of the work for **18 months** after the successful Commissioning of subject work and will have to make a trial run of the work for a period of **03 months** to the best satisfaction of the department.
6. The **Defective Liability Period** shall be for a period of **12 Months** which shall commence after the successful completion of the Trial Run.
7. No liability should be created on this account.
8. The total cost of work shall in no case exceed beyond **₹1,93,62,226.00 (One Crore Ninety-Three lac Sixty-Two Thousand Two Hundred and Twenty-Six Only)**.
9. In case the contractor fails to execute the work, the work shall be put to fresh tenders on the risk and cost of the contractor & the excess cost if involved shall be recovered from the contractor and strict action as warranted under contractual obligation shall be taken against the defaulter.
10. The time of completion of the work is reckoned **150-Days (One Hundred Fifty Days)** as per the condition laid down in the e-NIT.
11. The bidder shall furnish a performance security equivalent to 03% of the value of the contract within one week of the issuance of allotment order in the shape of CDR/FDR/Bank Guarantee, valid for a period of **38 Months** shall be released after successful fulfilment of the laid down conditions in **SP/e-Nit**.
12. The necessary cross sections of the dumping site/excavation should be incorporated at the time of making payments to the relevant item.
13. Geo Tagged Photographic evidences of the work; pre-execution, during execution and post execution should be maintained by the agency on his own expenses.
14. The executing agency/contractor must execute the work as per the requirements/specifications detailed in the relevant/applicable IS codes.
15. The tests for concrete and allied materials shall have to be carried out at reputed institute as per directions of Engineer in-charge and the charges for the same shall have to be borne by the executing agency/contractor.
16. All Environmental norms, labour laws and all other guidelines issued by competent authorities shall be followed in letter and spirit
17. All other terms & conditions as laid down in the standard bidding document, PWD form-25, GFR-2017 and manual of procurement of works 2022 shall remain in force.

  
Head Draftsman

  
Superintending Engineer  
Hydraulic Circle Baramulla/Bandipora  
H.Q Sopore.