

Office of the Executive Engineer Spl Sub Div Tangdar

Email Address: xenssdt@gmail.com

Mr. Bagh Hussain Shah
S/o. Kh Maskeen Shah
R/o Chamkote
Reg No: CE/KCC/PDC/2009-10
GSTIN: 01BCXPS1075B1ZK
Mob No: 9596267317

No: 5752-80
Dated: 1-2-2023

Subject: /F of Pipes, Construction of 6000 Gallons capacity Service Reservoir, 3000 Glns Collection Tanks (2 No's) Sluice Value Chamber (3 No), Intake Chamber, Crude Filter and Anchor/ Saddle Blocks, P/Pillars for WSS Batlan

- Ref:**
1. Revised DAP approved and issued under No: DDCK/Plg/JJM/4465-85 dtd: 14.07.2022
 2. DPR appraisal committee meeting held on 22 August issued under CE/PHE/DB/16932-54 dtd: 22.08.2022.
 3. Accord of Administrative approval accorded by Superintending Engineer Hyd. circle district kupwara HQ Handwara order No: 18/JJM/DSE/HH/DB/ of 2022-23 dtd: 25.08.2022.
 4. Technical Sanction issued by Chief Engineer Jal Shakti PHE Deptt Kashmirs No. CE/PHE/DB/582 of 9/2022 dtd: 12.09.2022..
 5. This office E-NIT No. 133 of 2022-23, Dated: 25.11.2022, issued under endstf. No: 5688-96 Dated: 25.11.2022
 6. Your tender received in response to this office E-NIT No. 133 of 2022-23
 7. District Development Commissioner Kupwara's Authorization No: DDCK/PLG/JJM/Mom/12446-76 Dated: 23.01.2023.

Adv. Cost 54.17 Lacs

Alloted Cost: 55.25 lacs

For and on behalf of Lt. Governor of Union Territory of Jammu & Kashmir, the above noted work is hereby alloted to you on following negotiated rates which are 2% Above advertise rates


S.No	Particulars of Items	Unit	Qty	Estimate d Rate	Alloted Rate @2% Above	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed in:- All kinds of Soil	1412.59	Cum	436.00	444.72 ✓	628207.00
2	Ordinary Rock	488.28	Cum	841.60	858.43 ✓	419155.00
3	Earth work in excavation by mechanical means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed In all kinds of Soil	94.69	Cum	188.75	192.53 ✓	18230.00
4	Ordinary Rock	49.60	Cum	378.35	385.92 ✓	19141.00
5	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material :All kinds of Soil.	62.67	Cum	81.65	83.28 ✓	5219.00
6	Ordinary Rock	38.39	Cum	146.45	149.38 ✓	5735.00

[Handwritten signature]

	Providing and laying dry stone soling hand packed tightly including cost of 50-200mm nallah boulders	19.32	Cum	678.04	691.60	13362.00
8	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 mix (1 Cement: 4 Course Sand : 8 graded crushed stone agg 40mm nominal size)	14.25	Cum	4861.83	4959.07	70667.00
9	Providing and laying in position Reinforced cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:1.5:3 mix (1 Cement: 1.5 Course Sand : 3 graded crushed stone agg 20mm nominal size)	20.51	Cum	7800.76	7956.78	163193.00
10	Reinforced cement concrete work in walls (any thickness) including attached pillasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement with: 1:1.5:3 mix (1 Cement: 3 Course Sand : 3 graded crushed stone agg 20mm nominal size)	41.71	Cum	9408.13	9596.29	400261.00
11	Reinforced cement concrete work in suspended floors, roofs having slope upto 15°, beams etc upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	9.21	Cum	9849.34	10046.33	92527.00
12	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:3:6 mix (1 Cement: 3 Course Sand : 6 graded crushed stone agg 40mm nominal size)	35.85	Cum	5399.02	5507.00	197426.00
13	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level	8913.00	Kg	90.00	91.80	818213.00
14	12 mm thick Cement plaster 1 : 3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement)	405.12	Sqm	378.12	385.68	156248.00
15	12 mm thick Cement plaster 1 : 4 (1 cement : 4 coarse sand)	129.60	Sqm	286.05	291.77	37814.00
16	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations	81.60	Sqm	262.30	267.55	21832.00
17	Walls	466.95	Sqm	573.85	585.33	273318.00
18	Suspended Floors	65.21	Sqm	635.60	648.31	42276.00
19	Edges of slabs and breaks in floors upto 200mm thick.	106.75	Sqm	242.30	247.15	26383.00
20	Extra for Centring and shuttering in circular Centering and shuttering including strutting, propping etc. and removal of form for: Foundations Foundations	4.95	Sqm	52.46	53.51	265.00

Handwritten signature

st Payable 1738567
 Date 01-02-2024
 omer ID 042066385
 int No. 111405030003771




ake Chamber.

		69.55	Sqm	114.77	117.07	8142.00
	Walls	14.18	Sqm	100.57	102.58	1455.00
	Suspended Floors					
23	Edges of slabs and breaks in floors upto 200mm thick.	13.35	Sqm	242.30	247.15	3299.00
24	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge : 15 mm to 40 mm nominal bore.	1000.00	Mtr	99.75	101.75	101745.00
25	Rethreading old damaged ends of G.I. pipes 40/25/20mm dia	200.00	No	50.00	51.00	10200.00
26	Laying and fitting of G.I. pipes (all classes) pipes, fittings and Earth work.complete excluding cost of pipes and earth work. 80mm Dia G.I. Pipe	5000.00	Mtr	73.05	74.51	372555.00
27	65mm Dia G.I. Pipe	5000.00	Mtr	73.03	74.49	372453.00
28	50mm Dia G.I. Pipe	3000.00	Mtr	40.80	41.62	124848.00
29	40mm Dia G.I. Pipe	2300.00	Mtr	40.80	41.62	95717.00
30	25mm Dia G.I. Pipe	1700.00	Mtr	30.65	31.26	53147.00
31	20mm Dia G.I. Pipe	1800.00	Mtr	20.25	20.66	37179.00
32	15mm Dia G.I. Pipe	300.00	Mtr	20.25	20.66	6197.00
33	Laying and fitting of G.I. Pipes in trenches with 10mm thick flanged joints including cost of MS Flanges, nuts, bolts, Rubber Insertioin, all carriages complete etc but excluding cost of earth work and pipes. 150 mm Dia G.I. Pipe with flanged Joints	4.00	Joints	2500.00	2550.00	10200.00
34	100 mm Dia GI .pipe with flanged joint	4.00	Mtr	1800.00	1836.00	7344.00
35	Providing and fixing GI Union in GI Pipe Including cutting anf threading the pipeand making long screws complete.(New Work) 20 mm nominal bore G.I Unions	30.00	No	363.06	370.32	11110.00
36	25 mm nominal bore G.I Unions	30.00	No	409.23	417.41	12522.00
37	40 mm nominal bore G.I Unions	25.00	No	566.15	577.47	14437.00
38	50 mm nominal bore G.I Unions	30.00	No	745.32	760.23	22807.00
39	65 mm nominal bore G.I Unions	40.00	No	1019.18	1039.56	41583.00
40	80 mm nominal bore G.I Unions	40.00	No	1019.18	1039.56	41583.00
41	15 mm nominal bore G.I Unions	50.00	No	298.42	304.39	15219.00
42	Providing and fixing gun matel gate value with CI wheel of approved quality.20 mm nominal bore	10.00	No	533.19	543.85	5439.00
43	25 mm nominal bore	5.00	No	624.96	637.46	3187.00
44	40 mm nominal bore	8.00	No	810.4	826.61	6613.00
45	50 mm nominal bore	1.00	No	1084.16	1105.84	1106.00
46	65 mm nominal bore	1.00	No	1803.37	1839.44	1839.00
47	Providing, Fabricating and fixing G.I. Bends of required degree to be made from GI pipes including Cutting of Pipe. Welding of Joint to make bend of required size including Rethreading if required complete. 80/65mm dia	10.00	No	700.00	714.00	7140.00
48	50mm Dia	8.00	No	700.00	714.00	5712.00
49	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc, in layers no exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5m	1682.86	Cum	198.70	202.67	341072.00

[Handwritten signature]

	Providing, fabricating and fixing M.S Lid 0.75 x 0.75 mtr size made of 3mm thick M.S. Sheet fixed / welded with angle iron frame 40x40x6mm and frame of 50x50x6mm angle iron to be embedded in cement concrete including necessary hinges, handles and locking arrangement applying priming coat of red oxide primer all carriages complete.	8.00	No	4000.00	4080.00	32640.00
51	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	433.00	Kg	63.69	64.96	28129.00
52	Providing PGI Sheet for Construction Joints 0.63 mm thick including all carriages	46.00	Sqm	750	765.00	35190.00
53	Steel work in built up sections in trusses and framed work including cutting, hoisting, fixing in position all complete.	321.00	Kg	105.76	107.88	34628.00
54	Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc complete 13.60.1 On steel work	21.45	Sqm	207.68	211.83	4544.00
55	Supply of GI Pipe Specials conforming to IS 1239 (Part-2) (subject to non availability in Stores) 20 mm dia G.I elbows	30.00	No	39.00	39.78	1193.00
56	25 mm dia G.I elbows	25.00	No	54.00	55.08	1377.00
57	40 mm dia G.I elbows	25.00	No	25.00	25.50	638.00
58	50 mm dia G.I elbows	15.00	No	15.00	15.30	230.00
59	65 mm dia G.I elbows	10.00	No	322.00	328.44	3284.00
60	20 mm to 15 mm G.I. sockets (reducing)	20.00	No	24.00	24.48	490.00
61	25 mm to any smaller size G.I. sockets (reducing)	20.00	No	30.00	30.60	612.00
62	40 mm to any smaller size G.I. sockets (reducing)	15.00	No	55.00	56.10	842.00
63	50 mm to any smaller size G.I. sockets (reducing)	5.00	No	91.00	92.82	464.00
64	65 mm to any smaller size G.I. sockets (reducing)	2.00	No	125.00	127.50	255.00
65	15 mm G.I. Tee (equal)	100.00	No	32.00	32.64	3264.00
66	20 mm G.I. Tee (equal/reducing)	30.00	No	54.00	55.08	1652.00
67	25 mm G.I. Tee (equal/reducing)	30.00	No	72.00	73.44	2203.00
68	40 mm G.I. Tee (equal/reducing)	10.00	No	145.00	147.90	1479.00
69	50 mm G.I. Tee (equal/reducing)	2.00	No	230.00	234.60	469.00
70	65 mm G.I. Tee (equal/reducing)	2.00	No	408.00	416.16	832.00
71	15 mm G.I Nipple of length 3", 4" and 6"	25.00	No	35.00	35.70	893.00
72	20 mm G.I Nipple of length 3", 4" and 6"	25.00	No	46.00	46.92	1173.00
73	25 mm G.I Nipple of length 3", 4" and 6"	20.00	No	69.00	70.38	1408.00
74	40 mm G.I Nipple of length 3", 4" and 6"	15.00	No	104.00	106.08	1591.00
75	50 mm G.I Nipple of length 3", 4" and 6"	5.00	No	144.00	146.88	734.00
76	65 mm G.I Nipple of length 3", 4" and 6"	5.00	No	316.00	322.32	1612.00
77	Supply and Filling of Boulders 50 - 200mm (Selected) including cleaning, and laying in graded sizes as per direction of Engineer-in-Charge Complete.	7.20	Cum	1000.00	1020.00	7344.00
78	Supply and filling of graded Nallah stone aggregate including cleaning, grading to required sizes, laying, spreading, levelling etc and all carriages complete.	2.88	Cum	3500.00	3570.00	10282.00


 S. Ven
 S. Ven

4306630
M003771


take Chamber,


	providing, hoisting and fixing up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including setting in position in cement mortar 1:3 (1 cement :3 coarse sand) including the cost of required centering, shuttering and curing but excluding cost of reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	0.36	Cum	9036.39	9217.12	3318.00
80	Carriage of materials from source to road site of work by Mechanical Transport including loading unloading and stacking complete. Cement and Steel 10 Km's (avg)	52.60	MT	303.64	309.71	16291.00
81	Sand and 20mm crushed aggregate 15 km's	120.90	Cum	341.57	348.40	42122.00
82	Crushed Aggregate 40mm nominal Size 15 Kms	45.10	Cum	371.28	378.71	17080.00
83	Stones/ Soling Stones 15 Km's	21.32	Cum	401.83	409.87	8738.00
84	G.I Pipes below 100mm dia 15 Km's from Div Store	24.52	MT	249.65	254.64	6244.00
85	100mm dia G.I Pipes	24.00	RM	6.14	6.26	150.00
86	150mm dia G.I Pipes	12.00	RM	10.23	10.43	125.00
87	Carriage of materials from road site upto actual site of work by manual means (Head Load) including loading unloading and stacking complete. Cement 300 Mtrs	43.41	MT	210.74	214.95	9331.00
88	Steel 300 Mtrs	9.19	MT	452.68	461.73	4243.00
89	Sand and 20mm Crushed agg 300 Mtrs	120.90	Cum	438.4	447.17	54063.00
90	40mm crushed aggregate 300 Mtrs	45.10	Cum	473.93	483.41	21802.00
91	Stones / Soling 300 Mtrs	19.32	Cum	515.75	526.07	10164.00
92	G.I Pipes below 100mm 300 Mtrs avg	24.52	MT	265.71	271.02	6646.00
93	100mm dia G.I Pipes	24.00	RM	7.17	7.31	176.00
94	150mm dia G.I Pipes	12.00	RM	10.12	10.32	124.00
Total						5525391.00


Rupees fifty five lacs twenty five thousand three hundred and nienty one only

TERMS & CONDITIONS:

- 1 The contractor shall draw agreement with the Executive Engineer Spl Sub Div.Tangdar within a period of 07 days from the date of issue of allotment order and failing to execute such an agreement in time shall not however prevent this contract being enforced against the contractor and the conditions laid down in the SBD shall hold good even before drawal of formal agreement .
- 2 The work shall have to be executed strictly in accordance with the approved proposals and specifications of the sanctioned estimates
- 3 The date of start of work shall be reckoned from the date of issuance of allotment order subject to the working weather conditions
- 4 It shall be mandatory for the executing agency / contractor to ensure safe and adequate supply of electricity required for all the workmen skilled /unskilled deployed at site of work.
- 5 Suitable arrangment for supply of potable water at site of work for all the workmen skilled/unskilled be made by
- 6 Arrngment for sufficient sanitation facility at site be ensured by the executing agency / contractor for all the workmen to be mobilized at site besides , saperate toilet facilities be provided for female workers at the site of work


Crafts man


T.O


Executive Engineer
Spl Sub Div Tangdar

6.75%

Performance security equivalent to 03% of the value of the contract i.e Rs. 162600 valid in accordance with bid condition shall have to be furnished by you in shape of CDR/FDR/Bank Guarantee within one week of the date of issuance of allotment order or at the time of signing of agreement whichever is earlier.

- 8 Insurance cover as admissible under rules shall be provided to all workers / skilled / unskilled deployed at site and the necessary premiums shall be borne by the executing agency / contractor itself.
- 9 Payment are subject to the recommendations of the third party verification agency (M/S WAPCOS Ltd) or any other agency engaging by the Govt for the purpose.

TIME OF COMPLETION

The work shall be completed within a period of (90 working Days) after the date of issue of allotment. In the event of the contractor failing / declining / neglecting / causing delay in the execution of the work, penalty to the extent of 10% of the allotted amount shall be imposed on the contractor and the work shall be got executed departmentally or through any other agency at the risk and extra cost of the contractor, besides action under rules for black listing of the contractor shall be taken up by the department.

EARNEST MONEY :

The CDR/FDR bearing No.641828, Dated.01.02.2023 for an amount of R5.162600 from Bank Jammu & Kashmir bank BO Tangdar pledged to Executive Engineer Spl Sub Division Tangdar shall be retained in this office till successful completion of the above mentioned work after the expiry of the Defective Liability Period (D.L.P)


ADVANCE PAYMENT :

No mobilization advance or advance payment shall be made to the allottee (Contractor)


GENERAL :

All other terms and conditions as laid down in the E-NIT No.133 of 2022-23, dt 25.11.2022, issued under endstt. No. 5688-96 Dt. 25.11.2022, from this office shall be binding on the contractor.

Head Drafts man



T.O



Executive Engineer
Spl Sub Div Tangdar

Copy to the:-

1. Chief Engineer Kmr PHE Department Srinagar for information.
2. District Development Commissioner Kupwara (Chairman DJJM Kupwara) for favour of information.
3. District Superintending Engineer Hydraulic Circle Kupwara HQ- Kupwara (Secretary DJJM Kupwara) for favour of information
4. Technical officer to Chief Engineer JSD (PHE) Kashmir for favour of information to Chief Engineer.
5. Team Leader WAPCOS Kupwara for information & necessary action.
6. AEE PHE Sub-Division Tangdar for information. He is directed to get the work executed as per approved drawings / Specifications within allotted cost.

/ Divisional office for information & record.